



Laboratory Identification

Labels, printers & software for laboratories

About BRADY



Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.

Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions. By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

Trust

For over a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

Inform

We also have specialised dealers in your region, who can answer all your identification, safety and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.

Microsoft is a trademark of Microsoft Corporation, Bluetooth is a trademark of Bluetooth Sig, Inc., Android is a trademark of Google Inc.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase.

The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady.

Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

Laboratory Identification

Labels, printers & software for the laboratory

The Brady Advantage

When it comes to identification, safety and compliance, there's a clear advantage to working with Brady. We put our customers first in everything we do.

Our goal is to give you an unrivalled customer experience. We are relentlessly committed to performance and excellence - in our products, services and people.

Our products and solutions perform in ways that others simply can't match. Our people perform in ways that regularly exceed your expectations, and our focus and discipline work toward solid, long-term performance for our customers.

In short, Brady is the company you trust when performance matters most.

Learn more about the Brady Advantage at:
www.bradyeurope.com

Table of Content

4 Simplify Your Laboratory Identification

Laboratory Identification Labels

6 Choose your Application

8 Vial / Tube Labels

13 Vial Top Labels

15 Centrifuge / Microcentrifuge Labels

19 Cryo Tubes & Vials

21 Conical / Large Tube Labels

27 Slide Labels

28 B-498 Re-Identify Tissue Cassettes Labels

29 Straw and Rod Labels

30 Well Plate Labels

34 Bottles / Flasks & Dishes

37 Bottle Tamper Seal Labels

37 General Lab ID

Label Printers and Barcode Scanners

42 Choose Your Printer

44 BMP21-LAB Label Printer

45 BMP51 Label Printer

46 BMP61 Label printer

47 BMP71 Label Printer

48 BBP12 Label Printer

49 BradyPrinter i3300 Industrial Label Printer

50 BradyPrinter i5100 Industrial Label Printer

51 BradyPrinter i7100 Industrial Label Printer

53 BradyPrinter M611 Mobile Label Printer

54 BradyJet J2000 Colour Label Printer

55 Label Creation Software

56 Scanners for Laboratories

Miscellaneous Products

60 Hazardous Substance Identification

62 Sorbent Products

66 Pipemarkers

66 Safety Signs on Rolls



Simplify Your Laboratory Identification

Brady's laboratory identification products are designed to serve the world's biotechnology, agricultural, environmental and forensic researchers. Whether you work in pathology, histology, chromatography or other areas of science, Brady labelling solutions can help you maintain Good Laboratory Practice.

Brady Sample Identification solutions:

- match existing vial, slide, and well plate sizes
- remain legible throughout processing and storage
- endure freezer storage, liquid nitrogen, autoclave, hot water baths and solvents including Xylene, DMSO and Ethanol
- allow bar coding for extensive information storage on even the tiniest sample
- integrate seamlessly with your Laboratory Information Management System (LIMS)

Hand-written versus printed labels

Did you ever have to postpone research because of unidentified samples, or because nobody was able to read anymore what was once written on the sample you need? Printed laboratory labels, engineered specifically to identify samples, help avoid sample loss and a lot of frustration.



Hand-Written Information


- Is difficult to read
- Smears when handled
- Has limited communication potential
- Fades over time when stored
- Is erased by chemicals

Brady Printed Laboratory Labels

- Are crisp, clear and readable
- Do not smear nor fade
- Can hold much information
- Have increased durability
- Resist chemicals

Lab-durable labels

Brady's special self-laminating or wrap around label protects your label's legend from extreme temperature, chemicals and solvents.



For best adhesion, we recommend that you do not touch the adhesive side of the label when wrapping it around your vial or tube.

- Printing is readable every time
- Clear portion wraps around and laminates the legend
- Provides window to view liquid level inside vial
- Low profile (extremely thin) label resists jamming in centrifuge or racks
- Labels withstand liquid nitrogen (-196°C), freezer (-80°C), autoclave (+121°C) and chemicals like Xylene



On-site Label Creation

Brady printers enable professionals to print highly specialised identification labels on-site and on demand. Partnered with customisable software and a specific application system for laboratories, adaptable to specific processes or data file formats, Brady printers support considerable time savings and flexibility in sample identification.

Every Brady identification label can be printed on-site using a Brady mobile or benchtop printer. See page 42 for the full range of label printers.



Laboratory Identification Labels

Extensive material knowledge combined with chemical expertise enables Brady to develop durable labels that perform throughout sample storage and processing.

- 6 Choose your Application
- 8 Vial / Tube Labels
- 13 Vial Top Labels
- 15 Centrifuge / Microcentrifuge Labels
- 19 Cryo Tubes & Vials
- 21 Conical / Large Tube Labels
- 27 Slide Labels
- 28 B-498 Re-Identify Tissue Cassettes Labels
- 29 Straw and Rod Labels
- 30 Well Plate Labels
- 34 Bottles / Flasks & Dishes
- 37 Bottle Tamper Seal Labels
- 37 General Lab ID



Choose your Application



Vial/Tube



Conicals/bottles




Slide



Tissue cassette



Straw



Well Plate



General Lab ID

Material	Printer Ribbon Series	Temp (°C) (Tested for 30 days)	APPLICATION						ENVIRONMENT				OTHER QUALITIES		
			Vial/Tube	Conical / Large Tubes	Slide	Tissue Cassette	Straw	Well Plate	General Lab ID	Freezer	Liquid Nitrogen	Autoclave (121°C)		Hot Water Bath (100°C)	Low-Profile (extremely thin)
Freezerbondz™ Polyester															
B-490	R4300	-196 °C	130 °C	✓	✓				✓	✓	✓	✓	✓	✓	Retaining perfect integrity and legibility in liquid nitrogen, this ultra thin label avoids jamming in narrow racks and can be applied to already frozen surfaces with a small overlap.
B-492	R6400	-196 °C	110 °C	✓	✓				✓	✓	✓	✓	✓	✓	Retaining perfect integrity and legibility in liquid nitrogen, this ultra resistant label, combined with the R6400 print ribbon, can resist a range of chemicals and can be applied to already frozen surfaces with a small overlap.
Nylon Cloth															
B-499	R4300 R6000 R6200B R7950	-196 °C	90 °C	✓	✓				✓	✓	✓	✓	✓	✓	Permanent adhesion; write-on capabilities. Temperature range increases to 121°C when used in autoclave process. Tested 3 cycles of 1 hour in 121°C at 15 psi for autoclave process. Available in white or yellow.
Paper															
B-424	R4300 R7950	-40 °C	50 °C						✓	✓					Permanent adhesive; write-on capabilities; good contrast and smear resistance.
Polyester															
B-423	R6000 R4410	-70 °C	110 °C	✓					✓	✓	✓	✓	✓	✓	Permanent acrylic adhesive; ideal for flat surfaces. Suitable to adhering to glass, but not polypropylene.
B-430	R6000	-70 °C	100 °C	✓					✓	✓	✓	✓	✓	✓	Clear polyester with permanent acrylic based adhesive; withstands numerous solvents and can be applied to variable surfaces.
B-432	R6000	-40 °C	100 °C						✓	✓	✓	✓	✓	✓	Clear polyester with permanent acrylic based adhesive; withstands numerous solvents and can be applied to variable surfaces.
B-488	R4300 R7950	-40 °C	145 °C	✓	✓				✓	✓	✓	✓	✓	✓	Permanent acrylic adhesive; ideal for flat surface; write-on capabilities; excellent solvent resistance and xylene resistance.
B-533	R6000	-70 °C	100 °C						✓	✓	✓	✓	✓	✓	Removable, ideal for flat surfaces. Suitable to adhering to glass, but not polypropylene.
B-8423	R6000	-70 °C	110 °C	✓					✓	✓	✓	✓	✓	✓	Permanent acrylic adhesive; semi-gloss finish; excellent for bar code labels.
Polypropylene															
B-425A	R6400	-70 °C	80 °C	✓	✓				✓	✓	✓	✓	✓	✓	Excellent solvent resistance.
B-449	R7961	-70 °C	90 °C	✓	✓				✓	✓	✓	✓	✓	✓	Ideal for temporary labelling applications. Removable from flat surfaces; write-on capabilities; Tested 3 cycles of 1 hour in 121°C at 15 psi for autoclave process.
B-7425	R4300	-80 °C	70 °C	✓		✓			✓	✓	✓	✓	✓	✓	For freezer or liquid nitrogen applications, B-7425 must be applied prior to being frozen.

>>



Vial/Tube



Conicals/bottles



Slide



Tissue cassette



Straw



Well Plate



General Lab ID

Material	Printer Ribbon Series	Temp (°C) (Tested for 30 days)		APPLICATION						ENVIRONMENT				OTHER QUALITIES		
				Vial/Tube	Conical / Large Tubes	Slide	Tissue Cassette	Straw	Well Plate	General Lab ID	Freezer	Liquid Nitrogen	Autoclave (121°C)		Hot Water Bath (100°C)	Low-Profile (extremely thin)
Self-laminating Polyester																
B-461	R4300 R7950	-196 °C	110 °C	✓	✓			✓				✓	✓	✓	✓	Permanent adhesive; suitable for liquid nitrogen application if material is wrapped around itself, as in self-lamination; write-on capabilities. Temperature range increases to 121°C when used in autoclave process.
Self-laminating Vinyl																
B-427	R4300	-40 °C	60 °C	✓	✓			✓				✓	✓			Permanent acrylic adhesive; self-laminating; write-on capabilities; suitable for liquid nitrogen application and can be used to identify a frozen vial if label material is wrapped around itself, as in self-lamination. Temperature range goes to -196°C if material is wrapped around vial and overlaps itself.
StainerBondz™ Polyester																
B-481	R6400	-80 °C	130 °C				✓					✓	✓		✓	White polyester will remain resistant when exposed to xylene and other chemicals that are commonly used in the slide staining process.
Tamper-resistant Vinyl																
B-351	R6200	-40 °C	80 °C							✓	✓	✓				Fractures Easily, Prevents One-Piece Removal
B-7351	R6200	-40 °C	80 °C							✓	✓	✓				Fractures Easily, Prevents One-Piece Removal
Vinyl																
B-439	R6010 R4900 R4410	-70 °C	40 °C							✓	✓	✓				Available in Blue, Green, Orange, Red, White and Yellow
B-595	R6000 R4400 R6900	-40 °C	82 °C							✓	✓	✓				Available in a wide range of colours.
Vinyl Cloth																
B-498	R4300	-40 °C	80 °C	✓	✓		✓			✓	✓	✓				Removable from flat surfaces; write-on capabilities. Available in White.



Part number explanation

Most Brady references for printable labels follow the same three-part format: The first code indicates the technology, the second part is a number indicating the label size (where applicable) and the third part indicates the Brady material (where applicable).

M71-73-461

BMP71
Technology

Label size
code


Material
(B-number)



VIAL / TUBE LABELS

Brady's vial and test tube labels are designed to withstand extreme laboratory solvents like Xylene, Ethanol, Alcohol and DMSO, ensuring that the specimen identification is always legible - and will not smear, fade or fall off.

- F** Freezer environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.


Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.5 ml													
⊙	B-423	F A H	6.35	-	6.40	-	-	-	M21-250-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
▷	B-427	F N S	25.40	63.50	-	-	25.40	19.05	PTL-21-427	M611, BMP61, BMP71	R4310	100	1
0.5 - 0.7 ml													
▷	B-461	F N A H S L	9.53	45.72	-	-	9.53	19.05	M71-73-461	BMP71	M71-R6200	250	1
⬢	B-499	F N A	12.70	19.05	-	-	12.7	19.05	B33-68-499	i3300	B30-R6000HF	1500	4
⬢	B-498	F	12.70	19.05	-	-	12.7	19.05	B33-68-498	i3300	B30-R6200	5000	4
▲	B-498	F	12.70	19.05	-	-	12.7	19.05	BM71-11-498	M611, BMP61, BMP71	R6200	5000	1
▲	B-498	F	12.70	19.05	-	-	12.7	19.05	M71-11-498	BMP71	M71-R6200	500	1
⬢	B-499	F N A	12.70	19.05	-	-	12.7	19.05	THT-68-499-10	BBP12, i7100, i5100	R4900	10000	4
⬢	B-498	F	12.70	19.05	-	-	12.7	19.05	THT-68-498-10	BBP12, i7100, i5100	R4300R7950	10000	4
⬢	B-490	F N H L	12.70	19.05	-	-	-	-	B33-68-490	i3300	B30-R4300	2500	4
▲	B-499	F N A	12.70	25.40	-	-	-	-	B33-620-499	i3300	B30-R6000HF	1000	1
▲	B-499	F N A	12.70	25.40	-	-	-	-	BPT-620-499	BBP12	R7950	1000	1
▷	B-461	F N A H S L	12.70	55.88	-	-	12.70	19.05	THT-127-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	F N A H S L	12.70	55.88	-	-	12.70	19.05	THT-127-461-1.5-SC*	BBP12	R7950	1500	1
⬢	B-499	F N A	25.40	9.53	-	-	9.53	25.4	THT-152-499-3	BBP12, i7100, i5100	R4900	3000	2
◆	B-461	F A H S L	25.40	9.53	-	9.53	20.00	9.53	BPT-606-461	BBP12	R7950	1000	1
⊗	B-499	F A	25.40	9.53	-	9.53	25.4	9.53	M71-98-499	BMP71	M71-R4300	500	1
⬢	B-499	F N A	25.40	9.53	-	-	25.4	9.53	THT-152-499-1.5-SC	BBP12	R7950	1500	2
⬢	B-499	F N A	25.40	9.53	-	-	-	-	B33-152-499	i3300	B30-R6000HF	1500	2
▲	B-492	F N H L	25.40	9.53	-	-	-	-	M71-16-492	BMP71	M71-R6400	500	1
⬢	B-492	F N H L	25.40	9.53	-	-	-	-	THT-152-492-3	BBP12, i7100, i5100	R6400	3000	2
⬢	B-492	F N H L	25.40	9.53	-	-	-	-	THT-152-492-2.5-SC	BBP12	R6400	2500	2
⬢	B-425A	F	25.40	9.98	-	-	-	-	THT-30-425-10	BBP12, i7100, i5100	R6400	10000	3
▷	B-427	F N S	55.80	12.70	-	-	12.70	19.05	THT-127-427-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	F N A H S L	55.88	12.70	-	-	19.05	12.70	B33-127-461	i3300	B30-R4300	1500	3
0.5 - 8.0 ml													
▲	B-490	F N H L	22.86	12.70	-	-	-	-	B33-125-490	i3300	B30-R4300	1650	1
⊗	B-499	F A	25.40	9.53	-	9.53	22.86	12.7	THT-249-499-1.5-SC	BBP12	R7950	1500	1
⊗	B-492	F H L	25.40	9.53	-	9.53	25.4	12.7	THT-249-492-1.5-SC	BBP12	R6400	1500	1
⊗	B-492	F H L	25.40	12.70	-	11.18	25.4	12.7	THT-251-492-1.5-SC	BBP12	R6400	1500	1
⊗	B-492	F H L	25.40	12.70	-	9.53	25.4	12.7	THT-250-492-1.5-SC	BBP12	R6400	1500	1

*Label is rotated 90° on liner.

>>>

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

Diagram



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.


Labels are shown per vial / tube size and in order of label width.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.6 ml													
⊙	B-499	FNA	9.53	-	4.88	-	-	-	M21-375-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	FNA	9.53	-	4.88	-	-	-	MC-375-499	BMP41, BMP51	R4300	1	1
⊙	B-461	FNAHSL	9.53	-	6.40	-	9.53	-	M21-375-461-AW	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-7425	FNAH	9.53	-	6.40	-	-	-	M21-375-7425	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-499	FNA	22.86	12.70	-	-	12.7	22.86	THT-125-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-499	FNA	22.86	12.70	-	-	22.86	12.7	M71-84-499	BMP71	M71-R4300	500	1
▲	B-499	FNA	22.86	12.70	-	-	22.86	12.7	THT-125-499-1.5-SC	BBP12	R7950	1500	1
▲	B-499	FNA	22.86	12.70	-	-	-	-	B33-125-499	i3300	B30-R6000HF	1500	1
0.6 - 1.5 ml													
⊕	B-499	FA	25.40	9.53	-	9.53	25.4	9.53	PTL-98-499	M611, BMP61, BMP71	R4310	500	1
⊗	B-499	FNA	-	9.5	-	9.53	-	9.53	PTL-82-499-YL	M611, BMP61, BMP71	R4310	500	1
⊗	B-499	FNA	-	-	-	9.53	-	9.53	PTL-82-499	M611, BMP61, BMP71	R4310	500	1
1.0 ml													
▲	B-7425J	FNAH	33.02	15.24	-	-	-	-	J20-256-7425J	J2000	-	1500	1
1.0 - 2.0 ml													
⊔	B-461	FNAHSL	15.00	40.00	-	-	15.00	30.00	BPTLAB-21-461-2.5	BBP12	R7950	2500	1
⊔	B-461	FNAHSL	15.24	38.10	-	-	15.24	33.00	BPT-628-461*	BBP12	R7950	2500	2
⊔	B-461	FNAHSL	15.24	38.10	-	-	15.24	33.00	M71-100-461	BMP71	M71-R6200	500	1
⊔	B-461	FNAHSL	15.24	38.10	-	-	15.24	33.03	B33-628-461*	i3300	B30-R4300	2500	2
⊔	B-461	FAHSL	15.24	41.28	-	12.70	15.24	30.00	M71-116-461	BMP71	M71-R6200	150	1
⊔	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	B33-612-461	i3300	B30-R4300	1500	3
⊔	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	BPT-612-461	BBP12	R7950	1500	3
▲	B-7425J	FNAH	20.96	6.35	-	-	-	-	J20-257-7425J	J2000	-	1500	1
⊕	B-499	FA	25.40	9.53	-	9.53	25.4	9.53	THT-163-499-3	i7100, i5100	R4900	3000	1
⊕	B-499	FA	25.40	9.53	-	9.53	-	-	B33-163-499	i3300	B30-R6000HF	1500	1
⊕	B-492	FHL	25.40	9.53	-	9.53	-	-	B33-163-492	i3300	B30-R6400	1500	1
⊕	B-492	FHL	25.40	9.53	-	9.53	-	-	THT-163-492-3	BBP12, i7100, i5100	R6400	3000	1
⊕	B-492	FHL	25.40	12.70	-	11.18	-	-	B33-182-492	i3300	B30-R6400	1500	1
⊕	B-492	FHL	25.40	12.70	-	9.53	-	-	B33-181-492	i3300	B30-R6400	1500	1
⊕	B-492	FHL	25.40	12.70	-	9.53	-	-	M71-118-492	BMP71	M71-R6400	500	1
⊕	B-492	FHL	25.40	12.70	-	11.18	-	-	THT-182-492-3	BBP12, i7100, i5100	R6400	3000	1
⊕	B-492	FHL	25.40	12.70	-	9.53	-	-	THT-181-492-3	i7100, i5100	R6400	3000	1
⊔	B-461	FNAHSL	25.40	44.45	-	-	25.40	25.40	B33-183-461	i3300	B30-R4300	2000	1
⊔	B-461	FNAHSL	25.40	44.45	-	-	25.40	25.40	M71-106-461	BMP71	M71-R6200	250	1
⊔	B-461	FAHSL	40.00	15.00	-	9.00	30.00	15.00	BPTLAB-20-461-2.5	BBP12	R7950	2500	1
⊔	B-461	FAHSL	40.00	15.00	-	9.53	30.00	15.00	M71-101-461	BMP71	M71-R6200	250	1
⊔	B-461	FAHSL	41.28	15.24	-	12.70	30.00	15.24	B33-608-461	i3300	B30-R4300	1000	1
⊔	B-461	FAHSL	41.28	15.24	-	12.70	30.00	15.24	BPT-608-461	BBP12	R7950	1000	1
⊕	B-499	FA	41.28	15.24	-	12.70	-	-	BPT-608-499	BBP12	R7950	1000	1
⊗	B-499	FNA	-	-	-	12.70	-	12.7	PTL-83-499	M611, BMP61, BMP71	R4310	500	1
⊗	B-499	FNA	-	-	-	12.70	-	12.7	PTL-83-499-YL	M611, BMP61, BMP71	R4310	500	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.

>>

Vial / Tube Labels



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Labels are shown per vial / tube size and in order of label width.


Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.0 - 8.0 ml													
▶	B-461	FNAHSL	15.24	41.28	-	-	15.24	25.40	M71-76-461	BMP71	M71-R6200	500	1
▶	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	M71-86-461	BMP71	M71-R6200	100	1
●	B-498	F R	19.05	23.80	-	-	19.05	19.05	THT-91-498-5	BBP12, i7100, i5100	R4300R7950	5000	4
●	B-498	F R	19.05	23.80	-	-	19.05	-	B33-91-498	i3300	B30-R6200	2500	4
●	B-498	F R	19.05	25.40	-	-	12.7	19.05	THT-88-498-5	BBP12, i7100, i5100	R4300R7950	5000	2
▲	B-498	F R	19.05	25.40	-	-	19.05	25.4	BM71-18-498	M611, BMP61, BMP71	R6200	2500	1
▲	B-499	FNA	19.05	25.40	-	-	19.05	25.4	M71-18-499	BMP71	M71-R4300	250	1
▲	B-498	F R	19.05	25.40	-	-	19.05	25.4	M71-18-498	BMP71	M71-R6200	250	1
▲	B-498	F R	19.05	25.40	-	-	-	-	M-48-498	BMP41, BMP51	R6200	180	1
▲	B-499	FNA	22.86	12.70	-	-	22.86	12.7	PTL-84-499	M611, BMP61, BMP71	R4310	500	1
⊗	B-499	F A	22.86	12.70	-	12.70	22.86	12.7	THT-126-499-3	i7100, i5100	R4900	3000	1
⊗	B-490	F H L	22.86	12.70	-	12.70	-	-	B33-126-490	i3300	B30-R4300	2500	1
⊗	B-499	F A	22.86	12.70	-	12.70	-	-	M71-126-499	BMP71	M71-R4300	500	1
⊕	B-7425J	FNAH	25.40	9.53	-	9.53	-	-	J20-249-7425J	J2000	-	1500	1
●	B-7425J	FNAH	25.40	9.53	-	-	-	-	J20-152-7425J	J2000	-	2000	2
●	B-498	F R	25.40	19.05	-	-	25.4	19.05	B33-88-498	i3300	B30-R6200	2500	2
●	B-492	FNHL	25.40	19.05	-	-	25.4	19.05	THT-88-492-5	BBP12, i7100, i5100	R6400	5000	2
▲	B-492	FNHL	25.40	19.05	-	-	25.4	19.05	THT-88-492-2.5-SC	BBP12	R6400	2500	2
▶	B-427	FN S	25.40	66.68	-	-	25.40	25.40	B33-131-427	i3300	B30-R4300	1500	1
▶	B-461	FNAHSL	25.40	66.68	-	-	25.40	25.40	M71-115-461	BMP71	M71-R6200	100	1
▶	B-461	FNAHSL	25.40	66.68	-	-	25.40	25.40	PTL-75-461-YL	M611, BMP61, BMP71	R4310	100	1
▶	B-427	FN S	25.40	66.68	-	-	25.40	25.40	PTL-75-427	M611, BMP61, BMP71	R4310	100	1
▶	B-461	FNAHSL	25.40	66.68	-	-	25.40	25.40	THT-131-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▶	B-461	FNAHSL	25.40	66.68	-	-	25.40	25.40	THT-131-461-1.5-SC*	BBP12	R7950	1500	1
▲	B-7425J	FNAH	38.10	44.45	-	-	-	-	J20-258-7425J	J2000	-	900	1
▲	B-490	FNHL	41.28	15.24	-	-	41.28	15.24	THT-155-490-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-490	FNHL	41.28	15.24	-	-	41.28	15.24	THT-155-490-1.5-SC	BBP12	R7950	1500	1
⊗	B-492	FHL	41.28	15.24	-	9.53	-	-	B33-190-492	i3300	R6400	1500	1
▲	B-492	FNHL	41.28	15.24	-	-	-	-	B33-155-492	i3300	R6400	1500	1
▲	B-490	FNHL	41.28	15.24	-	-	-	-	B33-155-490	i3300	B30-R4300	1500	1
▲	B-490	FNHL	41.28	15.24	-	-	-	-	M71-76-490	BMP71	M71-R4300	500	1
⊗	B-492	FHL	41.28	15.24	-	9.53	-	-	THT-190-492-3	BBP12, i7100, i5100	R6400	3000	1
▲	B-492	FNHL	41.28	15.24	-	-	-	-	THT-155-492-3	BBP12, i7100, i5100	R6400	3000	1
▲	B-492	FNHL	44.45	25.40	-	-	-	-	M-125-492	BMP51	R6400	180	1
▲	B-490	FNHL	48.26	25.40	-	-	48.26	25.4	PTL-78-490	M611, BMP61, BMP71	R4310	250	1
▲	B-492	FNHL	48.26	25.40	-	-	48.26	25.4	THT-156-492-1.5-SC	BBP12	R6400	1500	1
▲	B-490	FNHL	48.26	25.40	-	-	48.26	25.4	THT-156-490-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-490	FNHL	48.26	25.40	-	-	48.26	25.4	THT-156-490-1.5-SC	BBP12	R7950	1500	1
▲	B-492	FNHL	48.26	25.40	-	-	-	-	B33-156-492	i3300	B30-R6400	1500	1
▲	B-490	FNHL	48.26	25.40	-	-	-	-	B33-156-490	i3300	B30-R4300	1500	1
▲	B-492	FNHL	48.26	25.40	-	-	-	-	M71-78-492	BMP71	M71-R6400	250	1
▲	B-492	FNHL	48.26	25.40	-	-	-	-	THT-156-492-3	BBP12, i7100, i5100	R6400	3000	1
▶	B-427	FN S	66.38	25.40	-	-	25.40	25.40	THT-131-427-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▶	B-461	FNAHSL	66.68	15.24	-	-	25.40	15.24	B33-153-461*	i3300	B30-R4300	1500	1
▶	B-461	FNAHSL	66.68	25.40	-	-	25.40	25.40	BM71-75-461	M611, BMP61, BMP71	R6200	1000	1
▶	B-461	FNAHSL	66.68	25.40	-	-	25.40	25.40	PTL-75-461	M611, BMP61, BMP71	R4310	100	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.

>>

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

Diagram



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.


Labels are shown per vial / tube size and in order of label width.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.5 ml													
⊙	B-499	FNA	12.70	–	4.88	–	–	–	M21-500-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	FNA	12.70	–	4.88	–	–	–	MC-500-499	BMP41, BMP51	R4300	1	1
⊙	B-461	FNAHSL	12.70	–	6.40	–	12.70	–	M21-500-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-7425	FNAH	12.70	–	6.40	–	–	–	M21-500-7425	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	FNA	12.70	–	9.10	–	–	–	M71C-500-499	BMP71	M71-R4300	1	1
1.5 - 2.0 ml													
▷	B-461	FNAHSL	15.24	41.28	–	–	15.24	25.40	THT-133-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	FNAHSL	15.24	41.28	–	–	25.40	15.24	THT-133-461-1.5-SC*	BBP12	R7950	1500	1
▷	B-461	FNAHSL	15.24	66.68	–	–	15.24	25.40	THT-153-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	FNAHSL	15.24	66.68	–	–	15.24	25.40	THT-153-461-1.5-SC*	BBP12	R7950	1500	1
▲	B-492	FNHL	25.40	12.70	–	–	25.4	12.7	THT-59-492-2.5-SC	BBP12	R6400	2500	1
▲	B-492	FNHL	25.40	12.70	–	–	–	–	B33-59-492	i3300	B30-R6400	2500	1
⊕	B-7425J	FNAH	25.40	12.70	–	11.18	–	–	J20-251-7425J	J2000	–	1500	1
▲	B-492	FNHL	25.40	12.70	–	–	–	–	THT-59-492-10	BBP12, i7100, i5100	R6400	10000	1
▷	B-461	FNAHSL	41.28	15.24	–	–	25.40	15.24	B33-133-461	i3300	B30-R4300	1500	3
▽	B-492	FHL	41.28	15.24	–	9.53	–	–	M-95-492	BMP51	R6400	200	1
▲	B-492	FNHL	41.91	12.70	–	–	–	–	M-124-492	BMP51	R6400	180	1
1.5 - 8.0 ml													
●	B-492	FNHL	25.40	9.53	–	–	–	–	B33-152-492	i3300	B30-R6400	2500	2
2.0 - 4.0 ml													
▷	B-461	FNAHSL	15.24	48.26	–	–	15.24	40.00	B33-638-461*	i3300	B30-R4300	2000	1
▷	B-461	FNAHSL	15.24	48.26	–	–	15.24	40.00	BPT-638-461*	BBP12	R7950	2000	1
▷	B-461	FNAHSL	15.24	48.26	–	–	15.24	40.00	M71-107-461	BMP71	M71-R6200	500	1
2.0 - 8.0 ml													
▲	B-492	FNHL	22.86	25.40	–	–	–	–	B33-180-492	i3300	B30-R6400	1500	1
▲	B-7425J	FNAH	25.40	12.70	–	–	–	–	J20-59-7425J	J2000	–	2000	1
●	B-7425J	FNAH	25.40	19.05	–	–	–	–	J20-88-7425J	J2000	–	2000	2
▲	B-492	FNHL	25.40	25.40	–	–	–	–	B33-179-492	i3300	B30-R6400	1900	1
▲	B-7425J	FNAH	25.40	25.40	–	–	–	–	J20-179-7425J	J2000	–	1500	1
●	B-7425J	FNAH	38.10	12.70	–	–	–	–	J20-37-7425J	J2000	–	1500	2
2.0 - 50.0 ml													
▲	B-427	FN S	19.05	–	4.30	–	9.53	–	M21-750-427	BMP21-PLUS	R4300	1	–
⊙	B-499	FNA	19.05	–	4.88	–	–	–	M21-750-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	FNA	19.05	–	4.88	–	–	–	MC-750-499	BMP41, BMP51	R4300	1	1
⊙	B-461	FNAHSL	19.05	–	6.40	–	19.05	–	M21-750-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-7425	FNAH	19.05	–	6.40	–	–	–	M21-750-7425	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-427	FN S	19.05	–	7.62	–	9.53	–	MC-750-427	BMP41, BMP51	R4300	1	1
⊙	B-499	FNA	25.40	–	4.88	–	–	–	MC-1000-499	BMP51	R4300	1	1
⊙	B-499	FNA	25.40	–	9.10	–	–	–	M71C-1000-499	BMP71	M71-R4300	1	1
4.0 - 8.0 ml													
●	B-499	FNA	25.40	66.68	–	–	–	–	B33-625-499	i3300	B30-R6000HF	1500	3
●	B-499	FNA	25.40	66.68	–	–	–	–	BPT-625-499	BBP12	R7950	1500	3
4.0 - 50.0 ml													
▷	B-461	FNAHSL	34.93	45.72	–	–	34.93	40.00	B33-632-461*	i3300	B30-R4300	1500	1
▷	B-461	FNAHSL	34.93	45.72	–	–	34.93	40.00	BPT-632-461*	BBP12	R7950	2000	1
5.0 - 50.0 ml													
⊙	B-499	FNA	48.26	–	9.10	–	–	–	M71C-1900-499	BMP71	M71-R4300	1	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

Vial / Tube Labels



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.



Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row	
12.0 - 24.0 ml														
⬡	B-498	F	R	12.70	36.50	-	-	12.7	12.7	THT-87-498-5	BBP12, i7100, i5100	R4300R7950	5000	6
⬢	B-498	F	R	12.70	36.50	-	-	12.7	-	B33-87-498	i3300	B30-R6200	2500	6
⬣	B-498	F	R	12.70	38.10	-	-	12.7	38.1	BM71-29-498	M611, BMP61, BMP71	R6200	5000	1
⬤	B-461	FNAHSL		95.25	19.05	-	-	19.05	25.40	PTL-79-461	M611, BMP61, BMP71	R4310	100	1
12.0 - 50.0 ml														
⬤	B-461	FNAHSL		25.40	133.35	-	-	25.40	38.10	B33-139-461	i3300	B30-R4300	650	2
⬤	B-461	FNAHSL		25.40	133.35	-	-	25.40	38.10	THT-139-461-2	BBP12, i7100, i5100	R4300R7950	2000	2
14.0 - 15.0 ml														
⬢	B-7425J	FNAH		38.10	19.05	-	-	-	-	J20-136-7425J	J2000	-	1500	1
⬣	B-490	FNHL		55.88	38.10	-	-	55.88	38.1	THT-157-490-3	BBP12, i7100, i5100	R4300R7950	3000	1
⬣	B-490	FNHL		55.88	38.10	-	-	55.88	38.1	THT-157-490-1.5-SC	BBP12	R7950	1500	1
15.0 ml														
∞	B-7425J	FNAH		29.00	-	30.00	-	28.58	30.48	J20C-1125-7425J	J2000	-	1	1
⬢	B-7425J	FNAH		38.10	25.40	-	-	-	-	J20-235-7425J	J2000	-	1250	1
∞	B-7425J	FNAH		57.00	-	30.00	-	57.15	30.48	J20C-2250-7425J	J2000	-	1	1
15.0 - 50.0 ml														
⬢	B-499	FNA		12.70	25.40	-	-	-	-	B33-611-499	i3300	B30-R6000HF	3000	3
⬢	B-499	FNA		12.70	25.40	-	-	-	-	BPT-611-499	BBP12	R7950	3000	3
⬢	B-498	F	R	12.70	25.40	-	-	-	-	BPT-611-498	BBP12	R7950	3000	3
⬣	B-499	FNA		25.40	12.40	-	-	-	-	B33-659-499	i3300	B30-R6000HF	1000	1
⬣	B-499	FNA		25.40	12.40	-	-	-	-	BPT-659-499	BBP12	R7950	1000	1
⬣	B-498	F	R	25.40	12.40	-	-	-	-	BPT-659-498	BBP12	R7950	1000	1
⬢	B-498	F	R	25.40	36.50	-	-	25.4	-	B33-89-498	i3300	B30-R6200	2300	3
⬢	B-499	FNA		25.40	36.50	-	-	-	-	B33-621-499	i3300	B30-R6000HF	3000	3
⬢	B-499	FNA		25.40	36.50	-	-	-	-	BPT-621-499	BBP12	R7950	3000	3
⬤	B-461	FNAHSL		38.10	88.90	-	-	38.10	31.75	THT-134-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
⬤	B-461	FNAHSL		66.68	25.40	-	-	25.40	25.40	B33-276-461	i3300	B30-R4300	1500	2
⬤	B-461	FNAHSL		88.90	38.10	-	-	38.10	31.75	B33-134-461*	i3300	B30-R4300	1000	1
50.0 ml														
⬣	B-492	FNHL		22.86	25.40	-	-	-	-	THT-180-492-3	BBP12, i7100, i5100	R6400	3000	1
⬢	B-425A	F		25.40	12.70	-	-	25.4	12.7	THT-5-425-10	BBP12, i7100, i5100	R6400	10000	3
⬢	B-498	F	R	25.40	12.70	-	-	25.4	-	B33-5-498	i3300	B30-R6200	5000	3
⬢	B-425A	F		25.40	12.70	-	-	-	-	B33-5-425	i3300	B30-R4300	5000	3
⬣	B-492	FNHL		25.40	25.40	-	-	-	-	THT-179-492-3	BBP12, i7100, i5100	R6400	3000	1
⬣	B-492	FNHL		25.40	25.40	-	-	-	-	THT-179-492-2.5-SC	BBP12	R6400	2500	1
⬣	B-499	FNA		25.40	63.50	-	-	25.4	63.5	M71-21-499	BMP71	M71-R4300	100	1
⬣	B-490	FNHL		50.80	6.35	-	-	-	-	B33-151-490	i3300	B30-R4300	2500	1
⬣	B-7425J	FNAH		50.80	6.35	-	-	-	-	J20-151-7425J	J2000	-	2000	1
⬣	B-7425J	FNAH		50.80	25.40	-	-	-	-	J20-137-7425J	J2000	-	1500	1
⬣	B-7425J	FNAH		76.20	25.40	-	-	76.20	25.40	J20-18-7425J	J2000	-	1000	1

*Label is rotated 90° on liner.

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

VIAL TOP LABELS

Save time by using the Vial and Vial top combination labels
- print your information in one go.



- F** Freezer environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable

Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.5 - 0.7 ml												
◆	B-461	F A H S L	25.40	9.53	9.53	20.00	9.53	B33-606-461	i3300	B30-R4300	1000	1
◆	B-461	F A H S L	25.40	9.53	9.53	20.00	9.53	BPT-606-461	BBP12	R7950	1000	1
◆	B-499	F A	25.40	9.53	9.53	25.4	9.53	M71-98-499	BMP71	M71-R4300	500	1
0.5 - 1.5 ml												
×	B-499	F A	-	-	9.53	-	-	M-82-499	BMP41, BMP51	R4300	240	1
×	B-499	F A	-	-	9.53	-	-	M-82-499-OR-BK	BMP41, BMP51	R4300	240	1
×	B-499	F A	-	-	9.53	-	-	M-82-499-RD-BK	BMP41, BMP51	R4300	240	1
×	B-499	F A	-	-	9.53	-	-	M-82-499-YL-BK	BMP41, BMP51	R4300	240	1
×	B-492	F H L	-	-	9.53	-	-	M-82-492	BMP41, BMP51	R6400	240	1
0.5 - 8.0 ml												
◆	B-499	F A	25.40	9.53	9.53	22.86	12.7	THT-249-499-1.5-SC	BBP12	R7950	1500	1
◆	B-492	F H L	25.40	9.53	9.53	25.4	12.7	THT-249-492-1.5-SC	BBP12	R6400	1500	1
◆	B-492	F H L	25.40	12.70	9.53	25.4	12.7	THT-250-492-1.5-SC	BBP12	R6400	1500	1
◆	B-492	F H L	25.40	12.70	11.18	25.4	12.7	THT-251-492-1.5-SC	BBP12	R6400	1500	1
0.6 - 1.5 ml												
/	B-499	F A	-	9.5	9.53	-	-	B33-143-499	i3300	B30-R6000HF	1500	4
/	B-492	F H L	-	9.5	9.53	-	-	B33-143-492	i3300	B30-R6400	1500	4
×	B-499	F A	-	9.53	9.53	-	9.53	M71-82-499	BMP71	M71-R4300	500	1
/	B-499	F A	-	-	9.53	9.53	-	THT-143-499-3	BBP12, i7100, i5100	R4900	3000	4
/	B-492	F H L	-	-	9.53	9.53	-	THT-143-492-1.5-SC	BBP12	R6400	1500	4
/	B-492	F H L	-	-	9.53	-	-	THT-143-492-3	BBP12, i7100, i5100	R6400	3000	4
0.6 - 50.0 ml												
/	B-499	F A	-	-	9.53	-	-	B33-602-499	i3300	B30-R6000HF	3000	3
/	B-499	F A	-	-	9.53	-	-	B33-602-499YL	i3300	B30-R6000HF	3000	3
/	B-461	F A H S L	-	-	9.53	-	-	B33-602-461AW**	i3300	B30-R4300	3000	3
/	B-499	F A	-	-	9.53	-	-	BPT-602-499	BBP12	R7950	3000	3
/	B-499	F A	-	-	9.53	-	-	BPT-602-499YL	BBP12	R7950	3000	3
×	B-461	F A H S L	-	-	9.53	-	-	BPT-602-461AW**	BBP12	R7950	3000	3
/	B-499	F A	-	-	12.70	-	-	B33-603-499	i3300	B30-R6000HF	3000	3
/	B-499	F A	-	-	12.70	-	-	B33-603-499YL	i3300	B30-R6000HF	3000	3
/	B-499	F A	-	-	12.70	-	-	BPT-603-499	BBP12	R7950	3000	3
/	B-499	F A	-	-	12.70	-	-	BPT-603-499YL	BBP12	R7950	3000	3
/	B-461	F A H S L	-	-	15.24	-	-	B33-604-461AW**	i3300	B30-R4300	3000	3
×	B-461	F A H S L	-	-	15.24	-	-	BPT-604-461AW**	BBP12	R7950	3000	3

**AW = All White / no transparent area.

Vial Top Labels





Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.0 - 2.0 ml												
⊠	B-499	F A	9.53	25.40	9.53	-	-	M-118-499	BMP51	R4300	240	1
⊠	B-492	F H L	9.53	25.40	9.53	-	-	M-118-492	BMP51	R6400	240	1
◇	B-461	F A H S L	15.24	41.28	12.70	15.24	30.00	M71-116-461	BMP71	M71-R6200	150	1
⊠	B-499	F A	25.40	9.53	9.53	25.4	9.53	THT-163-499-3	i7100, i5100	R4900	3000	1
⊠	B-499	F A	25.40	9.53	9.53	-	-	B33-163-499	i3300	B30-R6000HF	1500	1
⊠	B-492	F H L	25.40	9.53	9.53	-	-	B33-163-492	i3300	B30-R6400	1500	1
⊠	B-492	F H L	25.40	9.53	9.53	-	-	THT-163-492-3	BBP12, i7100, i5100	R6400	3000	1
⊠	B-492	F H L	25.40	12.70	9.53	-	-	M71-118-492	BMP71	M71-R6400	500	1
⊠	B-492	F H L	25.40	12.70	9.53	-	-	THT-181-492-3	i7100, i5100	R6400	3000	1
⊠	B-492	F H L	25.40	12.70	11.18	-	-	B33-182-492	i3300	B30-R6400	1500	1
⊠	B-492	F H L	25.40	12.70	11.18	-	-	THT-182-492-3	BBP12, i7100, i5100	R6400	3000	1
◇	B-461	F A H S L	40.00	15.00	9.00	30.00	15.00	BPTLAB-20-461-2.5	BBP12	R7950	2500	1
◇	B-461	F A H S L	40.00	15.00	9.53	30.00	15.00	M71-101-461	BMP71	M71-R6200	250	1
◇	B-461	F A H S L	41.28	15.24	12.70	30.00	15.24	B33-608-461	i3300	B30-R4300	1000	1
◇	B-461	F A H S L	41.28	15.24	12.70	30.00	15.24	BPT-608-461	BBP12	R7950	1000	1
⊠	B-499	F A	41.28	15.24	12.70	-	-	BPT-608-499	BBP12	R7950	1000	1
⊠	B-499	F A	-	12.7	12.70	-	12.7	M71-83-499	BMP71	M71-R4300	500	1
/	B-499	F A	-	-	12.70	12.7	-	THT-144-499-3	BBP12, i7100, i5100	R4900	3000	3
/	B-492	F H L	-	-	12.70	12.7	-	THT-144-492-1.5-SC	BBP12	R6400	1500	3
/	B-499	F A	-	-	12.70	-	-	B33-144-499	i3300	B30-R6000HF	1500	3
/	B-492	F H L	-	-	12.70	-	-	B33-144-492	i3300	B30-R6400	1500	3
/	B-490	F H L	-	-	12.70	-	-	B33-144-490	i3300	B30-R4300	2500	3
/	B-499	F A	-	-	12.70	-	-	THT-144-499-1.5-SC	BBP12	R7950	1500	3
/	B-492	F H L	-	-	12.70	-	-	THT-144-492-3	BBP12, i7100, i5100	R6400	3000	3
1.0 - 8.0 ml												
⊠	B-499	F A	22.86	12.70	12.70	22.86	12.7	THT-126-499-3	i7100, i5100	R4900	3000	1
⊠	B-499	F A	22.86	12.70	12.70	-	-	B33-126-499	i3300	B30-R6000HF	1500	1
⊠	B-490	F H L	22.86	12.70	12.70	-	-	B33-126-490	i3300	B30-R4300	2500	1
⊠	B-499	F A	22.86	12.70	12.70	-	-	M71-126-499	BMP71	M71-R4300	500	1
⊠	B-492	F H L	41.28	15.24	9.53	-	-	B33-190-492	i3300	R6400	1500	1
⊠	B-492	F H L	41.28	15.24	9.53	-	-	THT-190-492-3	BBP12, i7100, i5100	R6400	3000	1
1.5 - 2.0 ml												
⊠	B-492	F H L	12.70	25.40	9.53	-	-	M-120-492	BMP51	R6400	240	1
⊠	B-499	F A	25.40	12.70	9.53	-	-	M-120-499	BMP51	R4300	240	1
⊠	B-499	F A	25.40	12.70	11.18	-	-	M-117-499	BMP51	R4300	240	1
⊠	B-492	F H L	25.40	12.70	11.18	-	-	M-117-492	BMP51	R6400	240	1
▽	B-492	F H L	41.28	15.24	9.53	-	-	M-95-492	BMP51	R6400	200	1
⊠	B-499	F A	-	-	12.70	-	-	M-83-499	BMP41, BMP51	R4300	240	1
⊠	B-499	F A	-	-	12.70	-	-	M-83-499-OR-BK	BMP41, BMP51	R4300	240	1
⊠	B-499	F A	-	-	12.70	-	-	M-83-499-RD-BK	BMP41, BMP51	R4300	240	1
⊠	B-499	F A	-	-	12.70	-	-	M-83-499-YL-BK	BMP41, BMP51	R4300	240	1
⊠	B-492	F H L	-	-	12.70	-	-	M-83-492	BMP41, BMP51	R6400	240	1

F Freezer environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable


- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable

CENTRIFUGE / MICROCENTRIFUGE LABELS

Brady offers a wide range of Centrifuge, Eppendorf and PCR Labels. When applying a self-laminating label, we recommend you avoid touching the adhesive side of the label when wrapping it around a vial or tube, to ensure maximum adhesion.



Diagram



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Labels are shown per vial / tube size and in order of label width.


Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length C (mm)	Diameter D (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.2 ml													
▶	B-461	FNAHSL	38.10	4.75	-	-	38.10	17.78	PTL-108-461	M611, BMP61, BMP71	R4310	750	1
0.5 ml													
▶	B-461	FNAHSL	6.35	27.94	-	-	6.35	22.00	B33-627-461*	i3300	B30-R4300	1000	1
▶	B-461	FNAHSL	6.35	27.94	-	-	6.35	22.00	BPT-627-461*	BBP12	R7950	1000	1
○	B-423	F AH	6.35	-	6.40	-	-	-	M21-250-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
▶	B-427	FN S	25.40	63.50	-	-	25.40	19.05	PTL-21-427	M611, BMP61, BMP71	R4310	100	1
0.5 - 0.7 ml													
▶	B-461	FNAHSL	5.08	22.86	-	-	5.08	18.00	BPT-614-461*	BBP12	R7950	2000	1
▶	B-461	FNAHSL	5.08	22.86	-	-	5.08	18.23	B33-614-461*	i3300	B30-R4300	2000	1
▲	B-499	FNA	9.53	25.40	-	-	9.53	25.4	M71-16-499	BMP71	M71-R4300	500	1
▲	B-498	F R	9.53	25.40	-	-	9.53	25.4	M71-16-498	BMP71	M71-R6200	500	1
▲	B-499	FNA	9.53	25.40	-	-	9.53	25.4	PTL-16-499	M611, BMP61, BMP71	R4310	500	1
▲	B-498	F R	9.53	25.40	-	-	9.53	25.4	PTL-16-498	M611, BMP61, BMP71	R6210	500	1
▶	B-461	FNAHSL	9.53	45.72	-	-	9.53	19.05	M71-73-461	BMP71	M71-R6200	250	1
▶	B-461	FNAHSL	9.53	45.72	-	-	9.53	19.05	THT-123-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
◆	B-499	FNA	12.70	19.05	-	-	12.7	19.05	B33-68-499	i3300	B30-R6000HF	1500	4
▲	B-499	FNA	12.70	19.05	-	-	12.7	19.05	BM71-11-499	M611, BMP61, BMP71	R4300	5000	1
▲	B-498	F R	12.70	19.05	-	-	12.7	19.05	BM71-11-498	M611, BMP61, BMP71	R6200	5000	1
▲	B-499	FNA	12.70	19.05	-	-	12.7	19.05	M71-11-499	BMP71	M71-R4300	500	1
▲	B-498	F R	12.70	19.05	-	-	12.7	19.05	M71-11-498	BMP71	M71-R6200	500	1
▲	B-499	FNA	12.70	19.05	-	-	12.7	19.05	PTL-11-499	M611, BMP61, BMP71	R4310	500	1
▲	B-498	F R	12.70	19.05	-	-	12.7	19.05	PTL-11-498	M611, BMP61, BMP71	R6210	500	1
◆	B-499	FNA	12.70	19.05	-	-	12.7	19.05	THT-68-499-10	BBP12, i7100, i5100	R4900	10000	4
◆	B-490	FN H L	12.70	19.05	-	-	-	-	B33-68-490	i3300	B30-R4300	2500	4
▲	B-499	FNA	12.70	19.05	-	-	-	-	M-11-499	BMP41, BMP51	R4300	220	1
▶	B-461	FNAHSL	12.70	45.72	-	-	12.70	19.05	THT-122-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▶	B-461	FNAHSL	12.70	45.72	-	-	12.70	19.05	THT-122-461-1.5-SC*	BBP12	R7950	1500	1
▶	B-461	FNAHSL	12.70	55.88	-	-	12.70	19.05	THT-127-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▶	B-461	FNAHSL	12.70	55.88	-	-	12.70	19.05	THT-127-461-1.5-SC*	BBP12	R7950	1500	1
▶	B-461	FNAHSL	19.05	45.72	-	-	19.05	12.70	THT-123-461-1.5-SC*	BBP12	R7950	1500	1
◆	B-499	FNA	25.40	9.53	-	-	9.53	25.4	THT-152-499-3	BBP12, i7100, i5100	R4900	3000	2
◆	B-499	F A	25.40	9.53	-	9.53	25.4	9.53	M71-98-499	BMP71	M71-R4300	500	1
◆	B-499	FNA	25.40	9.53	-	-	25.4	9.53	THT-152-499-1.5-SC	BBP12	R7950	1500	2
◆	B-499	FNA	25.40	9.53	-	-	-	-	B33-152-499	i3300	B30-R6000HF	1500	2
▲	B-492	FN H L	25.40	9.53	-	-	-	-	M71-16-492	BMP71	M71-R6400	500	1

*Label is rotated 90° on liner.



i These labels are also suitable for Eppendorf tubes and PCR process.

Centrifuge / Microcentrifuge Labels



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Labels are shown per vial / tube size and in order of label width.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.5 - 0.7 ml													
●	B-492	F N H L	25.40	9.53	-	-	-	-	THT-152-492-3	BBP12, i7100, i5100	R6400	3000	2
●	B-492	F N H L	25.40	9.53	-	-	-	-	THT-152-492-2.5-SC	BBP12	R6400	2500	2
●	B-425A	F	25.40	9.98	-	-	-	-	THT-30-425-10	BBP12, i7100, i5100	R6400	10000	3
▷	B-461	F N A H S L	28.58	9.53	-	-	9.53	19.05	M-123-461	BMP51	R4300	360	1
▷	B-461	F N A H S L	28.58	12.70	-	-	12.70	19.05	M-122-461	BMP51	R4300	360	1
▲	B-490	F N H L	31.75	9.53	-	-	31.75	9.53	PTL-112-490	M611, BMP61, BMP71	R4310	500	1
▲	B-490	F N H L	31.75	9.53	-	-	31.75	9.53	THT-154-490-3	BBP12, i7100, i5100	R4300	3000	1
▲	B-490	F N H L	31.75	9.53	-	-	31.75	9.53	THT-154-490-1.5-SC	BBP12	R7950	1500	1
▲	B-490	F N H L	31.75	9.53	-	-	-	-	B33-154-490	i3300	B30-R4300	1500	1
▲	B-492	F N H L	31.75	9.53	-	-	-	-	M-112-492	BMP51	R6400	360	1
▲	B-490	F N H L	31.75	9.53	-	-	-	-	M-112-490	BMP51	R4300	360	1
▷	B-461	F N A H S L	44.45	12.70	-	-	12.70	19.05	M-72-461	BMP41, BMP51	R4300	180	1
▷	B-461	F N A H S L	45.72	9.53	-	-	19.05	9.53	B33-123-461*	i3300	B30-R4300	1500	1
▷	B-461	F N A H S L	45.72	9.53	-	-	19.05	9.53	PTL-73-461	M611, BMP61, BMP71	R4310	500	1
▷	B-461	F N A H S L	45.72	12.70	-	-	19.05	12.70	B33-122-461	i3300	B30-R4300	1500	1
▷	B-461	F N A H S L	45.72	12.70	-	-	19.05	12.70	PTL-72-461	M611, BMP61, BMP71	R4310	500	1
▷	B-427	F N S	55.88	12.70	-	-	12.70	19.05	THT-127-427-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	F N A H S L	55.88	12.70	-	-	19.05	12.70	B33-127-461	i3300	B30-R4300	1500	3
0.5 - 1.5 ml													
×	B-492	F H L	-	-	-	9.53	-	-	M-82-492	BMP41, BMP51	R6400	240	1
×	B-499	F A	-	-	-	9.53	-	-	M-82-499-RD-BK	BMP41, BMP51	R4300	240	1
0.5 - 2.0 ml													
▷	B-427	F N S	55.88	12.70	-	-	12.70	19.05	PTL-74-427	M611, BMP61, BMP71	R4310	100	1
▷	B-461	F N A H S L	55.88	12.70	-	-	19.05	12.70	PTL-74-461	M611, BMP61, BMP71	R4310	100	1
0.6 ml													
▲	B-492	F N H L	9.53	20.96	-	-	-	-	M-130-492	BMP41, BMP51	R6400	220	1
▲	B-499	F N A	9.53	20.96	-	-	-	-	M-130-499	BMP41, BMP51	R4300	220	1
○	B-499	F N A	9.53	-	4.88	-	-	-	M21-375-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
○	B-499	F N A	9.53	-	4.88	-	-	-	MC-375-499	BMP41, BMP51	R4300	1	1
○	B-461	F N A H S L	9.53	-	6.40	-	9.53	-	M21-375-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-499	F N A	22.86	12.70	-	-	22.86	12.7	M71-84-499	BMP71	M71-R4300	500	1
▲	B-499	F N A	22.86	12.70	-	-	-	-	M-84-499	BMP51	R4300	200	1
▲	B-492	F N H L	31.75	6.35	-	-	-	-	M-155-492	BMP51	R6400	180	1
0.6 - 1.5 ml													
✦	B-499	F A	25.40	9.53	-	9.53	25.4	9.53	PTL-98-499	M611, BMP61, BMP71	R4310	500	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.


>>

i These labels are also suitable for Eppendorf tubes and PCR process.

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

Centrifuge / Microcentrifuge Labels

Diagram



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Labels are shown per vial / tube size and in order of label width.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.0 - 2.0 ml													
❖	B-492	F H L	9.53	25.40	-	9.53	-	-	M-118-492	BMP51	R6400	240	1
❖	B-499	F A	9.53	25.40	-	9.53	-	-	M-118-499	BMP51	R4300	240	1
1.0 - 8.0 ml													
▲	B-490	FN H L	41.28	15.24	-	-	41.28	15.24	PTL-76-490	M611, BMP61, BMP71	R4310	250	1
▲	B-492	FN H L	12.70	25.40	-	-	-	-	M-131-492	BMP41, BMP51	R6400	180	1
▲	B-499	FNA	12.70	25.40	-	-	-	-	M-131-499	BMP41, BMP51	R4300	180	1
▷	B-461	FNAHSL	15.24	41.28	-	-	15.24	25.40	M71-76-461	BMP71	M71-R6200	500	1
▷	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	M71-86-461	BMP71	M71-R6200	100	1
▷	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	PTL-86-461	M611, BMP61, BMP71	R4310	100	1
❖	B-499	F A	22.86	12.70	-	12.70	22.86	12.7	PTL-117-499	M611, BMP61, BMP71	R4310	500	1
❖	B-499	F A	22.86	12.70	-	12.70	22.86	12.7	THT-126-499-3	i7100, i5100	R4900	3000	1
❖	B-499	F A	22.86	12.70	-	12.70	-	-	M71-126-499	BMP71	M71-R4300	500	1
▷	B-461	FNAHSL	41.28	15.24	-	-	25.44	15.24	PTL-76-461	M611, BMP61, BMP71	R4310	250	1
▲	B-490	FN H L	41.28	15.24	-	-	41.28	15.24	THT-155-490-1.5-SC	BBP12	R7950	1500	1
▲	B-490	FN H L	41.28	15.24	-	-	41.28	15.24	THT-155-490-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-490	FN H L	41.28	15.24	-	-	-	-	B33-155-490	i3300	B30-R4300	1500	1
▲	B-492	FN H L	41.28	15.24	-	-	-	-	B33-155-492	i3300	R6400	1500	1
▲	B-490	FN H L	41.28	15.24	-	-	-	-	M71-76-490	BMP71	M71-R4300	500	1
▲	B-492	FN H L	41.28	15.24	-	-	-	-	THT-155-492-3	BBP12, i7100, i5100	R6400	3000	1
▷	B-461	FNAHSL	45.72	15.24	-	-	15.24	25.40	M-126-461	BMP41, BMP51	R4300	180	1
▲	B-490	FN H L	45.72	15.24	-	-	-	-	M-126-490	BMP41, BMP51	R4300	180	1
▷	B-461	FNAHSL	55.88	12.70	-	-	12.70	19.05	M-74-461	BMP41, BMP51	R4300	140	1
▷	B-461	FNAHSL	66.68	15.24	-	-	15.24	25.40	M-86-461	BMP41, BMP51	R4300	120	1
▷	B-461	FNAHSL	66.68	15.24	-	-	25.40	15.24	B33-153-461*	i3300	B30-R4300	1500	1
1.5 ml													
○	B-499	FNA	12.70	-	4.88	-	-	-	M21-500-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
○	B-499	FNA	12.70	-	4.88	-	-	-	MC-500-499	BMP41, BMP51	R4300	1	1
○	B-461	FNAHSL	12.70	-	6.40	-	12.70	-	M21-500-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
○	B-461	FNAHSL	12.70	-	7.62	-	12.70	-	MC-500-461-AW**	BMP51	R4300	1	1
○	B-492	FN H L	12.70	-	7.62	-	-	-	MC-500-492	BMP41, BMP51	R6400	1	1
○	B-499	FNA	12.70	-	9.10	-	-	-	M71C-500-499	BMP71	M71-R4300	1	1

*Label is rotated 90° on liner.


**AW = All White / no transparent area.



These labels are also suitable for Eppendorf tubes and PCR process.

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

Centrifuge / Microcentrifuge Labels



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Labels are shown per vial / tube size and in order of label width.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.5 - 2.0 ml													
❖	B-492	F H L	12.70	25.40	-	9.53	-	-	M-120-492	BMP51	R6400	240	1
▷	B-461	F N A H S L	15.24	41.28	-	-	15.24	25.40	THT-133-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	F N A H S L	15.24	41.28	-	-	25.40	15.24	THT-133-461-1.5-SC*	BBP12	R7950	1500	1
▷	B-461	F N A H S L	15.24	66.68	-	-	15.24	25.40	THT-153-461-1.5-SC*	BBP12	R7950	1500	1
▷	B-461	F N A H S L	15.24	66.68	-	-	15.24	25.40	THT-153-461-3	BBP12, i7100, i5100	R4300R7950	3000	1
❖	B-499	F A	25.40	12.70	-	9.53	-	-	M-120-499	BMP51	R4300	240	1
❖	B-492	F H L	25.40	12.70	-	11.18	-	-	M-117-492	BMP51	R6400	240	1
❖	B-499	F A	25.40	12.70	-	11.18	-	-	M-117-499	BMP51	R4300	240	1
▲	B-492	F N H L	25.40	12.70	-	-	25.4	12.7	THT-59-492-2.5-SC	BBP12	R6400	2500	1
▲	B-492	F N H L	25.40	12.70	-	-	-	-	B33-59-492	i3300	B30-R6400	2500	1
▲	B-492	F N H L	25.40	12.70	-	-	-	-	THT-59-492-10	BBP12, i7100, i5100	R6400	10000	1
▷	B-461	F N A H S L	41.91	12.70	-	-	12.70	19.05	M-124-461	BMP41, BMP51	R4300	180	1
▲	B-490	F N H L	41.91	12.70	-	-	-	-	M-124-490	BMP41, BMP51	R4300	180	1
▲	B-492	F N H L	41.91	12.70	-	-	-	-	M-124-492	BMP51	R6400	180	1
×	B-492	F H L	-	-	-	12.70	-	-	M-83-492	BMP41, BMP51	R6400	240	1
×	B-499	F A	-	-	-	12.70	-	-	M-83-499-OR-BK	BMP41, BMP51	R4300	240	1
×	B-499	F A	-	-	-	12.70	-	-	M-83-499-RD-BK	BMP41, BMP51	R4300	240	1
1.5 - 8.0 ml													
◆	B-492	F N H L	25.40	9.53	-	-	-	-	B33-152-492	i3300	B30-R6400	2500	2
2.0 - 50.0 ml													
▲	B-427	F N S	19.05	-	4.30	-	9.53	-	M21-750-427	BMP21-PLUS	R4300	1	-
◎	B-499	F N A	19.05	-	4.88	-	-	-	M21-750-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
◎	B-499	F N A	19.05	-	4.88	-	-	-	MC-750-499	BMP41, BMP51	R4300	1	1
◎	B-461	F N A H S L	19.05	-	6.40	-	19.05	-	M21-750-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-427	F N S	19.05	-	7.62	-	9.53	-	MC-750-427	BMP41, BMP51	R4300	1	1
◎	B-499	F N A	25.40	-	4.88	-	-	-	MC-1000-499	BMP51	R4300	1	1
◎	B-499	F N A	25.40	-	9.10	-	-	-	M71C-1000-499	BMP71	M71-R4300	1	1
5.0 - 50.0 ml													
◎	B-499	F N A	48.26	-	9.10	-	-	-	M71C-1900-499	BMP71	M71-R4300	1	1

*Label is rotated 90° on liner.

**AW = All White / no transparent area.

i These labels are also suitable for Eppendorf tubes and PCR process.

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable


CRYO TUBES & VIALS

Brady's offers a range of labels designed specifically to identify laboratory samples for cryo storage.

These labels can be applied to room temperature or to already frozen samples, albeit with a small overlap.

The label will remain legible and will stick to the sample container during processing, even when exposed to extreme heat or chemicals like DMSO, Xylene and Ethanol, ensuring secure sample identification in the most challenging laboratory conditions.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.5 - 0.7 ml												
▲	B-499	FNA	12.70	19.05	-	12.7	19.05	BM71-11-499	M611, BMP61, BMP71	R4300	5000	1
▲	B-499	FNA	12.70	19.05	-	12.7	19.05	M71-11-499	BMP71	M71-R4300	500	1
▲	B-499	FNA	12.70	19.05	-	12.7	19.05	PTL-11-499	M611, BMP61, BMP71	R4310	500	1
▲	B-499	FNA	12.70	19.05	-	-	-	M-11-499	BMP41, BMP51	R4300	220	1
▷	B-461	FNAHSL	28.58	9.53	-	9.53	19.05	M-123-461	BMP51	R4300	360	1
▷	B-461	FNAHSL	28.58	12.70	-	12.70	19.05	M-122-461	BMP51	R4300	360	1
▲	B-490	FNHSL	31.75	9.53	-	-	-	M-112-490	BMP51	R4300	360	1
▷	B-461	FNAHSL	44.45	12.70	-	12.70	19.05	M-72-461	BMP41, BMP51	R4300	180	1
0.5 - 2.0 ml												
▷	B-427	FNS	55.88	12.70	-	12.70	19.05	PTL-74-427	M611, BMP61, BMP71	R4310	100	1
▷	B-461	FNAHSL	55.88	12.70	-	19.05	12.70	PTL-74-461	M611, BMP61, BMP71	R4310	100	1
0.6 ml												
▲	B-499	FNA	9.53	20.96	-	-	-	M-130-499	BMP41, BMP51	R4300	220	1
▲	B-492	FNHSL	9.53	20.96	-	-	-	M-130-492	BMP41, BMP51	R6400	220	1
○	B-499	FNA	9.53	-	4.88	-	-	M21-375-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
○	B-499	FNA	9.53	-	4.88	-	-	MC-375-499	BMP41, BMP51	R4300	1	1
○	B-461	FNAHSL	9.53	-	6.40	9.53	-	M21-375-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
○	B-461	FNAHSL	9.53	-	7.62	9.53	-	MC-375-461-AW**	BMP51	R4300	1	1
▲	B-499	FNA	22.86	12.70	-	-	-	M-84-499	BMP51	R4300	200	1
0.6 - 1.5 ml												
✦	B-499	FA	25.40	9.53	-	25.4	9.53	PTL-98-499	M611, BMP61, BMP71	R4310	500	1

**AW = All White / no transparent area.

>>




Part number explanation

Most Brady references for printable labels follow the same three-part format: The first code indicates the technology, the second part is a number indicating the label size (where applicable) and the third part indicates the Brady material (where applicable).

M71-73-461

BMP71 Technology Label size code Material (B-number)

Cryo Tubes & Vials



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Labels are shown per vial / tube size and in order of label width.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.0 - 8.0 ml												
▲	B-499	FNA	12.70	25.40	-	-	-	M-131-499	BMP41, BMP51	R4300	180	1
▲	B-492	FNHL	12.70	25.40	-	-	-	M-131-492	BMP41, BMP51	R6400	180	1
▷	B-461	FNAHSL	15.24	66.68	-	15.24	25.40	PTL-86-461	M611, BMP61, BMP71	R4310	100	1
⊗	B-499	FA	22.86	12.70	-	22.86	12.7	PTL-117-499	M611, BMP61, BMP71	R4310	500	1
▷	B-461	FNAHSL	25.40	66.68	-	25.40	25.40	PTL-75-461-YL	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	66.68	-	25.40	25.40	PTL-75-427	M611, BMP61, BMP71	R4310	100	1
▷	B-461	FNAHSL	41.28	15.24	-	25.44	15.24	PTL-76-461	M611, BMP61, BMP71	R4310	250	1
▲	B-490	FNHL	41.28	15.24	-	41.28	15.24	PTL-76-490	M611, BMP61, BMP71	R4310	250	1
▷	B-461	FNAHSL	44.45	25.40	-	25.40	25.40	M-125-461	BMP51	R4300	180	1
▲	B-490	FNHL	44.45	25.40	-	-	-	M-125-490	BMP51	R4300	180	1
▷	B-461	FNAHSL	45.72	15.24	-	15.24	25.40	M-126-461	BMP41, BMP51	R4300	180	1
▲	B-490	FNHL	45.72	15.24	-	-	-	M-126-490	BMP41, BMP51	R4300	180	1
▲	B-490	FNHL	48.26	25.40	-	48.26	25.4	PTL-78-490	M611, BMP61, BMP71	R4310	250	1
▷	B-461	FNAHSL	55.88	12.70	-	12.70	19.05	M-74-461	BMP41, BMP51	R4300	140	1
▷	B-461	FNAHSL	66.68	15.24	-	15.24	25.40	M-86-461	BMP41, BMP51	R4300	120	1
▷	B-461	FNAHSL	66.68	25.40	-	25.40	25.40	BM71-75-461	M611, BMP61, BMP71	R6200	1000	1
▷	B-461	FNAHSL	66.68	25.40	-	25.40	25.40	M-75-461	BMP51	R4300	120	1
▷	B-461	FNAHSL	66.68	25.40	-	25.40	25.40	PTL-75-461	M611, BMP61, BMP71	R4310	100	1
1.0 - 15.0 ml												
▲	B-492	FNHL	25.40	22.86	-	-	-	M-156-492	BMP51	R6400	180	1
1.5 ml												
⊙	B-499	FNA	12.70	-	4.88	-	-	M21-500-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	FNA	12.70	-	4.88	-	-	MC-500-499	BMP41, BMP51	R4300	1	1
⊙	B-461	FNAHSL	12.70	-	6.40	12.70	-	M21-500-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-461	FNAHSL	12.70	-	7.62	12.70	-	MC-500-461-AW**	BMP51	R4300	1	1
⊙	B-499	FNA	12.70	-	9.10	-	-	M71C-500-499	BMP71	M71-R4300	1	1
2.0 - 50.0 ml												
⊙	B-499	FNA	19.05	-	4.88	-	-	M21-750-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	FNA	19.05	-	4.88	-	-	MC-750-499	BMP41, BMP51	R4300	1	1
⊙	B-461	FNAHSL	19.05	-	6.40	19.05	-	M21-750-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	FNA	25.40	-	4.88	-	-	MC-1000-499	BMP51	R4300	1	1
⊙	B-461	FNAHSL	25.40	-	7.62	25.40	-	MC-1000-461-AW**	BMP51	R4300	1	1
⊙	B-499	FNA	25.40	-	9.10	-	-	M71C-1000-499	BMP71	M71-R4300	1	1
4.0 - 50.0 ml												
⊙	B-461	FNAHSL	31.75	-	7.62	31.75	-	MC-1250-461-AW**	BMP51	R4300	1	1
12.0 - 14.0 ml												
▷	B-461	FNAHSL	95.25	38.10	-	38.10	31.75	M-119-461	BMP51	R4300	80	1
12.0 - 24.0 ml												
▲	B-498	F R	12.70	38.10	-	12.7	38.1	BM71-29-498	M611, BMP61, BMP71	R6200	5000	1
▲	B-499	FNA	12.70	38.10	-	12.7	38.1	M71-29-499	BMP71	M71-R4300	500	1
▲	B-498	F R	38.10	12.70	-	38.1	12.7	PTL-29-498	M611, BMP61, BMP71	R6210	500	1
▲	B-499	FNA	38.10	31.75	-	-	-	M-132-499	BMP51	R4300	160	1
▲	B-492	FNHL	48.26	25.40	-	-	-	M-78-492	BMP51	R6400	100	1
▷	B-461	FNAHSL	88.90	38.10	-	31.75	38.10	PTL-77-461	M611, BMP61, BMP71	R4310	100	1
▷	B-461	FNAHSL	95.25	19.05	-	19.05	25.40	PTL-79-461	M611, BMP61, BMP71	R4310	100	1


**AW = All White / no transparent area.

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

CONICAL / LARGE TUBE LABELS

Brady offers several sample identification labels which are perfect to identify conicals. They are easy to handle, have great flexibility and easily wrap around curved sample containers. Your sample identification label will remain attached and legible, even when the sample is stored in a freezer, in liquid nitrogen or heated in an autoclave.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.5 ml													
⊙	B-423	F A H	6.35	-	6.40	-	-	-	M21-250-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
Ⓛ	B-427	F N S	25.40	63.50	-	-	25.40	19.05	PTL-21-427	M611, BMP61, BMP71	R4310	100	1
0.5 - 0.7 ml													
⬡	B-499	F N A	12.70	19.05	-	-	12.7	19.05	B33-68-499	i3300	B30-R6000HF	1500	4
▲	B-499	F N A	12.70	19.05	-	-	12.7	19.05	M71-11-499	BMP71	M71-R4300	500	1
⬢	B-499	F N A	12.70	19.05	-	-	12.7	19.05	THT-68-499-10	BBP12, i7100, i5100	R4900	10000	4
▲	B-499	F N A	12.70	25.40	-	-	-	-	B33-620-499	i3300	B30-R6000HF	1000	1
▲	B-499	F N A	12.70	25.40	-	-	-	-	BPT-620-499	BBP12	R7950	1000	1
Ⓛ	B-461	F N A H S L	12.70	55.88	-	-	12.70	19.05	THT-127-461-1.5-SC*	BBP12	R7950	1500	1
Ⓛ	B-461	F N A H S L	12.70	55.88	-	-	12.70	19.05	THT-127-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
◆	B-461	F A H S L	25.40	9.53	-	9.53	20.00	9.53	B33-606-461	i3300	B30-R4300	1000	1
◆	B-461	F A H S L	25.40	9.53	-	9.53	20.00	9.53	BPT-606-461	BBP12	R7950	1000	1
⊗	B-499	F A	25.40	9.53	-	9.53	25.4	9.53	M71-98-499	BMP71	M71-R4300	500	1
⬢	B-499	F N A	25.40	9.53	-	-	9.53	25.4	THT-152-499-3	BBP12, i7100, i5100	R4900	3000	2
⬢	B-499	F N A	25.40	9.53	-	-	25.4	9.53	THT-152-499-1.5-SC	BBP12	R7950	1500	2
⬢	B-499	F N A	25.40	9.53	-	-	-	-	B33-152-499	i3300	B30-R6000HF	1500	2
▲	B-492	F N H L	25.40	9.53	-	-	-	-	M71-16-492	BMP71	M71-R6400	500	1
⬢	B-492	F N H L	25.40	9.53	-	-	-	-	THT-152-492-2.5-SC	BBP12	R6400	2500	2
⬢	B-492	F N H L	25.40	9.53	-	-	-	-	THT-152-492-3	BBP12, i7100, i5100	R6400	3000	2
⬢	B-425A	F	25.40	9.98	-	-	-	-	THT-30-425-10	BBP12, i7100, i5100	R6400	10000	3
Ⓛ	B-427	F N S	55.80	12.70	-	-	12.70	19.05	THT-127-427-3*	BBP12, i7100, i5100	R4300R7950	3000	1
Ⓛ	B-461	F N A H S L	55.88	12.70	-	-	19.05	12.70	B33-127-461	i3300	B30-R4300	1500	3
0.5 - 8.0 ml													
⊗	B-499	F A	25.40	9.53	-	9.53	22.86	12.7	THT-249-499-1.5-SC	BBP12	R7950	1500	1
⊗	B-492	F H L	25.40	9.53	-	9.53	25.4	12.7	THT-249-492-1.5-SC	BBP12	R6400	1500	1
⊗	B-492	F H L	25.40	12.70	-	9.53	25.4	12.7	THT-250-492-1.5-SC	BBP12	R6400	1500	1
⊗	B-492	F H L	25.40	12.70	-	11.18	25.4	12.7	THT-251-492-1.5-SC	BBP12	R6400	1500	1
0.6 ml													
⊙	B-499	F N A	9.53	-	4.88	-	-	-	M21-375-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	9.53	-	4.88	-	-	-	MC-375-499	BMP41, BMP51	R4300	1	1
⊙	B-461	F N A H S L	9.53	-	6.40	-	9.53	-	M21-375-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-499	F N A	22.86	12.70	-	-	12.7	22.86	THT-125-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-499	F N A	22.86	12.70	-	-	22.86	12.7	M71-84-499	BMP71	M71-R4300	500	1
▲	B-499	F N A	22.86	12.70	-	-	22.86	12.7	THT-125-499-1.5-SC	BBP12	R7950	1500	1
▲	B-499	F N A	22.86	12.70	-	-	-	-	B33-125-499	i3300	B30-R6000HF	1500	1

*Label is rotated 90° on liner.

**AW = All White / no transparent area.

Conical / Large Tube Labels





Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.0 - 2.0 ml													
▶	B-461	FNAHSL	15.00	40.00	-	-	15.00	30.00	BPTLAB-21-461-2.5	BBP12	R7950	2500	1
▶	B-461	FNAHSL	15.24	38.10	-	-	15.24	33.00	BPT-628-461*	BBP12	R7950	2500	2
▶	B-461	FNAHSL	15.24	38.10	-	-	15.24	33.00	M71-100-461	BMP71	M71-R6200	500	1
▶	B-461	FNAHSL	15.24	38.10	-	-	15.24	33.03	B33-628-461*	i3300	B30-R4300	2500	2
◊	B-461	F AHSL	15.24	41.28	-	12.70	15.24	30.00	M71-116-461	BMP71	M71-R6200	150	1
▶	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	B33-612-461	i3300	B30-R4300	1500	3
▶	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	BPT-612-461	BBP12	R7950	1500	3
⊗	B-499	F A	25.40	9.53	-	9.53	25.4	9.53	THT-163-499-3	i7100, i5100	R4900	3000	1
⊗	B-492	F H L	25.40	9.53	-	9.53	-	-	THT-163-492-3	BBP12, i7100, i5100	R6400	3000	1
⊗	B-492	F H L	25.40	12.70	-	9.53	-	-	M71-118-492	BMP71	M71-R6400	500	1
⊗	B-492	F H L	25.40	12.70	-	9.53	-	-	THT-181-492-3	i7100, i5100	R6400	3000	1
⊗	B-492	F H L	25.40	12.70	-	11.18	-	-	THT-182-492-3	BBP12, i7100, i5100	R6400	3000	1
◆	B-461	F AHSL	40.00	15.00	-	9.00	30.00	15.00	BPTLAB-20-461-2.5	BBP12	R7950	2500	1
◆	B-461	F AHSL	40.00	15.00	-	9.53	30.00	15.00	M71-101-461	BMP71	M71-R6200	250	1
◊	B-461	F AHSL	41.28	15.24	-	12.70	30.00	15.24	B33-608-461	i3300	B30-R4300	1000	1
◆	B-461	F AHSL	41.28	15.24	-	12.70	30.00	15.24	BPT-608-461	BBP12	R7950	1000	1
⊗	B-499	F A	41.28	15.24	-	12.70	-	-	BPT-608-499	BBP12	R7950	1000	1
1.0 - 8.0 ml													
▶	B-461	FNAHSL	15.24	41.28	-	-	15.24	25.40	M71-76-461	BMP71	M71-R6200	500	1
▶	B-461	FNAHSL	15.24	66.68	-	-	15.24	25.40	M71-86-461	BMP71	M71-R6200	100	1
▶	B-427	FN S	19.05	44.45	-	-	19.05	12.70	B33-73-427	i3300	B30-R4300	3500	4
▶	B-427	FN S	19.05	44.45	-	-	19.05	12.70	THT-62-427-3.5*	BBP12, i7100, i5100	R4300R7950	3500	1
▶	B-427	FN S	19.05	44.45	-	-	19.05	12.70	THT-73-427-10	BBP12, i7100, i5100	R4300R7950	10000	4
▲	B-427	FN S	20.00	20.00	-	-	20.00	20.00	BPTLAB-35-427-YL	BBP12	R7950	1000	1
⊗	B-499	F A	22.86	12.70	-	12.70	22.86	12.7	THT-126-499-3	i7100, i5100	R4900	3000	1
⊗	B-499	F A	22.86	12.70	-	12.70	-	-	B33-126-499	i3300	B30-R6000HF	1500	1
⊗	B-499	F A	22.86	12.70	-	12.70	-	-	M71-126-499	BMP71	M71-R4300	500	1
▲	B-499	FNA	22.86	12.70	-	-	22.86	12.7	PTL-84-499	M611, BMP61, BMP71	R4310	500	1
▲	B-492	FN H L	25.40	19.05	-	-	25.4	19.05	THT-88-492-2.5-SC	BBP12	R6400	2500	2
⬢	B-492	FN H L	25.40	19.05	-	-	25.4	19.05	THT-88-492-5	BBP12, i7100, i5100	R6400	5000	2
▶	B-461	FNAHSL	25.40	66.68	-	-	25.40	25.40	M71-115-461	BMP71	M71-R6200	100	1
▶	B-461	FNAHSL	25.40	66.68	-	-	25.40	25.40	THT-131-461-1.5-SC*	BBP12	R7950	1500	1
▶	B-461	FNAHSL	25.40	66.68	-	-	25.40	25.40	THT-131-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
⊗	B-492	F H L	41.28	15.24	-	9.53	-	-	B33-190-492	i3300	R6400	1500	1
⊗	B-492	F H L	41.28	15.24	-	9.53	-	-	THT-190-492-3	BBP12, i7100, i5100	R6400	3000	1
▲	B-490	FN H L	41.28	15.24	-	-	41.28	15.24	THT-155-490-1.5-SC	BBP12	R7950	1500	1
▲	B-490	FN H L	41.28	15.24	-	-	41.28	15.24	THT-155-490-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-490	FN H L	41.28	15.24	-	-	-	-	B33-155-490	i3300	B30-R4300	1500	1
▲	B-492	FN H L	41.28	15.24	-	-	-	-	B33-155-492	i3300	R6400	1500	1
▲	B-490	FN H L	41.28	15.24	-	-	-	-	M71-76-490	BMP71	M71-R4300	500	1
▲	B-492	FN H L	41.28	15.24	-	-	-	-	THT-155-492-3	BBP12, i7100, i5100	R6400	3000	1
▲	B-492	FN H L	44.45	25.40	-	-	-	-	M-125-492	BMP51	R6400	180	1
▲	B-499	FNA	48.26	25.40	-	-	48.26	25.4	M71-78-499	BMP71	M71-R4300	250	1
▲	B-490	FN H L	48.26	25.40	-	-	48.26	25.4	THT-156-490-1.5-SC	BBP12	R7950	1500	1
▲	B-490	FN H L	48.26	25.40	-	-	48.26	25.4	THT-156-490-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-492	FN H L	48.26	25.40	-	-	48.26	25.4	THT-156-492-1.5-SC	BBP12	R6400	1500	1
▲	B-490	FN H L	48.26	25.40	-	-	-	-	B33-156-490	i3300	B30-R4300	1500	1
▲	B-492	FN H L	48.26	25.40	-	-	-	-	B33-156-492	i3300	B30-R6400	1500	1
▲	B-492	FN H L	48.26	25.40	-	-	-	-	M71-78-492	BMP71	M71-R6400	250	1
▲	B-492	FN H L	48.26	25.40	-	-	-	-	THT-156-492-3	BBP12, i7100, i5100	R6400	3000	1
▶	B-461	FNAHSL	66.68	25.40	-	-	25.40	25.40	BM71-75-461	M611, BMP61, BMP71	R6200	1000	1

*Label is rotated 90° on liner.

>>

Conical / Large Tube Labels



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.


See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
1.0 - 15.0 ml													
▲	B-492	F N H L	25.40	22.86	-	-	-	-	M-156-492	BMP51	R6400	180	1
1.5 ml													
⊙	B-499	F N A	12.70	-	4.88	-	-	-	M21-500-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	12.70	-	4.88	-	-	-	MC-500-499	BMP41, BMP51	R4300	1	1
⊙	B-461	F N A H S L	12.70	-	6.40	-	12.70	-	M21-500-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	12.70	-	9.10	-	-	-	M71C-500-499	BMP71	M71-R4300	1	1
∞	B-430	F A H	12.70	-	15.24	-	12.70	152.40	PTL-8-430	M611, BMP61, BMP71	R6010	1	1
1.5 - 2.0 ml													
▷	B-461	F N A H S L	15.24	41.28	-	-	15.24	25.40	THT-133-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	F N A H S L	15.24	41.28	-	-	25.40	15.24	THT-133-461-1.5-SC*	BBP12	R7950	1500	1
▷	B-461	F N A H S L	15.24	66.68	-	-	15.24	25.40	THT-153-461-1.5-SC*	BBP12	R7950	1500	1
▷	B-461	F N A H S L	15.24	66.68	-	-	15.24	25.40	THT-153-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
⬢	B-430	F A H	25.40	12.70	-	-	25.4	12.7	THT-39-430-10	BBP12, i7100, i5100	R6000HF	10000	3
▲	B-492	F N H L	25.40	12.70	-	-	25.4	12.7	THT-59-492-2.5-SC	BBP12	R6400	2500	1
▲	B-492	F N H L	25.40	12.70	-	-	-	-	B33-59-492	i3300	B30-R6400	2500	1
▲	B-492	F N H L	25.40	12.70	-	-	-	-	THT-59-492-10	BBP12, i7100, i5100	R6400	10000	1
▼	B-492	F H L	41.28	15.24	-	9.53	-	-	M-95-492	BMP51	R6400	200	1
▷	B-461	F N A H S L	41.28	15.24	-	-	25.40	15.24	B33-133-461	i3300	B30-R4300	1500	3
▲	B-492	F N H L	41.91	12.70	-	-	-	-	M-124-492	BMP51	R6400	180	1
1.5 - 8.0 ml													
⬢	B-492	F N H L	25.40	9.53	-	-	-	-	B33-152-492	i3300	B30-R6400	2500	2
2.0 - 4.0 ml													
▷	B-461	F N A H S L	15.24	48.26	-	-	15.24	40.00	B33-638-461*	i3300	B30-R4300	2000	1
▷	B-461	F N A H S L	15.24	48.26	-	-	15.24	40.00	BPT-638-461*	BBP12	R7950	2000	1
▷	B-461	F N A H S L	15.24	48.26	-	-	15.24	40.00	M71-107-461	BMP71	M71-R6200	500	1
2.0 - 8.0 ml													
▲	B-492	F N H L	25.40	25.40	-	-	-	-	B33-179-492	i3300	B30-R6400	1900	1
2.0 - 50.0 ml													
▲	B-427	F N S	19.05	-	4.30	-	9.53	-	M21-750-427	BMP21-PLUS	R4300	1	-
⊙	B-499	F N A	19.05	-	4.88	-	-	-	M21-750-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	19.05	-	4.88	-	-	-	MC-750-499	BMP41, BMP51	R4300	1	1
⊙	B-461	F N A H S L	19.05	-	6.40	-	19.05	-	M21-750-461-AW**	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-427	F N S	19.05	-	7.62	-	9.53	-	MC-750-427	BMP41, BMP51	R4300	1	1
▲	B-427	F N S	25.40	-	4.30	-	9.53	-	M21-1000-427	BMP21-PLUS	R4300	1	-
⊙	B-499	F N A	25.40	-	4.88	-	-	-	MC-1000-499	BMP51	R4300	1	1
▲	B-427	F N S	25.40	-	7.62	-	9.53	-	MC-1000-427	BMP51	R4300	1	1
⊙	B-461	F N A H S L	25.40	-	7.62	-	25.40	-	MC-1000-461-AW**	BMP51	R4300	1	1
⊙	B-499	F N A	25.40	-	9.10	-	-	-	M71C-1000-499	BMP71	M71-R4300	1	1
4.0 - 8.0 ml													
⬢	B-499	F N A	25.40	66.68	-	-	-	-	B33-625-499	i3300	B30-R6000HF	1500	3
⬢	B-499	F N A	25.40	66.68	-	-	-	-	BPT-625-499	BBP12	R7950	1500	3
4.0 - 50.0 ml													
▲	B-427	F N S	31.75	-	4.30	-	12.70	-	M21-1250-427	BMP21-PLUS	R4300	1	-
▲	B-427	F N S	31.75	-	7.62	-	12.70	-	MC-1250-427	BMP51	R4300	1	1
⊙	B-461	F N A H S L	31.75	-	7.62	-	31.75	-	MC-1250-461-AW**	BMP51	R4300	1	1
▷	B-461	F N A H S L	34.93	45.72	-	-	34.93	40.00	B33-632-461*	i3300	B30-R4300	1500	1
▷	B-461	F N A H S L	34.93	45.72	-	-	34.93	40.00	BPT-632-461*	BBP12	R7950	2000	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

Conical / Large Tube Labels



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.


Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
5.0 - 50.0 ml													
▲	B-427	F N S	38.10	-	4.30	-	12.70	-	M21-1500-427	BMP21-PLUS	R4300	1	-
▲	B-427	F N S	38.10	-	7.62	-	12.70	-	MC-1500-427	BMP51	R4300	1	1
◎	B-499	F N A	48.26	-	9.10	-	-	-	M71C-1900-499	BMP71	M71-R4300	1	1
12.0 - 14.0 ml													
▷	B-461	F N A H S L	95.25	38.10	-	-	38.10	31.75	M-119-461	BMP51	R4300	80	1
12.0 - 24.0 ml													
▲	B-498	F R	12.70	38.10	-	-	12.7	38.1	BM71-29-498	M611, BMP61, BMP71	R6200	5000	1
▲	B-499	F N A	12.70	38.10	-	-	12.7	38.1	M71-29-499	BMP71	M71-R4300	500	1
▲	B-499	F N A	12.70	38.10	-	-	12.7	38.1	PTL-29-499	M611, BMP61, BMP71	R4310	500	1
▲	B-498	F R	38.10	12.70	-	-	38.1	12.7	M71-29-498	BMP71	M71-R6200	500	1
▲	B-498	F R	38.10	12.70	-	-	38.1	12.7	PTL-29-498	M611, BMP61, BMP71	R6210	500	1
▲	B-499	F N A	38.10	31.75	-	-	-	-	M-132-499	BMP51	R4300	160	1
▲	B-492	F N H L	48.26	25.40	-	-	-	-	M-78-492	BMP51	R6400	100	1
▷	B-461	F N A H S L	88.90	38.10	-	-	31.75	38.10	PTL-77-461	M611, BMP61, BMP71	R4310	100	1
12.0 - 50.0 ml													
▷	B-461	F N A H S L	25.40	133.35	-	-	25.40	38.10	B33-139-461	i3300	B30-R4300	650	2
▷	B-461	F N A H S L	25.40	133.35	-	-	25.40	38.10	THT-139-461-2	BBP12, i7100, i5100	R4300R7950	2000	2
14.0 - 15.0 ml													
▲	B-490	F N H L	38.10	55.88	-	-	-	-	M-113-490	BMP51	R4300	140	1
▷	B-427	F N S	38.10	63.50	-	-	38.10	19.05	B33-517-427	i3300	B30-R4300	1000	2
▷	B-427	F N S	38.10	63.50	-	-	38.10	19.05	BPT-517-427	BBP12	R7950	2000	2
▷	B-427	F N S	38.10	63.50	-	-	38.10	19.05	M-116-427	BMP51	R4300	80	1
▲	B-490	F N H L	55.88	38.10	-	-	55.88	38.1	PTL-113-490	M611, BMP61, BMP71	R4310	100	1
▲	B-490	F N H L	55.88	38.10	-	-	55.88	38.1	THT-157-490-1.5-SC	BBP12	R7950	1500	1
▲	B-490	F N H L	55.88	38.10	-	-	55.88	38.1	THT-157-490-3	BBP12, i7100, i5100	R4300R7950	3000	1
▷	B-461	F N A H S L	57.15	38.10	-	-	38.10	31.75	M-129-461	BMP51	R4300	140	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.

>>

Conical / Large Tube Labels

Diagram



Labels are shown per vial / tube size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
15.0 - 50.0 ml													
●	B-499	F N A	20.32	36.50	-	-	20.32	20.32	THT-69-499-3	BBP12, i7100, i5100	R4900	3000	2
●	B-498	F R	20.32	36.50	-	-	20.32	36.50	THT-95-498-5	BBP12, i7100, i5100	R4300R7950	5000	3
●	B-499	F N A	20.32	36.50	-	-	20.32	-	B33-165-499	i3300	B30-R6000HF	2500	4
●	B-498	F R	20.32	36.50	-	-	20.32	-	B33-95-498	i3300	B30-R6200	2300	3
●	B-499	F N A	22.86	38.10	-	-	-	-	BPT-618-499	BBP12	R7950	3000	3
●	B-498	F R	25.40	36.50	-	-	25.4	25.40	THT-89-498-5	BBP12, i7100, i5100	R4300R7950	5000	3
●	B-499	F N A	25.40	36.50	-	-	-	-	B33-621-499	i3300	B30-R6000HF	3000	3
●	B-498	F R	25.40	36.50	-	-	-	-	BPT-621-498	BBP12	R7950	3000	3
●	B-499	F N A	25.40	36.50	-	-	-	-	BPT-621-499	BBP12	R7950	3000	3
▷	B-461	F N A H S L	38.10	19.05	-	-	33.00	19.05	BPT-629-461*	BBP12	R7950	2500	2
▷	B-461	F N A H S L	38.10	88.90	-	-	38.10	31.75	THT-134-461-3*	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-461	F N A H S L	48.26	25.40	-	-	48.26	25.40	B33-636-461AW**	i3300	B30-R4300	2000	1
▲	B-461	F N A H S L	48.26	25.40	-	-	48.26	25.40	BPT-636-461-AW**	BBP12	R7950	2000	1
▲	B-427	F N S	55.88	38.10	-	-	55.88	38.10	B33-640-427AW**	i3300	B30-R4300	1500	1
▲	B-427	F N S	55.88	38.10	-	-	55.88	38.10	BPT-640-427-AW**	BBP12	R7950	2000	1
▲	B-461	F N A H L	57.15	19.05	-	-	57.15	19.05	B33-642-461AW**	i3300	B30-R4300	2000	1
▲	B-461	F N A H S L	57.15	19.05	-	-	57.15	19.05	BPT-642-461-AW**	BBP12	R7950	2000	1
▷	B-461	F N A H S L	66.68	25.40	-	-	25.40	25.40	B33-276-461	i3300	B30-R4300	1500	2
▲	B-427	F N S	66.68	25.40	-	-	66.68	25.40	B33-648-427AW**	i3300	B30-R4300	1500	1
▲	B-427	F N S	66.68	25.40	-	-	66.68	25.40	BPT-648-427-AW**	BBP12	R7950	2000	1
▷	B-461	F N A H S L	88.90	38.10	-	-	38.10	31.75	B33-134-461*	i3300	B30-R4300	1000	1
▲	B-461	F N A H S L	88.90	38.10	-	-	88.90	38.10	B33-650-461AW**	i3300	B30-R4300	2000	1
▲	B-461	F N A H S L	88.90	38.10	-	-	88.90	38.10	BPT-650-461-AW**	BBP12	R7950	2000	1
50.0 ml													
▲	B-423	F A H	12.70	12.70	-	-	12.7	12.7	BM71-7-423	M611, BMP61, BMP71	R6000HF	5000	1
▲	B-423	F A H	12.70	12.70	-	-	12.7	12.7	M71-7-423	BMP71	M71-R6000HF	500	1
▲	B-423	F A	12.70	12.70	-	-	12.7	12.7	PTL-7-423	M611, BMP61, BMP71	R6010	500	1
▷	B-427	F N S	19.05	38.10	-	-	19.05	12.70	BM71-30-427	M611, BMP61, BMP71	R4300	2500	1
▷	B-427	F N S	19.05	38.10	-	-	19.05	12.70	M71-30-427	BMP71	M71-R4300	250	1
▷	B-427	F N S	19.05	38.10	-	-	19.05	12.70	M-90-427	BMP41, BMP51	R4300	180	1
▷	B-461	F N A H S L	19.05	38.10	-	-	19.05	33.02	B33-629-461*	i3300	B30-R4300	2500	2
▲	B-499	F N A	19.05	38.10	-	-	19.05	38.1	M71-30-499	BMP71	M71-R4300	250	1
▲	B-427	F N S	19.05	38.10	-	-	38.10	19.05	THT-135-427-3-AW**	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-492	F N H L	22.86	25.40	-	-	-	-	THT-180-492-3	BBP12, i7100, i5100	R6400	3000	1
▲	B-423	F A H	25.40	4.75	-	-	25.4	4.75	M71-14-423	BMP71	M71-R6000HF	750	1
▲	B-423	F A	25.40	4.75	-	-	25.4	4.75	PTL-14-423	M611, BMP61, BMP71	R6010	750	1
●	B-423	F A H	25.40	4.75	-	-	25.4	4.75	THT-41-423-10	BBP12, i7100, i5100	R6000HF	10000	3
●	B-423	F A H	25.40	6.35	-	-	25.4	6.35	THT-51-423-10	BBP12, i7100, i5100	R6000HF	10000	3
▲	B-423	F A H	25.40	6.99	-	-	25.4	6.99	M71-15-423	BMP71	M71-R6000HF	750	1
▲	B-423	F A	25.40	6.99	-	-	25.4	6.99	PTL-15-423	M611, BMP61, BMP71	R6010	750	1
▲	B-423	F A H	25.40	12.70	-	-	25.4	12.7	M71-17-423	BMP71	M71-R6000HF	500	1
▲	B-498	F R	25.40	12.70	-	-	25.4	12.7	M71-17-498	BMP71	M71-R6200	500	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.

>>

Conical / Large Tube Labels





Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Printable Area Height PH (mm)	Printable Area Width PW (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
▲	B-423	F A	25.40	12.70	—	—	25.4	12.7	PTL-17-423	M611, BMP61, BMP71	R6010	500	1
▲	B-430	F AH	25.40	12.70	—	—	25.4	12.7	PTL-17-430	M611, BMP61, BMP71	R6010	500	1
▲	B-498	F R	25.40	12.70	—	—	25.4	12.7	PTL-17-498	M611, BMP61, BMP71	R6210	500	1
▲	B-492	F N H L	25.40	12.70	—	—	—	—	M71-17-492	BMP71	M71-R6400	500	1
▲	B-492	F N H L	25.40	25.40	—	—	—	—	THT-179-492-2.5-SC	BBP12	R6400	2500	1
▲	B-492	F N H L	25.40	25.40	—	—	—	—	THT-179-492-3	BBP12, i7100, i5100	R6400	3000	1
▲	B-498	F R	25.40	38.10	—	—	25.4	38.1	M71-31-498	BMP71	M71-R6200	250	1
▲	B-499	F NA	25.40	38.10	—	—	25.4	38.1	M71-31-499	BMP71	M71-R4300	250	1
◐	B-427	F N S	25.40	38.10	—	—	25.40	12.70	BM71-31-427	M611, BMP61, BMP71	R4300	2500	1
◑	B-427	F N S	25.40	38.10	—	—	25.40	12.70	M-31-427	BMP41, BMP51	R4300	180	1
◒	B-427	F N S	25.40	38.10	—	—	25.40	12.70	M71-31-427	BMP71	M71-R4300	250	1
◓	B-461	F NAHSL	25.40	38.10	—	—	25.40	12.70	M71-31-461	BMP71	M71-R6200	250	1
▲	B-499	F NA	25.40	48.26	—	—	—	—	M-128-499	BMP41, BMP51	R4300	100	1
▲	B-423	F AH	25.40	50.80	—	—	50.8	25.4	BM71-20-423	M611, BMP61, BMP71	R6000HF	1000	1
▲	B-423	F AH	25.40	50.80	—	—	50.8	25.4	M71-20-423	BMP71	M71-R6000HF	100	1
▲	B-423	F A	25.40	50.80	—	—	50.8	25.4	PTL-20-423	M611, BMP61, BMP71	R6010	100	1
▲	B-499	F NA	25.40	63.50	—	—	25.4	63.5	M71-21-499	BMP71	M71-R4300	100	1
∞	B-439	F	25.40	—	15.24	—	—	—	PTL-42-439	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F	25.40	—	15.24	—	—	—	PTL-42-439-OR	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F	25.40	—	15.24	—	—	—	PTL-42-439-RD	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F	25.40	—	15.24	—	—	—	PTL-42-439-YL	M611, BMP61, BMP71	R6010	1	1
▲	B-499	F NA	38.10	19.05	—	—	19.05	38.1	PTL-30-499	M611, BMP61, BMP71	R4310	250	1
▲	B-499	F NA	38.10	19.05	—	—	38.1	19.05	THT-136-499-1.5-SC	BBP12	R7950	1500	1
▲	B-499	F NA	38.10	19.05	—	—	38.1	19.05	THT-136-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-427	F N S	38.10	19.05	—	—	38.10	19.05	B33-135-427AW**	i3300	B30-R4300	1500	1
▲	B-427	F N S	38.10	19.05	—	—	38.10	19.05	M71-30-427-AW**	BMP71	M71-R4300	250	1
▲	B-427	F N	38.10	19.05	—	—	38.10	19.05	PTL-30-427AW**	M611, BMP61, BMP71	R4310	250	1
▲	B-499	F NA	38.10	19.05	—	—	—	—	B33-136-499	i3300	B30-R6000HF	1500	1
▲	B-498	F R	38.10	25.40	—	—	25.4	38.1	PTL-31-498	M611, BMP61, BMP71	R6210	250	1
▲	B-499	F NA	38.10	25.40	—	—	25.4	38.1	PTL-31-499	M611, BMP61, BMP71	R4310	250	1
▲	B-423	F AH	38.10	25.40	—	—	38.1	25.4	M71-31-423	BMP71	M71-R6000HF	250	1
▲	B-423	F A	38.10	25.40	—	—	38.1	25.4	PTL-31-423	M611, BMP61, BMP71	R6010	250	1
▲	B-490	F N H L	38.10	95.25	—	—	—	—	M-114-490	BMP51	R4300	80	1
▲	B-490	F N H L	38.10	98.43	—	—	98.43	38.1	PTL-114-490	M611, BMP61, BMP71	R4310	100	1
▲	B-488	F A	48.26	25.40	—	—	48.26	25.4	PTL-78-488	M611, BMP61, BMP71	R4310	250	1
▲	B-427	F N	48.26	25.40	—	—	48.26	25.40	PTL-78-427-AW**	M611, BMP61, BMP71	R4310	250	1
▲	B-499	F NA	48.26	25.40	—	—	48.26	25.40	PTL-78-499	M611, BMP61, BMP71	R4310	250	1
▲	B-490	F N H L	50.80	6.35	—	—	—	—	B33-151-490	i3300	B30-R4300	2500	1
▲	B-427	F N S	50.80	25.40	—	—	25.40	50.80	THT-137-427-3-AW**	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-499	F NA	50.80	25.40	—	—	50.8	25.4	THT-137-499-1.5-SC	BBP12	R7950	1500	1
▲	B-499	F NA	50.80	25.40	—	—	50.8	25.4	THT-137-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-427	F N S	50.80	25.40	—	—	50.80	25.40	B33-137-427AW**	i3300	B30-R4300	1500	1
▲	B-499	F NA	50.80	25.40	—	—	—	—	B33-137-499	i3300	B30-R6000HF	1100	1
▲	B-423	F AH	76.20	25.40	—	—	76.2	25.4	M71-22-423	BMP71	M71-R6000HF	100	1
▲	B-423	F A	76.20	25.40	—	—	76.2	25.4	PTL-22-423	M611, BMP61, BMP71	R6010	100	1
▲	B-490	F N H L	95.25	38.10	—	—	95.25	38.1	THT-158-490-1.5-SC	BBP12	R7950	1500	1
▲	B-490	F N H L	95.25	38.10	—	—	95.25	38.1	THT-158-490-3	BBP12, i7100, i5100	R4300R7950	3000	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.


F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable

SLIDE LABELS

Brady offers labels specifically designed to identify slides and to resist exposure to harsh chemicals during the slide staining process. They perform well in the hematoxylin and eosin slide staining process and offer superior chemical resistance also useful in other laboratory contexts.



Diagram



- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable

Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
⊙	B-488	F A	9.53	–	6.40	M21-375-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-488	F A	12.70	–	6.40	M21-500-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-488	F A	19.05	22.86	–	M71-80-488	BMP71	M71-R4300	250	1
▲	B-488	F A	19.05	22.86	–	PTL-80-488	M611, BMP61, BMP71	R4310	250	1
●	B-488	F A	19.05	22.86	–	THT-140-488-3	BBP12, i7100, i5100	R4300R7950	3000	2
●	B-488	F A	19.05	22.86	–	THT-140-488-1.5-SC	BBP12	R7950	1500	2
⊙	B-488	F A	19.05	–	6.40	M21-750-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
▲	B-481	F H	22.86	9.53	–	B33-195-481	i3300	B30-R6400	3000	1
▲	B-481	F H	22.86	9.53	–	M-195-481	BMP51	R6400	320	1
▲	B-481	F H	22.86	9.53	–	THT-195-481-3	BBP12, i7100, i5100	R6400	3000	1
●	B-488	F A	22.86	19.05	–	B33-616-488	i3300	B30-R4300	3000	3
▲	B-481	F H	22.86	19.05	–	B33-194-481	i3300	B30-R6400	2000	1
●	B-488	F A	22.86	19.05	–	BPT-616-488	BBP12	R7950	3000	3
▲	B-481	F H	22.86	19.05	–	BPT-194-481	BBP12	R6400	2500	1
▲	B-481	F H	22.86	19.05	–	M-194-481	BMP51	R6400	320	1
▲	B-481	F H	22.86	19.05	–	THT-194-481-3	BBP12, i7100, i5100	R6400	3000	1
●	B-488	F A	22.86	22.86	–	B33-617-488	i3300	B30-R4300	3000	3
●	B-488	F A	22.86	22.86	–	BPT-617-488	BBP12	R7950	3000	3
▲	B-481	F H	22.86	22.86	–	BPT-164-481	BBP12	R6400	2500	1
▲	B-488	F A	22.86	22.86	–	M-97-488	BMP51	R4300	280	1
▲	B-481	F H	22.86	22.86	–	M-97-481	BMP51	R6400	280	1
▲	B-488	F A	22.86	22.86	–	M71-97-488	BMP71	M71-R4300	250	1
▲	B-481	F H	22.86	22.86	–	M71-97-481	BMP71	M71-R6400	250	1
▲	B-488	F A	22.86	22.86	–	PTL-97-488	M611, BMP61, BMP71	R4310	250	1
●	B-481	F H	22.86	22.86	–	THT-207-481-2.5-SC	BBP12	R6400	2500	4
▲	B-488	F A	22.86	22.86	–	THT-164-488-1	BBP12, i7100, i5100	R4300R7950	1000	1
▲	B-481	F H	22.86	22.86	–	THT-164-481-3	BBP12, i7100, i5100	R6400	3000	1
●	B-488	F A	22.86	22.86	–	THT-141-488-3	BBP12, i7100, i5100	R4300R7950	3000	2
●	B-481	F H	22.86	22.86	–	THT-141-481-3	BBP12, i7100, i5100	R6400	3000	2
●	B-481	F H	22.90	22.90	–	THT-141-481-1.5-SC	BBP12	R6400	1500	2
▲	B-488	F A	48.26	6.35	–	B33-635-488	i3300	B30-R4300	2000	1
▲	B-488	F A	48.26	6.35	–	M-81-488	BMP41, BMP51	R4300	160	1
▲	B-488	F A	50.80	6.35	–	THT-15-488-2.5	BBP12, i7100, i5100	R4300R7950	2500	1
▲	B-481	F H	63.50	5.08	–	THT-142-481-2.5	BBP12, i7100, i5100	R6400	2500	1
▲	B-481	F H	63.50	5.08	–	THT-142-481-2.5-SC	BBP12	R6400	2500	1

F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

B-498 Re-Identify Tissue Cassettes Labels



B-498 RE-IDENTIFY TISSUE CASSETTES LABELS


Tissue cassettes are often re-identified when labs collect samples from various biorepositories. Typically, each laboratory has its own unique way of identifying samples, which creates a need to re-identify samples in a common way.

Brady B-498 post-process labels offer customers the optimal way to organise these specimens and conduct further studies. These labels can be applied directly onto the cassettes, on pure paraffin wax and on top of another label or identifier.

This is not the same as Brady's B-482 tissue cassette solution.

B-498 Re-identify labels are applied after processing and are never used with the BSP31 label attachment system.

Diagram



- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable

Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.


See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
▲	B-498	F R	4.78	25.40	THT-253-498-3-SC	BBP12	R7950	3000	1
▲	B-498	F R	4.78	76.20	THT-253-498-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-498	F R	6.35	19.05	M71-10-498	BMP71	M71-R6200	750	1
◆	B-498	F R	19.05	6.35	B33-1-498	i3300	B30-R6200	5000	4
▲	B-498	F R	19.05	6.35	THT-252-498-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-498	F R	19.05	6.35	THT-252-498-3-SC	BBP12	R7950	3000	1
◆	B-498	F R	19.05	6.35	THT-1-498-10	BBP12, i7100, i5100	R4300R7950	10000	4
▲	B-498	F R	19.05	12.70	M-11-498	BMP41, BMP51	R6200	220	1
▲	B-498	F R	19.05	19.05	THT-254-498-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-498	F R	19.05	19.05	THT-254-498-1.5-SC	BBP12	R7950	1500	1

STRAW AND ROD LABELS

Brady offers a range of labels designed to fit the small surface area of straws and rods and will withstand long-term storage.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable




Labels are shown per straw size and in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.


Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
0.25 ml Straw											
▲	B-427	FN S	20.00	20.00	20.00	20.00	BPTLAB-35-427-YL	BBP12	R7950	1000	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	B33-211-427	i3300	B30-R4300	3000	3
▷	B-427	FN S	25.40	25.40	25.40	9.53	B33-116-427	i3300	B30-R4300	2500	2
▷	B-427	FN S	25.40	25.40	25.40	9.53	BM71-19-427	M611, BMP61, BMP71	R4300	2500	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	BPT-211-427	BBP12	R7950	3000	3
▷	B-427	FN S	25.40	25.40	25.40	9.53	M-49-427	BMP41, BMP51	R4300	260	1
▷	B-461	FNAHSL	25.40	25.40	25.40	9.53	M71-19-461	BMP71	M71-R4300	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	M71-19-427	BMP71	M71-R4300	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	M71-19-427-YL	BMP71	M71-R4300	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-BL	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-BR	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-GR	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-GY	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-OR	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-PL	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-RD	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	PTL-19-427-YL	M611, BMP61, BMP71	R4310	250	1
▷	B-427	FN S	25.40	25.40	25.40	9.53	THT-116-427-5	BBP12, i7100, i5100	R4300R7950	5000	2
▷	B-427	FN S	44.45	25.40	44.45	9.53	B33-120-427	i3300	B30-R4300	1250	1
▷	B-427	FN S	44.45	25.40	44.45	9.53	M-133-427	BMP51	R4300	140	1
▷	B-427	FN S	44.45	38.10	44.45	12.70	B33-121-427	i3300	B30-R4300	1000	1
▷	B-427	FN S	44.45	38.10	44.45	12.70	M71-88-427	BMP71	M71-R4300	250	1
0.50 ml Straw											
▷	B-427	FN S	25.40	63.50	25.40	19.05	B33-511-427	i3300	B30-R4300	1500	3
▷	B-427	FN S	25.40	63.50	25.40	19.05	BM71-21-427	M611, BMP61, BMP71	R4300	1000	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	BPT-511-427	BBP12	R7950	3000	3
▷	B-427	FN S	25.40	63.50	25.40	19.05	M71-21-427	BMP71	M71-R4300	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	M71-21-427-YL	BMP71	M71-R4300	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-BL	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-BR	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-GN	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-GY	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-OR	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-PL	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-RD	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	25.40	63.50	25.40	19.05	PTL-21-427-YL	M611, BMP61, BMP71	R4310	100	1
▷	B-427	FN S	44.45	38.10	44.45	12.70	M-134-427	BMP51	R4300	140	1
▷	B-427	FN S	63.50	25.40	25.40	19.05	M-51-427	BMP41, BMP51	R4300	110	1
Straw Rod											
▲	B-427	FN	27.94	6.35	27.94	6.35	PTL-105-427-AW**	M611, BMP61, BMP71	R4310	750	1
▷	B-461	FNAHSL	6.35	27.94	6.35	22.00	BPT-627-461*	BBP12	R7950	1000	1
▲	B-427	FN S	6.35	27.94	27.94	6.35	M-135-427-AW**	BMP41, BMP51	R4300	240	1

*Label is rotated 90° on liner. **AW = All White / no transparent area.



WELL PLATE LABELS

When total tracking of all sample collections is required then Brady has a solution for Well plate identification. Our well plate labels guarantee crystal clear text and barcoding for most lab environments.



- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable

Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
⊙	B-595	F	6.35	–	6.40	M21-250-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	6.35	–	6.40	M21-250-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-430	F A H	6.35	–	6.40	M21-250-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F A H	6.35	–	6.40	M21-250-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F A H	6.35	–	6.40	M21-250-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-499	F N A	9.53	–	4.88	M21-375-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	9.53	–	4.88	MC-375-499	BMP41, BMP51	R4300	1	1
⊙	B-7425	F N A H	9.53	–	6.40	M21-375-7425	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-595	F	9.53	–	6.40	M21-375-595-BK	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	–	6.40	M21-375-595-BL	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	–	6.40	M21-375-595-GN	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	–	6.40	M21-375-595-OR	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	9.53	–	6.40	M21-375-595-RD	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	–	6.40	M21-375-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	9.53	–	6.40	M21-375-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-488	F A	9.53	–	6.40	M21-375-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-430	F A H	9.53	–	6.40	M21-375-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F A H	9.53	–	6.40	M21-375-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F A H	9.53	–	6.40	M21-375-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-595	F	9.53	–	7.62	MC-375-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	9.53	–	7.62	MC-375-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-430	F A H	9.53	–	15.24	M71C-375-430	BMP71	M71-R6000HF	1	1
▲	B-423	F A H	12.70	12.70	–	BM71-7-423	M611, BMP61, BMP71	R6000HF	5000	1
▲	B-423	F A H	12.70	12.70	–	M71-7-423	BMP71	M71-R6000HF	500	1
▲	B-423	F A	12.70	12.70	–	PTL-7-423	M611, BMP61, BMP71	R6010	500	1
▲	B-498	F R	12.70	38.10	–	BM71-29-498	M611, BMP61, BMP71	R6200	5000	1
▲	B-499	F N A	12.70	38.10	–	M71-29-499	BMP71	M71-R4300	500	1
▲	B-499	F N A	12.70	38.10	–	PTL-29-499	M611, BMP61, BMP71	R4310	500	1
⊙	B-499	F N A	12.70	–	4.88	M21-500-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	12.70	–	4.88	MC-500-499	BMP41, BMP51	R4300	1	1
⊙	B-595	F	12.70	–	6.10	MC-500-595-CL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	6.10	MC-500-595-CL-WT	BMP41, BMP51	R4400	1	1
⊙	B-7425	F N A H	12.70	–	6.40	M21-500-7425	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-BK	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-BL	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-GN	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-OR	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-RD	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-488	F A	12.70	–	6.40	M21-500-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-430	F A H	12.70	–	6.40	M21-500-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F A H	12.70	–	6.40	M21-500-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F A H	12.70	–	6.40	M21-500-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-BK-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-BL-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-GN-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-OR-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-RD-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-WT-RD	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-499	F N A	12.70	–	9.10	M71C-500-499	BMP71	M71-R4300	1	1

>>

Diagram







Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
⊙	B-595	F	12.70	—	15.24	M71C-500-595-BK	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	—	15.24	M71C-500-595-BL	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	—	15.24	M71C-500-595-CL	BMP71	M71-R6000HF	1	1
⊙	B-595	F	12.70	—	15.24	M71C-500-595-GN	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	—	15.24	M71C-500-595-OR	BMP71	M71-R6000HF	1	1
⊙	B-595	F	12.70	—	15.24	M71C-500-595-RD	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	—	15.24	M71C-500-595-WT	BMP71	M71-R6000HF	1	1
⊙	B-595	F	12.70	—	15.24	M71C-500-595-YL	BMP71	M71-R6000HF	1	1
⊙	B-430	F A H	12.70	—	15.24	M71C-500-430	BMP71	M71-R6000HF	1	1
∞	B-430	F A H	12.70	—	15.24	PTL-8-430	M611, BMP61, BMP71	R6010	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-BK	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-BL	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-CL	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-GN	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-OR	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-RD	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-WT	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
∞	B-595	F	12.70	—	30.40	B30C-500-595-YL	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
⬢	B-8423	F A	19.05	6.35	—	BPT-1-8423-2.5	BBP12	R6000HF	2500	5
▲	B-499	F N A	19.05	38.10	—	M71-30-499	BMP71	M71-R4300	250	1
⊙	B-499	F N A	19.05	—	4.88	M21-750-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	19.05	—	4.88	MC-750-499	BMP41, BMP51	R4300	1	1
⊙	B-595	F	19.05	—	6.10	MC-750-595-CL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	—	6.10	MC-750-595-CL-WT	BMP41, BMP51	R4400	1	1
⊙	B-7425	F N A H	19.05	—	6.40	M21-750-7425	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-595	F	19.05	—	6.40	M21-750-595-BK	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	—	6.40	M21-750-595-BL	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	—	6.40	M21-750-595-GN	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	—	6.40	M21-750-595-OR	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	—	6.40	M21-750-595-RD	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	—	6.40	M21-750-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	—	6.40	M21-750-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-488	F A	19.05	—	6.40	M21-750-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-430	F A H	19.05	—	6.40	M21-750-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F A H	19.05	—	6.40	M21-750-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F A H	19.05	—	6.40	M21-750-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-BK-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-BL-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-GN-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-OR-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-RD-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-WT-RD	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	—	7.62	MC-750-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⬢	B-498	F R	20.32	36.50	—	B33-95-498	i3300	B30-R6200	2300	3
⬢	B-498	F R	20.32	36.50	—	THT-95-498-5	BBP12, i7100, i5100	R4300R7950	5000	3
▲	B-499	F N A	22.86	12.70	—	M71-84-499	BMP71	M71-R4300	500	1
⬢	B-488	F A	22.86	19.05	—	B33-616-488	i3300	B30-R4300	3000	3
⬢	B-488	F A	22.86	22.86	—	B33-617-488	i3300	B30-R4300	3000	3
▲	B-423	F A H	25.40	4.75	—	M71-14-423	BMP71	M71-R6000HF	750	1
▲	B-423	F A	25.40	4.75	—	PTL-14-423	M611, BMP61, BMP71	R6010	750	1
⬢	B-423	F A H	25.40	4.75	—	THT-41-423-10	BBP12, i7100, i5100	R6000HF	10000	3
⬢	B-423	F A H	25.40	6.35	—	THT-51-423-10	BBP12, i7100, i5100	R6000HF	10000	3
▲	B-423	F A H	25.40	6.99	—	M71-15-423	BMP71	M71-R6000HF	750	1
▲	B-423	F A	25.40	6.99	—	PTL-15-423	M611, BMP61, BMP71	R6010	750	1
⬢	B-499	F N A	25.40	9.53	—	B33-152-499	i3300	B30-R6000HF	1500	2
⬢	B-499	F N A	25.40	9.53	—	THT-152-499-3	BBP12, i7100, i5100	R4900	3000	2
⬢	B-499	F N A	25.40	9.53	—	THT-152-499-1.5-SC	BBP12	R7950	1500	2
⬢	B-425A	F	25.40	9.98	—	THT-30-425-10	BBP12, i7100, i5100	R6400	10000	3
▲	B-432	F A	25.40	12.70	—	M-17-432-CL-BK	BMP51	R6000 Halogen Free	280	1

>>

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable

Well Plate Labels



Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.



See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row	
▲	B-498	F	R	25.40	12.70	-	M71-17-498	BMP71	M71-R6200	500	1
▲	B-430	F	A H	25.40	12.70	-	M71-17-430	BMP71	M71-R6000HF	500	1
▲	B-423	F	A H	25.40	12.70	-	M71-17-423	BMP71	M71-R6000HF	500	1
▲	B-498	F	R	25.40	12.70	-	PTL-17-498	M611, BMP61, BMP71	R6210	500	1
▲	B-430	F	A H	25.40	12.70	-	PTL-17-430	M611, BMP61, BMP71	R6010	500	1
▲	B-423	F	A	25.40	12.70	-	PTL-17-423	M611, BMP61, BMP71	R6010	500	1
●	B-430	F	A H	25.40	12.70	-	THT-39-430-10	BBP12, i7100, i5100	R6000HF	10000	3
●	B-498	F	R	25.40	36.50	-	BPT-621-498	BBP12	R7950	3000	3
●	B-498	F	R	25.40	36.50	-	THT-89-498-5	BBP12, i7100, i5100	R4300R7950	5000	3
▲	B-499	F N A		25.40	38.10	-	M71-31-499	BMP71	M71-R4300	250	1
▲	B-498	F	R	25.40	38.10	-	M71-31-498	BMP71	M71-R6200	250	1
▲	B-423	F	A	25.40	50.80	-	PTL-20-423	M611, BMP61, BMP71	R6010	100	1
○	B-499	F N A		25.40	-	4.88	MC-1000-499	BMP51	R4300	1	1
○	B-595	F		25.40	-	6.10	MC1-1000-595-CL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-595	F		25.40	-	6.10	MC1-1000-595-CL-WT	BMP41, BMP51	R4400	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-BK-WT	BMP41, BMP51	R4400	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-BL-WT	BMP41, BMP51	R4400	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-GN-WT	BMP41, BMP51	R4400	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-OR-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-RD-WT	BMP41, BMP51	R4400	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-WT-RD	BMP41, BMP51	R4400	1	1
○	B-595	F		25.40	-	7.62	MC1-1000-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-499	F N A		25.40	-	9.10	M71C-1000-499	BMP71	M71-R4300	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-BK	BMP71	M71-R4400-WT	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-BL	BMP71	M71-R4400-WT	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-CL	BMP71	M71-R6000HF	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-GN	BMP71	M71-R4400-WT	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-OR	BMP71	M71-R6000HF	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-RD	BMP71	M71-R4400-WT	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-WT	BMP71	M71-R6000HF	1	1
○	B-595	F		25.40	-	15.24	M71C-1000-595-YL	BMP71	M71-R6000HF	1	1
○	B-430	F	A H	25.40	-	15.24	M71C-1000-430	BMP71	M71-R6000HF	1	1
∞	B-439	F		25.40	-	15.24	PTL-42-439	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F		25.40	-	15.24	PTL-42-439-OR	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F		25.40	-	15.24	PTL-42-439-RD	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F		25.40	-	15.24	PTL-42-439-YL	M611, BMP61, BMP71	R6010	1	1
●	B-423	F	A H	27.94	9.65	-	THT-31-423-10	BBP12, i7100, i5100	R6000HF	10000	2
▲	B-498	F	R	38.10	12.70	-	M71-29-498	BMP71	M71-R6200	500	1
▲	B-498	F	R	38.10	12.70	-	PTL-29-498	M611, BMP61, BMP71	R6210	500	1
●	B-423	F	A H	38.10	12.70	-	THT-37-423-10	BBP12, i7100, i5100	R6000HF	10000	2
▲	B-499	F N A		38.10	19.05	-	B33-136-499	i3300	B30-R6000HF	1500	1
●	B-8423	F	A	38.10	19.05	-	BPT-6-8423-2.5	BBP12	R6000HF	2500	2
▲	B-499	F N A		38.10	19.05	-	PTL-30-499	M611, BMP61, BMP71	R4310	250	1
▲	B-499	F N A		38.10	19.05	-	THT-136-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-499	F N A		38.10	19.05	-	THT-136-499-1.5-SC	BBP12	R7950	1500	1
▲	B-423	F	A H	38.10	25.40	-	M71-31-423	BMP71	M71-R6000HF	250	1
▲	B-499	F N A		38.10	25.40	-	PTL-31-499	M611, BMP61, BMP71	R4310	250	1
▲	B-498	F	R	38.10	25.40	-	PTL-31-498	M611, BMP61, BMP71	R6210	250	1
▲	B-423	F	A	38.10	25.40	-	PTL-31-423	M611, BMP61, BMP71	R6010	250	1
▲	B-490	F N H L		38.10	98.43	-	PTL-114-490	M611, BMP61, BMP71	R4310	100	1
▲	B-488	F	A	48.26	6.35	-	B33-635-488	i3300	B30-R4300	2000	1
▲	B-488	F	A	48.26	6.35	-	BPT-635-488	BBP12	R7950	2000	1
▲	B-488	F	A	48.26	6.35	-	M-81-488	BMP41, BMP51	R4300	160	1
▲	B-499	F N A		48.26	6.35	-	M71-81-499	BMP71	M71-R4300	750	1
▲	B-488	F	A	48.26	6.35	-	M71-81-488	BMP71	M71-R4300	750	1

>>

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable

Diagram



Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
▲	B-499	F N A	48.26	6.35	–	M71-81-499	BMP71	M71-R4300	750	1
▲	B-488	F A	48.26	6.35	–	M71-81-488	BMP71	M71-R4300	750	1
▲	B-499	F N A	48.26	6.35	–	PTL-81-499	M611, BMP61, BMP71	R4310	750	1
▲	B-488	F A	48.26	6.35	–	PTL-81-488	M611, BMP61, BMP71	R4310	750	1
▲	B-499	F N A	48.26	25.40	–	M71-78-499	BMP71	M71-R4300	250	1
▲	B-499	F N A	48.26	25.40	–	PTL-78-499	M611, BMP61, BMP71	R4310	250	1
▲	B-488	F A	48.26	25.40	–	PTL-78-488	M611, BMP61, BMP71	R4310	250	1
⊙	B-499	F N A	48.26	–	9.10	M71C-1900-499	BMP71	M71-R4300	1	1
⊙	B-430	F A H	48.26	–	15.24	M71C-1900-430	BMP71	M71-R6000HF	1	1
▲	B-499	F N A	50.80	6.35	–	B33-151-499	i3300	B30-R6000HF	1500	1
▲	B-423	F A H	50.80	6.35	–	M71-2-423	BMP71	M71-R6000HF	100	1
▲	B-423	F A	50.80	6.35	–	PTL-2-423	M611, BMP61, BMP71	R6010	100	1
▲	B-499	F N A	50.80	6.35	–	THT-151-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-499	F N A	50.80	6.35	–	THT-151-499-1.5-SC	BBP12	R7950	1500	1
▲	B-423	F A H	50.80	6.35	–	THT-15-423-2.5	BBP12, i7100, i5100	R6000HF	2500	1
▲	B-490	F N H L	55.88	38.10	–	PTL-113-490	M611, BMP61, BMP71	R4310	100	1
▲	B-423	F A H	63.50	5.08	–	THT-142-423-2.5	BBP12, i7100, i5100	R6000HF	2500	1
▲	B-423	F A H	66.38	50.80	–	BM71-20-423	M611, BMP61, BMP71	–	1000	1
▲	B-423	F A H	66.38	50.80	–	M71-20-423	BMP71	M71-R6000HF	100	1
▲	B-423	F A H	76.20	25.40	–	M71-22-423	BMP71	M71-R6000HF	100	1
▲	B-423	F A	76.20	25.40	–	PTL-22-423	M611, BMP61, BMP71	R6010	100	1
▲	B-430	F A H	76.20	25.40	–	THT-18-430-3	BBP12, i7100, i5100	R6000HF	3000	1
▲	B-430	F A H	76.20	50.80	–	THT-19-430-1	BBP12, i7100, i5100	R6000HF	1000	1



Part number explanation

Most Brady references for printable labels follow the same three-part format: The first code indicates the technology, the second part is a number indicating the label size (where applicable) and the third part indicates the Brady material (where applicable).

M71-73-461

BMP71
Technology

Label size
code

Material
(B-number)

BOTTLES / FLASKS & DISHES

Brady's labels for bottles, flasks and dishes are easy to handle and flexible. This enables the labels to be placed on curved containers and remain attached and legible, even after being subjected to freezing, liquid nitrogen and heat.





Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
⊙	B-430	F AH	6.35	—	6.40	—	—	M21-250-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F AH	6.35	—	6.40	—	—	M21-250-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F AH	6.35	—	6.40	—	—	M21-250-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
▲	B-499	F NA	9.53	20.96	—	—	—	M-130-499	BMP41, BMP51	R4300	220	1
⊙	B-499	F NA	9.53	—	4.88	—	—	M21-375-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F NA	9.53	—	4.88	—	—	MC-375-499	BMP41, BMP51	R4300	1	1
⊙	B-430	F AH	9.53	—	6.40	—	—	M21-375-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F AH	9.53	—	6.40	—	—	M21-375-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F AH	9.53	—	15.24	—	—	M71C-375-430	BMP71	M71-R6000HF	1	1
▲	B-423	F AH	12.70	12.70	—	12.7	12.7	BM71-7-423	M611, BMP61, BMP71	R6000HF	5000	1
▲	B-423	F AH	12.70	12.70	—	12.7	12.7	M71-7-423	BMP71	M71-R6000HF	500	1
▲	B-498	F R	12.70	12.70	—	12.7	12.7	PTL-7-498	M611, BMP61, BMP71	R6210	500	1
▲	B-423	F A	12.70	12.70	—	12.7	12.7	PTL-7-423	M611, BMP61, BMP71	R6010	500	1
▲	B-499	F NA	12.70	12.70	—	12.70	12.70	PTL-7-499	M611, BMP61, BMP71	R4310	500	1
●	B-499	F NA	12.70	19.05	—	12.7	19.05	B33-68-499	i3300	B30-R6000HF	1500	4
▲	B-432	F A	12.70	19.05	—	12.7	19.05	PTL-11-432	M611, BMP61, BMP71	R6010	500	1
●	B-499	F NA	12.70	19.05	—	12.7	19.05	THT-68-499-10	BBP12, i7100, i5100	R4900	10000	4
▲	B-499	F NA	12.70	25.40	—	—	—	M-131-499	BMP41, BMP51	R4300	180	1
▲	B-498	F R	12.70	25.40	—	—	—	M-131-498	BMP41, BMP51	R6200	180	1
▲	B-499	F NA	12.70	38.10	—	12.7	38.1	M71-29-499	BMP71	M71-R4300	500	1
▲	B-499	F NA	12.70	38.10	—	12.7	38.1	PTL-29-499	M611, BMP61, BMP71	R4310	500	1
⊙	B-499	F NA	12.70	—	4.88	—	—	M21-500-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F NA	12.70	—	4.88	—	—	MC-500-499	BMP41, BMP51	R4300	1	1
⊙	B-430	F AH	12.70	—	6.40	—	—	M21-500-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F AH	12.70	—	6.40	—	—	M21-500-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-499	F NA	12.70	—	9.10	—	—	M71C-500-499	BMP71	M71-R4300	1	1
∞	B-430	F AH	12.70	—	15.24	12.70	152.40	PTL-8-430	M611, BMP61, BMP71	R6010	1	1
⊙	B-430	F AH	12.70	—	15.24	—	—	M71C-500-430	BMP71	M71-R6000HF	1	1
●	B-488	F A	19.05	22.86	—	19.05	22.86	THT-140-488-1.5-SC	BBP12	R7950	1500	2
●	B-488	F A	19.05	22.86	—	22.86	19.05	THT-140-488-3	BBP12, i7100, i5100	R4300R7950	3000	2
▷	B-427	F N S	19.05	38.10	—	19.05	12.70	BM71-30-427	M611, BMP61, BMP71	R4300	2500	1
▷	B-427	F N S	19.05	38.10	—	19.05	12.70	M-90-427	BMP41, BMP51	R4300	180	1
▷	B-427	F N S	19.05	38.10	—	19.05	12.70	M71-30-427	BMP71	M71-R4300	250	1
▲	B-499	F NA	19.05	38.10	—	19.05	38.1	M71-30-499	BMP71	M71-R4300	250	1
⊙	B-499	F NA	19.05	—	4.88	—	—	M21-750-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F NA	19.05	—	4.88	—	—	MC-750-499	BMP41, BMP51	R4300	1	1
⊙	B-430	F AH	19.05	—	6.40	—	—	M21-750-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F AH	19.05	—	6.40	—	—	M21-750-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
▲	B-427	F N S	20.00	20.00	—	20.00	20.00	BPTLAB-35-427-YL	BBP12	R7950	1000	1
▲	B-499	F NA	22.86	12.70	—	12.7	22.86	THT-125-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-499	F NA	22.86	12.70	—	22.86	12.7	PTL-84-499	M611, BMP61, BMP71	R4310	500	1
▲	B-499	F NA	22.86	12.70	—	22.86	12.7	THT-125-499-1.5-SC	BBP12	R7950	1500	1
▲	B-499	F NA	22.86	12.70	—	—	—	B33-125-499	i3300	B30-R6000HF	1500	1
●	B-488	F A	22.86	19.05	—	—	—	B33-616-488	i3300	B30-R4300	3000	3
▲	B-488	F A	22.86	22.86	—	22.86	22.86	THT-164-488-1-SC	BBP12	R7950	1000	1
●	B-488	F A	22.86	22.86	—	22.86	22.86	THT-141-488-3	BBP12, i7100, i5100	R4300R7950	3000	2
●	B-488	F A	22.86	22.86	—	—	—	B33-617-488	i3300	B30-R4300	3000	3
▲	B-423	F AH	25.40	4.75	—	25.4	4.75	M71-14-423	BMP71	M71-R6000HF	750	1
▲	B-423	F A	25.40	4.75	—	25.4	4.75	PTL-14-423	M611, BMP61, BMP71	R6010	750	1
●	B-423	F AH	25.40	4.75	—	25.4	4.75	THT-41-423-10	BBP12, i7100, i5100	R6000HF	10000	3
●	B-423	F AH	25.40	6.35	—	25.4	6.35	THT-51-423-10	BBP12, i7100, i5100	R6000HF	10000	3
▲	B-423	F AH	25.40	6.99	—	25.4	6.99	M71-15-423	BMP71	M71-R6000HF	750	1

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable

Bottles / Flasks & Dishes

Diagram



Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.




Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
▲	B-423	F A	25.40	6.99	-	25.4	6.99	PTL-15-423	M611, BMP61, BMP71	R6010	750	1
●	B-499	F N A	25.40	9.53	-	9.53	25.4	THT-152-499-3	BBP12, i7100, i5100	R4900	3000	2
●	B-499	F N A	25.40	9.53	-	25.4	9.53	THT-152-499-1.5-SC	BBP12	R7950	1500	2
●	B-499	F N A	25.40	9.53	-	-	-	B33-152-499	i3300	B30-R6000HF	1500	2
●	B-425A	F	25.40	9.98	-	-	-	THT-30-425-10	BBP12, i7100, i5100	R6400	10000	3
▲	B-498	F	25.40	12.70	-	25.4	12.7	M71-17-498	BMP71	M71-R6200	500	1
▲	B-423	F A H	25.40	12.70	-	25.4	12.7	M71-17-423	BMP71	M71-R6000HF	500	1
▲	B-498	F	25.40	12.70	-	25.4	12.7	PTL-17-498	M611, BMP61, BMP71	R6210	500	1
▲	B-432	F A	25.40	12.70	-	25.4	12.7	PTL-17-432	M611, BMP61, BMP71	R6010	500	1
▲	B-430	F A H	25.40	12.70	-	25.4	12.7	PTL-17-430	M611, BMP61, BMP71	R6010	500	1
▲	B-423	F A	25.40	12.70	-	25.4	12.7	PTL-17-423	M611, BMP61, BMP71	R6010	500	1
▲	B-498	F	25.40	12.70	-	25.4	12.7	THT-59-498-10	BBP12, i7100, i5100	R4300R7950	10000	1
▲	B-498	F	25.40	12.70	-	25.4	12.7	THT-59-498-2.5-SC	BBP12	R7950	2500	1
●	B-430	F A H	25.40	12.70	-	25.4	12.7	THT-39-430-10	BBP12, i7100, i5100	R6000HF	10000	3
●	B-488	F A	25.40	12.70	-	25.4	12.7	THT-5-488-10	BBP12, i7100, i5100	R4300R7950	10000	3
●	B-423	F A H	25.40	12.70	-	-	-	B33-5-423	i3300	B30-R6000HF	5000	3
▲	B-7351	F	25.40	12.70	-	-	-	PTL-17-7351	M611, BMP61, BMP71	R6000HF	500	1
▲	B-533	F A	25.40	12.70	-	-	-	THT-59-533-10	BBP12, i7100, i5100	R6000HF	10000	1
●	B-492	F N H L	25.40	19.05	-	25.4	19.05	THT-88-492-5	BBP12, i7100, i5100	R6400	5000	2
▲	B-499	F N A	25.40	25.40	-	25.4	25.4	M71-19-499	BMP71	M71-R4300	250	1
▲	B-492	F N H L	25.40	25.40	-	-	-	M71-19-492	BMP71	M71-R6400	250	1
▲	B-498	F	25.40	31.75	-	-	-	M-103-498	BMP51	R6200	160	1
▲	B-499	F N A	25.40	38.10	-	25.4	38.1	M71-31-499	BMP71	M71-R4300	250	1
▷	B-427	F N S	25.40	38.10	-	25.40	12.70	BM71-31-427	M611, BMP61, BMP71	R4300	2500	1
▷	B-427	F N S	25.40	38.10	-	25.40	12.70	M-31-427	BMP41, BMP51	R4300	180	1
▷	B-427	F N S	25.40	38.10	-	25.40	12.70	M71-31-427	BMP71	M71-R4300	250	1
▲	B-498	F	25.40	48.26	-	-	-	M-128-498	BMP41, BMP51	R6200	100	1
▲	B-423	F A	25.40	50.80	-	50.8	25.4	PTL-20-423	M611, BMP61, BMP71	R6010	100	1
▲	B-7351	F	25.40	50.80	-	-	-	PTL-20-7351	M611, BMP61, BMP71	R6000HF	100	1
▷	B-427	F N S	25.40	63.50	-	25.40	19.05	PTL-21-427	M611, BMP61, BMP71	R4310	100	1
○	B-499	F N A	25.40	-	4.88	-	-	MC-1000-499	BMP51	R4300	1	1
○	B-499	F N A	25.40	-	9.10	-	-	M71C-1000-499	BMP71	M71-R4300	1	1
○	B-430	F A H	25.40	-	15.24	-	-	M71C-1000-430	BMP71	M71-R6000HF	1	1
∞	B-439	F	25.40	-	15.24	-	-	PTL-42-439	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F	25.40	-	15.24	-	-	PTL-42-439-OR	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F	25.40	-	15.24	-	-	PTL-42-439-RD	M611, BMP61, BMP71	R6010	1	1
∞	B-439	F	25.40	-	15.24	-	-	PTL-42-439-YL	M611, BMP61, BMP71	R6010	1	1
▲	B-498	F	26.67	6.35	-	26.7	6.35	THT-199-498-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-498	F	26.67	6.35	-	26.7	6.35	THT-199-498-3-SC	BBP12	R7950	3000	1
▲	B-498	F	38.10	12.70	-	38.1	12.7	PTL-29-498	M611, BMP61, BMP71	R6210	500	1
▲	B-499	F N A	38.10	19.05	-	19.05	38.1	PTL-30-499	M611, BMP61, BMP71	R4310	250	1
▲	B-499	F N A	38.10	19.05	-	38.1	19.05	THT-136-499-3	BBP12, i7100, i5100	R4900	3000	1
▲	B-499	F N A	38.10	19.05	-	38.1	19.05	THT-136-499-1.5-SC	BBP12	R7950	1500	1
▲	B-427	F N S	38.10	19.05	-	38.10	19.05	M71-30-427-AW**	BMP71	M71-R4300	250	1
▲	B-427	F N	38.10	19.05	-	38.10	19.05	PTL-30-427AW**	M611, BMP61, BMP71	R4310	250	1
●	B-8423	F A	38.10	19.05	-	-	-	B33-600-8423	i3300	B30-R6000HF	2500	2
▲	B-499	F N A	38.10	19.05	-	-	-	B33-136-499	i3300	B30-R6000HF	1500	1
▲	B-499	F N A	38.10	25.40	-	25.4	38.1	PTL-31-499	M611, BMP61, BMP71	R4310	250	1
▲	B-498	F	38.10	25.40	-	25.4	38.1	PTL-31-498	M611, BMP61, BMP71	R6210	250	1
▲	B-423	F A H	38.10	25.40	-	38.1	25.4	M71-31-423	BMP71	M71-R6000HF	250	1
▲	B-423	F A	38.10	25.40	-	38.1	25.4	PTL-31-423	M611, BMP61, BMP71	R6010	250	1
▲	B-7351	F	38.10	25.40	-	-	-	PTL-31-7351	M611, BMP61, BMP71	R6000HF	250	1
▲	B-499	F N A	38.10	31.75	-	-	-	M-132-499	BMP51	R4300	160	1
▲	B-490	F N H L	38.10	98.43	-	98.43	38.1	PTL-114-490	M611, BMP61, BMP71	R4310	100	1
▲	B-488	F A	48.26	6.35	-	-	-	B33-635-488	i3300	B30-R4300	2000	1
▲	B-499	F N A	48.26	25.40	-	48.26	25.4	M71-78-499	BMP71	M71-R4300	250	1
▲	B-488	F A	48.26	25.40	-	48.26	25.4	PTL-78-488	M611, BMP61, BMP71	R4310	250	1
▲	B-499	F N A	48.26	25.40	-	48.26	25.40	PTL-78-499	M611, BMP61, BMP71	R4310	250	1

**AW = All White / no transparent area.




F Freezer environment **N** Liquid nitrogen environment **A** Autoclave environment **H** Hot water bath (100°C) **S** Self-laminating label **L** Low-profile (extremely thin) label **R** Removable

Bottles / Flasks & Dishes



Labels are shown in order of label width.



The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.


Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row	
▲	B-427	F N	48.26	25.40	—	48.26	25.40	PTL-78-427-AW**	M611, BMP61, BMP71	R4310	250	1	
▲	B-7351	F	48.26	76.20	—	—	—	PTL-37-351	M611, BMP61, BMP71	R6000HF	100	1	
⊙	B-499	F N A	48.26	—	9.10	—	—	M71C-1900-499	BMP71	M71-R4300	1	1	
⊙	B-430	F A H	48.26	—	15.24	—	—	M71C-1900-430	BMP71	M71-R6000HF	1	1	
▲	B-499	F N A	50.80	6.35	—	6.35	50.8	THT-151-499-3	BBP12, i7100, i5100	R4900	3000	1	
▲	B-499	F N A	50.80	6.35	—	50.8	6.35	THT-151-499-1.5-SC	BBP12	R7950	1500	1	
▲	B-488	F A	50.80	6.35	—	50.8	6.35	THT-15-488-2.5	BBP12, i7100, i5100	R4300R7950	2500	1	
▲	B-499	F N A	50.80	6.35	—	—	—	B33-151-499	i3300	B30-R6000HF	1500	1	
▲	B-7425J	F N A H	50.80	12.70	—	—	—	J20-53-7425J	J2000	—	2000	1	
▲	B-498	F	R	50.80	25.40	—	50.8	25.4	THT-17-498-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-498	F	R	50.80	25.40	—	50.8	25.4	THT-17-498-1.5-SC	BBP12	R7950	1500	1
▲	B-430	F A H	50.80	25.40	—	50.8	25.4	THT-17-430-3	BBP12, i7100, i5100	R6000HF	3000	1	
▲	B-425A	F A H	50.80	25.40	—	50.8	25.4	THT-17-425-3	BBP12, i7100, i5100	R6400	3000	1	
▲	B-423	F A H	50.80	25.40	—	50.8	25.4	THT-17-423-3	BBP12, i7100, i5100	R6000HF	3000	1	
▲	B-499	F N A	50.80	25.40	—	—	—	B33-137-499	i3300	B30-R6000HF	1100	1	
▲	B-432	F A	50.80	25.40	—	—	—	B33-17-432	i3300	B30-R6000HF	5000	1	
▲	B-430	F A H	50.80	25.40	—	—	—	B33-17-430	i3300	B30-R6000HF	1500	1	
▲	B-425A	F A H	50.80	25.40	—	—	—	B33-17-425	i3300	B30-R4300	1500	1	
▲	B-423	F A H	50.80	25.40	—	—	—	B33-17-423	i3300	B30-R6000HF	1500	1	
▲	B-8423	F A	50.80	25.40	—	—	—	BPT-17-8423-1	BBP12	R6000HF	1000	1	
▲	B-533	F A	R	50.80	25.40	—	—	THT-17-533-3	BBP12, i7100, i5100	R6000HF	3000	1	
▲	B-7425J	F N A H	55.00	85.09	—	55.19	85.09	J20-260-7425J	J2000	—	340	1	
▲	B-490	F N H L	55.88	38.10	—	55.88	38.1	PTL-113-490	M611, BMP61, BMP71	R4310	100	1	
▲	B-423	F A H	66.38	50.80	—	50.8	25.4	BM71-20-423	M611, BMP61, BMP71	—	1000	1	
▲	B-423	F A H	66.38	50.80	—	50.8	25.4	M71-20-423	BMP71	M71-R6000HF	100	1	
▲	B-423	F A H	69.85	31.75	—	69.85	31.75	M71-26-423	BMP71	M71-R6000HF	100	1	
▲	B-8423	F A	69.85	31.75	—	—	—	BPT-7-8423-1	BBP12	R6000HF	1000	1	
▲	B-7425J	F N A H	75.00	109.98	—	74.96	109.98	J20-261-7425J	J2000	—	270	1	
▲	B-423	F A H	76.20	25.40	—	76.2	25.4	M71-22-423	BMP71	M71-R6000HF	100	1	
▲	B-423	F A	76.20	25.40	—	76.2	25.4	PTL-22-423	M611, BMP61, BMP71	R6010	100	1	
▲	B-423	F A H	76.20	25.40	—	76.2	25.4	THT-18-423-3	BBP12, i7100, i5100	R6000HF	3000	1	
▲	B-432	F A	76.20	25.40	—	—	—	B33-18-432	i3300	B30-R6000HF	1500	1	
▲	B-430	F A H	76.20	25.40	—	—	—	B33-18-430	i3300	B30-R6000HF	1500	1	
▲	B-423	F A H	76.20	25.40	—	—	—	B33-18-423	i3300	B30-R6000HF	1500	1	
▲	B-432	F A	76.20	50.80	—	76.2	50.8	THT-19-432-1	BBP12, i7100, i5100	R6000HF	1000	1	
▲	B-432	F A	76.20	50.80	—	—	—	B33-19-432	i3300	B30-R6000HF	500	1	
▶	B-461	F N A H S L	88.90	38.10	—	31.75	38.10	PTL-77-461	M611, BMP61, BMP71	R4310	100	1	
▲	B-490	F N H L	95.25	38.10	—	95.25	38.1	THT-158-490-3	BBP12, i7100, i5100	R4300R7950	3000	1	
▲	B-490	F N H L	95.25	38.10	—	95.25	38.1	THT-158-490-1.5-SC	BBP12	R7950	1500	1	
▲	B-7425J	F N A H	105.00	154.90	—	104.90	154.90	J20-262-7425J	J2000	—	200	1	

**AW = All White / no transparent area.

BOTTLE TAMPER SEAL LABELS

Brady's bottle seal identification provides tracking information with the added feature of security. These labelling materials are designed to fracture easily in order to show signs of sample tampering and to prevent one-piece label removal.

- F** Freezer environment
- N** Liquid nitrogen environment
- A** Autoclave environment
- H** Hot water bath (100°C)
- S** Self-laminating label
- L** Low-profile (extremely thin) label
- R** Removable



Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
▲	B-351	F	12.70	25.40	M-17-351	BMP51	R6000 Halogen Free	360	1
▲	B-351	F	25.40	12.70	M71-17-351	BMP71	M71-R6000HF	500	1
●	B-7351	F	25.40	12.70	THT-5-7351-10	BBP12, i7100, i5100	R6000HF	10000	3
▲	B-351	F	25.40	50.80	M71-20-351	BMP71	M71-R6000HF	100	1
▲	B-351	F	38.10	25.40	M71-31-351	BMP71	M71-R6000HF	250	1
▲	B-7351	F	50.80	25.40	THT-17-7351-3	BBP12, i7100, i5100	R6000HF	3000	1
▲	B-351	F	50.80	25.40	M-20-351	BMP51	R6000 Halogen Free	160	1
▲	B-351	F	76.20	48.26	M71-37-351	BMP71	M71-R6000HF	100	1


General Lab ID

B-403 WATER DISSOLVABLE LABEL

The B-403 water dissolvable paper label is self-adhesive and extremely easy to apply. Exposing the label to warm water will completely dissolve it within 30 seconds, without damage to the surface it was applied to, and without leaving any residue. The water dissolvable label adheres well to most surfaces, including glass, stainless steel, aluminium, plastic and others. This makes the label a great solution to enable short term identification for containers, crates and glassware with a minimum of waste.



Diagram	Material	Label Length		Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
		A (mm)	B (m)					
●	B-403	22.86	-	THT-141-403-3	BBP12, i7100, i5100	R4300	3000	2
∞	B-403	28.58	30.48	B30C-1125-403-WT	BBP35, BBP37, S3000, i3300, S3100	B30-R4300	1	1
∞	B-403	28.58	30.48	J20C-1125-403	J2000	-	1	1
∞	B-403	28.58	91.44	THT-1125-403-WT	BBP12, i7100, i5100	R4300	1	1
▲	B-403	38.10	-	THT-136-403-3	BBP12, i7100, i5100	R4300	3000	1
▲	B-403	50.80	-	J20-17-403	J2000	-	1500	1
▲	B-403	50.80	-	THT-17-403-3	BBP12, i7100, i5100	R4300	3000	1
∞	B-403	57.15	30.48	B30C-2250-403-WT	BBP35, BBP37, S3000, i3300, S3100	B30-R4300	1	1
∞	B-403	57.15	30.48	J20C-2250-403	J2000	-	1	1
∞	B-403	57.15	91.44	THT-2250-403-WT	BBP12, i7100, i5100	R4300	1	1
▲	B-403	76.20	-	J20-19-403	J2000	-	350	1
▲	B-403	76.20	-	THT-19-403-1	BBP12, i7100, i5100	R4300	1000	1
▲	B-403	76.20	-	THT-18-403-3	BBP12, i7100, i5100	R4300	3000	1
∞	B-403	76.20	30.48	B30C-3000-403-WT	BBP35, BBP37, S3000, i3300, S3100	B30-R4300	1	1
∞	B-403	76.20	91.44	THT-3000-403-WT	BBP12, i7100, i5100	R4300	1	1
▲	B-403	101.60	-	J20-55-403	J2000	-	250	1
▲	B-403	101.60	-	THT-55-403-1	BBP12, i7100, i5100	R4300	1000	1
∞	B-403	101.60	30.48	B30C-4000-403-WT	BBP35, BBP37, S3000, i3300, S3100	B30-R4300	1	1
∞	B-403	101.60	91.44	THT-4000-403-WT	BBP12, i7100, i5100	R4300	1	1





B-7425-AC STERILISATION INDICATING LABEL

Sterilisation indicating labels provide users with proof of sterilisation. They are ideal for a broad range of laboratory processes including sample tracking, inventory management, general tracking, and glassware or tray identification.





Diagram	Material	Label Width A (mm)	Label Height B (mm)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
▲	B-7425	38.10	25.40	B33-235-7425-AC	i3300	B30-R4300	1250	1
▲	B-7425	38.10	25.40	THT-235-7425-2-AC	BBP12, BBP72, i7100, i5100	R4300	2000	1
▲	B-7425	50.80	25.40	B33-137-7425-AC	i3300	B30-R4300	1500	1
▲	B-7425	50.80	25.40	THT-137-7425-2-AC	BBP12, BBP72, i7100, i5100	R4300	2000	1



GENERAL LAB ID

Just like a durable sample label lets you know which sample you are holding, a cabinet or drawer label can inform you of the cabinet's content. With proper identification, time spent looking for the right sample or tool can be invested in what really matters. Brady offers a range of materials suitable for identifying drawers, cabinets, shelves, storage units and laboratory equipment.



Labels are shown in order of label width.

The background colours in the Order Reference column represent the material colour.

See page 42 for Brady's range of label printers.

Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
⊙	B-595	F	6.35	—	6.40	M21-250-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	6.35	—	6.40	M21-250-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-430	F AH	6.35	—	6.40	M21-250-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F AH	6.35	—	6.40	M21-250-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F AH	6.35	—	6.40	M21-250-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
▲	B-499	F NA	9.53	20.96	—	M-130-499	BMP41, BMP51	R4300	220	1
⊙	B-499	F NA	9.53	—	4.88	M21-375-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F NA	9.53	—	4.88	MC-375-499	BMP41, BMP51	R4300	1	1
⊙	B-595	F	9.53	—	6.40	M21-375-595-BK	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	—	6.40	M21-375-595-BL	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	—	6.40	M21-375-595-GN	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	—	6.40	M21-375-595-OR	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	9.53	—	6.40	M21-375-595-RD	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	9.53	—	6.40	M21-375-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	9.53	—	6.40	M21-375-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-488	F A	9.53	—	6.40	M21-375-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-430	F AH	9.53	—	6.40	M21-375-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F AH	9.53	—	6.40	M21-375-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F AH	9.53	—	6.40	M21-375-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-595	F	9.53	—	7.62	MC-375-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	9.53	—	7.62	MC-375-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-430	F AH	9.53	—	15.24	M71C-375-430	BMP71	M71-R6000HF	1	1
▲	B-499	F NA	12.70	25.40	—	M-131-499	BMP41, BMP51	R4300	180	1
▲	B-498	F R	12.70	25.40	—	M-131-498	BMP41, BMP51	R6200	180	1
⊙	B-499	F NA	12.70	—	4.88	M21-500-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F NA	12.70	—	4.88	MC-500-499	BMP41, BMP51	R4300	1	1
⊙	B-595	F	12.70	—	6.10	MC-500-595-CL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	—	6.10	MC-500-595-CL-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	—	6.40	M21-500-595-BK	BMP21-PLUS, BMP21-LAB	R4400	1	1

>>

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable

Diagram




Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
⊙	B-595	F	12.70	–	6.40	M21-500-595-BL	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-GN	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-OR	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-RD	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	6.40	M21-500-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-488	F A	12.70	–	6.40	M21-500-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-430	F A H	12.70	–	6.40	M21-500-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F A H	12.70	–	6.40	M21-500-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F A H	12.70	–	6.40	M21-500-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-BK-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-BL-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-GN-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-OR-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-RD-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-WT-RD	BMP41, BMP51	R4400	1	1
⊙	B-595	F	12.70	–	7.62	MC-500-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-499	F N A	12.70	–	9.10	M71C-500-499	BMP71	M71-R4300	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-BK	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-BL	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-CL	BMP71	M71-R6000HF	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-GN	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-OR	BMP71	M71-R6000HF	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-RD	BMP71	M71-R4400-WT	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-WT	BMP71	M71-R6000HF	1	1
⊙	B-595	F	12.70	–	15.24	M71C-500-595-YL	BMP71	M71-R6000HF	1	1
⊙	B-430	F A H	12.70	–	15.24	M71C-500-430	BMP71	M71-R6000HF	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-BK	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-BL	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-CL	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-GN	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-OR	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-RD	BBP35, BBP37, i3300, S3000, S3100	B30-R10000-WT	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-WT	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
∞	B-595	F	12.70	–	30.40	B30C-500-595-YL	BBP35, BBP37, i3300, S3000, S3100	B30-R10000	1	1
⊙	B-499	F N A	19.05	–	4.88	M21-750-499	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-499	F N A	19.05	–	4.88	MC-750-499	BMP41, BMP51	R4300	1	1
⊙	B-595	F	19.05	–	6.10	MC-750-595-CL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	–	6.10	MC-750-595-CL-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	–	6.40	M21-750-595-BK	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	–	6.40	M21-750-595-BL	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	–	6.40	M21-750-595-GN	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	–	6.40	M21-750-595-OR	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	–	6.40	M21-750-595-RD	BMP21-PLUS, BMP21-LAB	R4400	1	1
⊙	B-595	F	19.05	–	6.40	M21-750-595-WT	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	–	6.40	M21-750-595-YL	BMP21-PLUS, BMP21-LAB	R6000 Halogen Free	1	1
⊙	B-488	F A	19.05	–	6.40	M21-750-488	BMP21-PLUS, BMP21-LAB	R4300	1	1
⊙	B-430	F A H	19.05	–	6.40	M21-750-430	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-430	F A H	19.05	–	6.40	M21-750-430-WT-CL	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-423	F A H	19.05	–	6.40	M21-750-423	BMP21-PLUS, BMP21-LAB	R6200	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-BK-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-BL-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-GN-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-OR-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-RD-WT	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-WT-RD	BMP41, BMP51	R4400	1	1
⊙	B-595	F	19.05	–	7.62	MC-750-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
●	B-423	F A H	25.40	12.70	–	B33-5-423	i3300	B30-R6000HF	5000	3

>>

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable

General Lab ID





Diagram	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Order Reference	Printer Compatibility	Printer Ribbon Series	Labels per Roll	Labels per Row
▲	B-432	F A	25.40	12.70	—	M-17-432-CL-BK	BMP51	R6000 Halogen Free	280	1
▲	B-430	F R	25.40	12.70	—	M71-17-498	BMP71	M71-R6200	500	1
▲	B-498	F A H	25.40	12.70	—	M71-17-430	BMP71	M71-R6000HF	500	1
▲	B-498	F R	25.40	12.70	—	THT-59-498-2.5-SC	BBP12	R7950	2500	1
●	B-488	F A	25.40	12.70	—	THT-5-488-10	BBP12, i7100, i5100	R4300R7950	10000	3
▲	B-499	F N A	25.40	25.40	—	M71-19-499	BMP71	M71-R4300	250	1
▲	B-492	F N H L	25.40	25.40	—	M71-19-492	BMP71	M71-R6400	250	1
▲	B-498	F R	25.40	31.75	—	M-103-498	BMP51	R6200	160	1
▲	B-498	F R	25.40	48.26	—	M-128-498	BMP41, BMP51	R6200	100	1
▲	B-424	F	25.40	50.80	—	BM71-20-424	M611, BMP61, BMP71	R4300	1000	1
▲	B-424	F	25.40	50.80	—	M71-20-424	BMP71	M71-R4300	100	1
○	B-499	F N A	25.40	—	4.88	MC-1000-499	BMP51	R4300	1	1
○	B-595	F	25.40	—	6.10	MC1-1000-595-CL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-595	F	25.40	—	6.10	MC1-1000-595-CL-WT	BMP41, BMP51	R4400	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-BK-WT	BMP41, BMP51	R4400	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-BL-WT	BMP41, BMP51	R4400	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-GN-WT	BMP41, BMP51	R4400	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-OR-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-RD-WT	BMP41, BMP51	R4400	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-WT-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-WT-RD	BMP41, BMP51	R4400	1	1
○	B-595	F	25.40	—	7.62	MC1-1000-595-YL-BK	BMP41, BMP51	R6000 Halogen Free	1	1
○	B-499	F N A	25.40	—	9.10	M71C-1000-499	BMP71	M71-R4300	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-BK	BMP71	M71-R4400-WT	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-BL	BMP71	M71-R4400-WT	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-CL	BMP71	M71-R6000HF	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-GN	BMP71	M71-R4400-WT	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-OR	BMP71	M71-R6000HF	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-RD	BMP71	M71-R4400-WT	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-WT	BMP71	M71-R6000HF	1	1
○	B-595	F	25.40	—	15.24	M71C-1000-595-YL	BMP71	M71-R6000HF	1	1
○	B-430	F A H	25.40	—	15.24	M71C-1000-430	BMP71	M71-R6000HF	1	1
▲	B-498	F R	26.67	6.35	—	THT-199-498-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-498	F R	26.67	6.35	—	THT-199-498-3-SC	BBP12	R7950	3000	1
●	B-449	F A R	38.10	19.05	—	THT-6-449-3	BBP12, i7100, i5100	R4300R7950	3000	2
●	B-449	F A R	38.10	19.05	—	THT-6-449-1.5-SC	BBP12	R7950	1500	2
●	B-423	F A H	38.10	19.05	—	THT-6-423-10	BBP12, i7100, i5100	R6000HF	10000	2
▲	B-499	F N A	38.10	31.75	—	M-132-499	BMP51	R4300	160	1
▲	B-432	F A	48.26	25.40	—	M-78-432-CL-BK	BMP51	R6000 Halogen Free	100	1
○	B-499	F N A	48.26	—	9.10	M71C-1900-499	BMP71	M71-R4300	1	1
○	B-430	F A H	48.26	—	15.24	M71C-1900-430	BMP71	M71-R6000HF	1	1
▲	B-424	F	50.80	12.70	—	B33-53-424	i3300	B30-R4300	2500	1
▲	B-424	F	50.80	12.70	—	THT-53-424-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-423	F A H	50.80	12.70	—	THT-53-423-3	BBP12, i7100, i5100	R6000HF	3000	1
▲	B-424	F	50.80	25.40	—	B33-17-424	i3300	B30-R4300	1500	1
▲	B-423	F A H	50.80	25.40	—	B33-17-423	i3300	B30-R6000HF	1500	1
▲	B-8423	F A	50.80	25.40	—	BPT-17-8423-1	BBP12	R6000HF	1000	1
▲	B-498	F R	50.80	25.40	—	THT-17-498-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-498	F R	50.80	25.40	—	THT-17-498-1.5-SC	BBP12	R7950	1500	1
▲	B-449	F A R	50.80	25.40	—	THT-17-449-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-449	F A R	50.80	25.40	—	THT-17-449-1.5-SC	BBP12	R7950	1500	1
▲	B-424	F	50.80	25.40	—	THT-17-424-3	BBP12, i7100, i5100	R4300R7950	3000	1
▲	B-423	F A H	50.80	25.40	—	THT-17-423-3	BBP12, i7100, i5100	R6000HF	3000	1
▲	B-8423	F A	69.85	31.75	—	BPT-7-8423-1	BBP12	R6000HF	1000	1
▲	B-423	F A H	69.85	31.75	—	M71-26-423	BMP71	M71-R6000HF	100	1
▲	B-423	F A H	76.20	25.40	—	B33-18-423	i3300	B30-R6000HF	1500	1
▲	B-430	F A H	76.20	25.40	—	THT-18-430-3	BBP12, i7100, i5100	R6000HF	3000	1
▲	B-423	F A H	76.20	25.40	—	THT-18-423-3	BBP12, i7100, i5100	R6000HF	3000	1
▲	B-430	F A H	76.20	50.80	—	THT-19-430-1	BBP12, i7100, i5100	R6000HF	1000	1

F Freezer environment N Liquid nitrogen environment A Autoclave environment H Hot water bath (100°C) S Self-laminating label L Low-profile (extremely thin) label R Removable



Label Printers and Barcode Scanners

Brady printers enable professionals to print highly specialised identification labels on-site and on demand. Partnered with labelling software for laboratories, Brady printers support considerable time savings and flexibility in sample identification.

For enhanced security Brady offers a label attachment system that rivets an adhesive label to tissue cassettes before the tissue embedding process.

To complete your sample ID automation, Brady has a range of barcode scanners which combine the industry's best imaging technology with a graphic display and rugged keyboard for fast, user-friendly data and inventory management.

- 42 Choose Your Printer
- 44 BMP21-LAB Label Printer
- 45 BMP51 Label Printer
- 46 BMP61 Label printer
- 47 BMP71 Label Printer
- 48 BBP12 Label Printer
- 49 BradyPrinter i3300 Industrial Label Printer
- 50 BradyPrinter i5100 Industrial Label Printer
- 51 BradyPrinter i7100 Industrial Label Printer
- 53 BradyPrinter M611 Mobile Label Printer
- 54 BradyJet J2000 Colour Label Printer
- 55 Label Creation Software
- 56 Scanners for Laboratories



Choose Your Printer - portable printers



BMP21-LAB Label Printer

The BMP21-LAB Portable Label Printer is an all-in-one labeller for research, academic and clinical labs. With label materials designed specifically for harsh environments, the BMP21-LAB printer can quickly and easily create legible labels for flat, curved or highly textured surfaces that stay stuck for years even when exposed to extreme temperatures and chemicals.

BMP51 Label Printer

The BMP™51 Label Maker is a compact, versatile portable printer with built-in Bluetooth® technology for wireless printing. This label maker has a 300 dpi print head and can print professional, durable labels up to 38.10 mm wide. It prints on continuous and die-cut materials at a speed of 25.40 mm per second. With a built-in cutter, easy top-loading cartridges, and 3 different options for battery power, the BMP™51 Label Maker is a powerful printer for on-the-job label making. The BMP™51 has a full QWERTY keyboard, for stand alone operation. The BMP™51 Label Maker is ideal for electrical, datacom, facility/safety, product and panel manufacturing, and laboratory labelling applications. This kit comes with the Brady Workstation LAB suite enabling you to immediately start designing professional labels. This suite combines frequently used software apps to create laboratory identification labels.

BMP61 Label Printer

The BMP61 Label Printer matches your own performance. It is your trusted identification companion of choice, all day, every day, for years to come. It features multiple user interfaces, touchscreen capabilities and a variety of ways to connect, manage and save your data. It prints continuous, die cut labels and bulk rolls up to 50.8mm extremely fast. Also customs. This printer comes with a free Brady WorkStation Basic Design Software Suite, enabling you to immediately start designing professional labels.

BMP71 Label Printer

The BMP71, one smart printer to print it all. This ultimate Brady Mobile Printer helps you deal with every situation, speeds up your labelling and keeps you going on and on. It prints any die-cut or continuous label - also custom labels - up to 50.8mm in more than 30 different materials. With its full QWERTY keyboard it allows swift typing with both hands and the enlarged full colour screen shows you the whole label at once. Works with a rechargeable NiMH battery or AA batteries. 2 year Warranty. This printer comes with a free Brady WorkStation Basic Design Software Suite, enabling you to immediately start designing professional signs and labels.

M611 Label Printer

The BradyPrinter M611 Mobile Printer is a smartphone operated printer for cables and components, laboratory samples and complex labeling, electrical and datacom identification using the Brady Workstation Mobile Express Labels app. You can easily create 1D and 2D codes and barcodes with a smartphone, serialise, use an extensive image library, include text, a time stamp and even data from the cloud in a complex label that can easily be designed in just a couple of steps. The Express app offers the most comprehensive label design capabilities available for any smartphone and includes design wizards to quickly create specific identification labels. Join the evolution of smarter identification.

Features					
Recommended Usage per Day	100	500	750	1000	750
Resolution (dpi)	203	300	300	300	300
Print Technology	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer	Thermal Transfer
Print Speed (mm/sec)	10.00 mm/s	25.40 mm/s	33.80 mm/s	38.00 mm/s	33.80 mm/s
Max Label Width	19.05 mm	38.10 mm	50.80 mm	50.80 mm	50.80 mm
Text Sizes (pt)	6 - 40 pt	4 - 102 pt	4 - 170 pt	4 - 170 pt	-
Max Print Width	16.00 mm	36.00 mm	48.76 mm	45.97 mm	48.76 mm
Bar Code Capability	Code 39 and 128, Datamatrix and QR Code	Code 39 and 128, other via software	Code 39;128; more through software	Code 39;128; more through software	Through Software
Built-in Symbols	133	450	480	500+	-
Flash Memory	16 MB	48 MB	512 MB RAM / 256MB Flash	200 MB - up to 100,000 labels	512 MB RAM / 256MB Flash
Materials Supported	Heat-shrink Polyolefin Sleeve; Nylon Cloth; Polyester; Polypropylene; Self-laminating Polyester; Self-laminating Vinyl; Vinyl	Freezerbondz Polyester; Heat-shrink Polyolefin Sleeve; Metallised Polyester; Nylon Cloth; Polyester; Polyethylene Tag; Polypropylene; Polypropylene Tag; Reflective Tape; Self-laminating Polyester; Self-laminating Vinyl; StainerBondz Polyester; Tamper-resistant Vinyl; Vinyl; Vinyl Cloth	Freezerbondz Polyester; Heat-shrink Polyolefin Sleeve; High Temperature Heat-shrink Polyvinylidene Fluoride Sleeve; Metallised Polyester; Metallised Polyester with Polyester Overlaminate; Nylon Cloth; Paper; Paper with Polyester Overlaminate; Polyester; Polyester Tag; Polyethylene Foam Laminate Polyester; Polyethylene Tag; Polyimide; Polypropylene; Polypropylene Tag; Polyvinylfluoride; Rigid Insert; Self-laminating Polyester; Self-laminating Vinyl; Static Dissipative Polyester; Tamper-evident Metallised Polyester; Tamper-evident Polyester; Tamper-resistant Metallised Vinyl; Tamper-resistant Vinyl; Thermoplastic Polyether Polyurethane; Vinyl; Vinyl Cloth; Vinyl Tag	Freezerbondz Polyester; Heat-shrink Polyolefin Sleeve; Metal Detectable Polyester; Metallised Polyester; Nylon Cloth; Paper; Phosphorescent Polyester; Polyester; Polyester Tag; Polyester with Polyester Overlaminate; Polyethylene Foam Laminate Polyester; Polyethylene Tag; Polyimide; Polypropylene; Polypropylene Tag; Polyvinylfluoride; Reflective Tape; Self-laminating Polyester; Self-laminating Vinyl; StainerBondz Polyester; Static Dissipative Polyester; Tamper-resistant Metallised Vinyl; Tamper-resistant Vinyl; Thermoplastic Polyether Polyurethane; Vinyl; Vinyl Cloth; Vinyl Tag	800+ standard parts: continuous tapes, die cut and bulk label rolls, custom made labels and tapes
Stand-alone Printing (Detached from PC)	Stand-alone	Stand-alone & Peripheral	Stand-alone & Peripheral	Stand-alone & Peripheral	Peripheral
Colour Capability	Monocolour	Monocolour	Monocolour	Monocolour	Monocolour
Connectivity	None	Bluetooth, Ethernet (optional), USB, Wi-Fi	Cabled, Standalone Use, USB 2.0, USB Host	USB	Bluetooth, USB 2.0, Wi-Fi
Keyboard	ABC	QWERTY	QWERTY, QWERTZ, AZERTY, CYRILLIC	QWERTY, QWERTZ, AZERTY, CYRILLIC	None
Power Supply	AC Adaptor, Rechargeable Battery	AC Adaptor, Rechargeable Battery	AC Adaptor, Rechargeable Battery	Rechargeable Battery, AC Adaptor	AC Adaptor, Rechargeable Battery
Weight (kg)	0.75 kg	1.2 kg	1.41 kg	2.49 kg	1.59 kg

Choose Your Printer - benchtop printers



	BBP12 Label Printer	BradyPrinter i3300 Industrial Label Printer	BradyPrinter i5100 Industrial Label Printer	BradyPrinter i7100 Industrial Label Printer	BradyJet J2000 Colour Label Printer
	The Brady BBP™12 label printer is a compact, reliable, affordable entry level thermal transfer benchtop printer. Ideal for customers requiring low volume printing on lots of different materials within the electrical, voice and datacom, LAB and specialized electronics markets. It allows you to print labels, tapes cable markers, sleeves and much more. The printer comes with the Brady Workstation Laboratory Identification Software suite enabling you to immediately start designing professional labels. This suite combines frequently used software apps to create laboratory identification labels.	The BradyPrinter i3300 Industrial Label Printer is a completely hassle free, easy to use PC-based printer that can print signs and labels up to 4 wide. Smart chip supplies automatically set up the label in your Brady software, eliminating manual calibration and label waste. Drop-in ribbon and label cartridges ensure fast and effortless material changes. The i3300 Industrial Label Printer can print on a full range of safety and facility label materials as well as die cut labels for wire identification, product identification or laboratory identification. This printer comes with a free Brady WorkStation Basic Design Software Suite, enabling you to immediately start designing professional signs and labels.	The BradyPrinter i5100 Industrial Label Printer offers a perfect mix of performance & smarts. This benchtop printer can print on 70 label materials, more than 1200 stock label parts and tailored custom label materials and parts. Applications include a wide range of specialised and commonly used product labels, electronics and PCB labels, logistics and asset tracking labels, cable & component identification labels and laboratory sample labels.	The BradyPrinter i7100 industrial thermal transfer benchtop printer is ideal for customers requiring reliable high volume printing on lots of different materials within the Aerospace, Defence and Mass Transit, Electronics, Automotive, Logistics, Electrical, Voice-Datacom and LAB markets. It guarantees accurate printing on sleeves, tags, labels, tapes, cable markers and much more. This printer comes with a free Brady WorkStation Basic Design Software Suite, enabling you to immediately start designing professional labels.	The BradyJet J2000 Colour Label Printer is a practical and easy to use, full colour inkjet benchtop printer that can print reliable, high resolution signs, facility and laboratory sample labels. This printer comes with a free Brady WorkStation Basic Design Software Suite, enabling you to immediately start designing professional signs and labels.

Features					
Recommended Usage per Day	500	3000	5000	7000	3000
Resolution (dpi)	300	300	300/600	300/600	Up to 4800
Print Technology	Thermal Transfer	Thermal Transfer	Thermal Transfer	Direct Thermal/Thermal Transfer	Inkjet
Print Speed (mm/sec)	101.60 mm/s	101.60 mm/s	300.00 mm/s	300.00 mm/s	63.50 mm/s
Max Label Width	112.00 mm	107.95 mm	110.00 mm	110.00 mm	101.60 mm
Text Sizes (pt)	-	-	-	-	-
Max Print Width	105.60 mm	101.60 mm	105.70 mm	105.70 mm	101.60 mm
Bar Code Capability	Code 39; Code 39 with check digit; Code 93; Code 128/UCC; Code 128 subset A, B, C; Codabar; Interleave 2 of 5; Interleaved 2 of 5 with check digit; EAN-8; EAN-13; EAN-128; UPC-A; UPC-E; MSI; MSI with check digit; PLESSEY; POSTNET; Logmars; Code 11; Code 49; China post; ITF14; TELEPEN; TELEPEN; PLANET; Deutsche Post Identcode; Deutsche Post Leitcode; GS1 DataBar; GS1 DataMatrix; Maxicode; AZTEC; PDF417; QR Code; Micro PDF 417	Through software	Code 39; Code 93; Code 39 Full ASCII; code 128 A; code 128 B; code 128 C; EAN 8; EAN13; EAN/UCC 128/GS1-128; EAN/UPC; FIM; HIBC; Interleaved 2/5; ident and lead code of Deutsche Post AG; Codabar; JAN8; JAN 13; MSI; Plessey; Postnet; RSS14; UPC A; UPC E; UPC EO; Aztec; Codablock F; DataMatrix; PDF417; Micro PDF417; UPS MaxiCode; QR code; RSS 14 truncated, limited stacked and stacked omnidirectional; EAN/GS1 DataMatrix; GS1 DataBar.	Code 39; Code 93; Code 39 Full ASCII; code 128 A; code 128 B; code 128 C; EAN 8; EAN13; EAN/UCC 128/GS1-128; EAN/UPC; FIM; HIBC; Interleaved 2/5; ident and lead code of Deutsche Post AG; Codabar; JAN8; JAN 13; MSI; Plessey; Postnet; RSS14; UPC A; UPC E; UPC EO; Aztec; Codablock F; DataMatrix; PDF417; Micro PDF417; UPS MaxiCode; QR code; RSS 14 truncated, limited stacked, stacked and stacked omnidirectional; EAN/GS1 DataMatrix; GS1 DataBar.	Through software
Built-in Symbols	-	-	-	-	-
Flash Memory	128 MB (Flash), 64 MB (SDRAM), SD Flash memory card up to 32 GB	512MB RAM, 195 MB IFFS Flash	256MB RAM, 50MB IFFS Flash, SD card, slot up to 512GB	256MB RAM, 50MB IFFS Flash, SD card, slot up to 512GB	No Internal memory available
Materials Supported	Nylon Cloth, Paper, Polyester, Polyethylene, Polyimide, Polyolefin (Sleeves), Polypropylene, Thermoplastic polyether-polyurethane, Vinyl, Vinyl Cloth, Outdoor Vinyl, Self-laminating Vinyl	Freezerbondz Polyester; Heat-shrink Polyolefin Sleeve; High Temperature Heat-shrink Polyvinylidene Fluoride Sleeve; Magnetic Polyester; Metal Detectable Polyester; Metallic, Non-metal Polyester; Metallised Polyester; Nylon Cloth; Paper; Phosphorescent Polyester; Polyester; Polyester Tag; Polyester with Polyester Overlaminated; Polyethylene Tag; Polyimide; Polyolefin; Polypropylene; Polyvinylfluoride; Reflective Tape; Self-laminating Polyester; Self-laminating Vinyl; StainerBondz Polyester; Tamper-evident Metallised Polyester; Thermoplastic Polyether Polyurethane; Vinyl; Vinyl Cloth	Direct Thermal Paper; Freezerbondz™ Polyester; Heat-shrink Polyolefin Sleeves; High Temperature Heat-shrink Polyvinylidene Fluoride Sleeves; Metallic, Non-metal Polyester; Metallised Polyester; Nylon Cloth; Paper; Polyester; Polyethylene Foam Laminate Polyester; Polyethylene Tag; Polyimide; Polymer; Polypropylene; Polypropylene Tag; Polyvinylfluoride; Removable Polyester; Repositionable Paper; Self-laminating Polyester; Self-laminating Vinyl; StainerBondz™ Polyester; Static Dissipative Polyester; Tamper-evident Metallised Polyester; Tamper-evident Polyester; Tamper-resistant Metallised Vinyl; Vinyl Cloth; Water-indicating Polyester	Freezerbondz™ Polyester; Heat-shrink Polyolefin Sleeves; High Temperature Heat-shrink Polyvinylidene Fluoride Sleeves; Metallic, Non-metal Polyester; Metallised Polyester; Nylon Cloth; Paper; Polyester; Polyethylene Foam Laminate Polyester; Polyethylene Tag; Polyimide; Polymer; Polypropylene; Polypropylene Tag; Polyvinylfluoride; Removable Polyester; Repositionable Paper; Self-laminating Vinyl; StainerBondz™ Polyester; Static Dissipative Polyester; Tamper-evident Metallised Polyester; Tamper-evident Vinyl; Vinyl Cloth; Water-indicating Polyester	Polyester; Vinyl; Polypropylene
Stand-alone Printing (Detached from PC)	Stand-alone & Peripheral	Peripheral	Stand-alone & Peripheral	Peripheral	Peripheral
Colour Capability	Monocolour	Monocolour	Monocolour	Monocolour	Full Colour
Connectivity	Ethernet, Serial, USB	Ethernet, USB, USB 2.0	Ethernet, WiFi (optional), Bluetooth, Bluetooth (optional), Serial/USB	Ethernet, RS232, USB 2.0, USB Host	USB
Keyboard	Optional	None	None	None	None
Hardware Options	Peel & Present, Universal Keyboard	-	Ribbon Take up Spindle; Label Roll Holder; Platen Rollers	Cutter with Tray, Cutter Perforator, Present Sensor, Peel Off, Rewinder, Platen Rollers	-
Weight (kg)	2.5 kg	5.3 kg	6.62 kg	10 kg	3.2 kg



BMP™ 21-LAB LABEL PRINTER

Tough on the outside, Genius on the inside

Combining a tough exterior with smart printing capabilities, the BMP21-LAB hand-held label printer can take a hit and still perform. **Laboratory symbols** & vial/tube auto-sizing, plus drop-lock-and-go cartridges, plus a rechargeable Lithium-ion battery adds up to a powerful and affordable tool for quick and efficient label making in any type of laboratory. **High quality label materials** designed specifically for the laboratory environment create durable, professional looking labels for your laboratory samples and beyond.

Designed for Laboratory



- Materials available for applications such as cryo vials and slides
- Greek symbols commonly used in laboratory, intuitive menu structure for symbols
- Vial label function automatically cuts the tape according to the size of the vial
- Automated serialisation
- Time & Date stamp

Easy to use

- 3 line LCD display provides clear visibility
- ABC keypad, graphics library, hot keys and menu functions for fast label creation
- Long life rechargeable Lithium-ion battery*
- Smart Cell Technology for automatic label setup
- Automatic label formatting for commonly used label types in laboratory
- Magnet accessory* for more convenient use and storage on smaller laboratory benches and a lanyard for hands-free operation
- Ergonomic, centre balanced printer with grab and go ridges grip for easy handling

Exceptional material variety and durability

- Laboratory specific materials designed to withstand harsh laboratory environments.
- High quality, long lasting labels that stick and stay stuck
- Prints durable true-sized 6 – 19 mm wide identification to maximise amount of data
- Adjust the length of the labels using the high performance continuous material
- Fulfill your requirements with a range of different industry specified materials that last



View online

Visit www.bradyeurope.com/BMP21-LAB for more information on the BMP21-LAB Label Printer.

BMP21-LAB LABEL PRINTER

Article No.	Order Ref.	Description
139538	BMP21-LAB	BMP21-LAB Label Printer - Blister Pack

Blister package contains: This printer ships in a blister pack with a Quick Start Guide and an M21-750-7425 label cartridge

BMP21-LAB STARTER KITS

Article No.	Order Ref.	Description
134474	BMP21-LAB-KIT EU	BMP21-LAB Label Printer - Kit - EU
134475	BMP21-LAB-KIT UK	BMP21-LAB Label Printer - Kit - UK
134476	BMP21-LAB-KIT US	BMP21-LAB Label Printer - Kit - US

Printer Kit contains: This printer ships in a hard case with a Li-ion Battery, a Power Cord, a Quick Start Guide and an M21-750-7425 label cartridge

ACCESSORIES

Article No.	Order Ref.	Description
110416	BMP21-AC EUR	AC Adaptor, Europe 220V
110417	BMP21-AC UK	AC Adaptor, UK 240V
110937	BMP21-AC	AC Adaptor, US 110V
110891	BMP21-MAGNET	Magnet Only Accessory
110892	BMP21-TOOL	Multifunctional Accessory
139540	BMP21-PLUS-BATT	Rechargeable Lithium Ion battery for the BMP21 PLUS and BMP21 LAB printers

*Accessories sold separately. Battery included in the Starter Kit only.



BMP21-LAB cartridges can be used in the first generation BMP21 and LABPAL Label Printer.

BMP51 LABEL PRINTER

The BMP51 Label Printer is a compact, versatile portable printer with built-in Bluetooth® technology for wireless printing.

- Identify your samples quickly and more efficiently
- Portable/Handheld
- Labels withstand extreme laboratory temperatures and solvents
- Durable built-in cutter that retains the label after it's cut until you need it
- Built-in Bluetooth® or optional Wi-Fi card for wireless printing from a network
- A magnet accessory to keep your printer handy
- Serialisation feature for quicker aliquots



View online

Visit www.bradyeurope.com/BMP51 for more information on the BMP51 Label Printer.

BMP51 LABEL PRINTER

Article No.	Order Ref.	Description
710894	BMP51 PRINTER EU	BMP51 Label Printer - EU
306856	BMP51-EU-LABS	BMP51 Label Printer - EU with Brady Workstation LAB Suite
710898	BMP51-UK	BMP51 Label Printer - UK
306857	BMP51-UK-LABS	BMP51 Label Printer - UK with Brady Workstation LAB Suite

The Basic Suite is included with every printer, all you need to do is download it. Workstation.BradyID.com/Free



For more information about the Brady Workstation Software Suites, see page 55.


BMP51 LABORATORY KITS

Article No.	Order Ref.	Description
198655	BMP51-LAB KIT-EU	BMP51 Laboratory Kit EU
198658	BMP51-LAB KIT-UK	BMP51 Laboratory Kit UK

This printer ships in a hard case with a Rechargeable Lithium Ion Battery, USB Cable, AC adaptor with power cord, Product CD, Brady Printer Drivers CD, Quick Start Guide, a Bluetooth network card, a Brady Workstation LAB Suite, M-122-461, M-131-499 and an MC1-1000-422 cartridge.

BMP51 ACCESSORIES

Article No.	Order Ref.	Description
710612	M50-71-AC-BC-EU	AC Adaptor, Europe 220V
710613	M50-71-AC-BC-UK	AC Adaptor, UK 240V
114883	M-AC-143110	AC Adaptor, USA 120V
142265	NET-BT	Bluetooth Network Card
143109	M50-HC	BMP50 Series Hard Carry Case
143108	M50-MAGNET	BMP50 Series Magnet Accessory
143115	M50-BATT-TRAY	BMP50 Series Spare Battery Tray for 8 AA batteries
142267	NET-LAN	LAN Network Card
142260	BMP-UBP 12V	Rechargeable Lithium Ion battery for the BMP51 printer
710902	UBP-LI-ION-AC-EUR	Universal Li-ion Battery Pack with AC Adaptor/Battery Pack EU
710903	UBP-LI-ION-AC-UK	Universal Li-ion Battery Pack with AC Adaptor/Battery Pack UK
142261	BMP-UBP-AC	Universal Li-ion Battery Pack with AC Adaptor/Battery Pack US
142268	NET-WIFI-LAN	WIFI/ LAN Network Card





BMP61 LABEL PRINTER

Rugged & Reliable

- Drop-tested and equipped with moulded rubber bumpers
- Large material loading bay for fast label material swaps
- Smart-cell cartridge technology enables auto-calibration
- Large colour touchscreen with on-screen indicators: easily check which label cartridge is installed and how many labels you have left. Quickly review your label on the display before printing to avoid mistakes
- 33.8 mm/second print speed: Don't wait on the label you need
- Rechargeable NiMH-Battery for increased autonomy
- 2 year warranty

High-Performance Materials & excellent print quality

- 600 label materials + custom labels: don't use a half-baked solution. Choose from 600 label material (sleeves, self-lams and more) and ink ribbon combinations, or ask Brady to develop custom labels to answer your needs!
- Handles die-cut, continuous and custom labels up to 50.80 mm - also in bulk format
- Intuitive typing thanks to the AZERTY/QWERTY/QWERTZ/CYRILLIC keyboards
- 300 dpi print quality

Data management versatility

- USB list feature: read spreadsheets directly from external USB-memory and integrate the data in your labels ready for printing
- Wifi-version available – compatible with mobile apps: create or load label templates with your smartphone and send them to your printer
- USB 2.0 ports (Type A & B) to copy large lists of label designs
- Works with LabelMark™ Labelling Software, Brady Mobile apps and Brady Workstation



View online

Visit www.bradyeurope.com/BMP61 for more information on the BMP61 Label Printer.



BMP61 LABEL PRINTER

Article No.	Order Ref.	Description
148638	BMP61-AZERTY-EU	BMP61 Label Printer - AZERTY
198633	BMP61-AZ-EU-PWID	BMP61 Label Printer - AZERTY with Brady Workstation PWID Suite
146231	BMP61-AZERTY-EU-W	BMP61 Label Printer - AZERTY with wifi
198632	BMP61-AZ-EU-W-PWID	BMP61 Label Printer - AZERTY with wifi and Brady Workstation PWID Suite
196467	BMP61-CYRILLIC-W	BMP61 Label Printer - CYRILLIC with wifi
198634	BMP61-CYR-W-PWID	BMP61 Label Printer - CYRILLIC with wifi and Brady Workstation PWID Suite
146230	BMP61-QWERTY-EU	BMP61 Label Printer - QWERTY EU
198636	BMP61-QY-EU-PWID	BMP61 Label Printer - QWERTY EU with Brady Workstation PWID Suite
146227	BMP61-QWERTY-EU-W	BMP61 Label Printer - QWERTY EU with wifi
198635	BMP61-QY-EU-W-PWID	BMP61 Label Printer - QWERTY EU with wifi and Brady Workstation PWID Suite
196453	BMP61-QWERTY-UK	BMP61 Label Printer - QWERTY UK
198638	BMP61-QY-UK-PWID	BMP61 Label Printer - QWERTY UK with Brady Workstation PWID Suite
196454	BMP61-QWERTY-UK-W	BMP61 Label Printer - QWERTY UK with wifi
198637	BMP61-QY-UK-W-PWID	BMP61 Label Printer - QWERTY UK with wifi and Brady Workstation PWID Suite
146229	BMP61	BMP61 Label Printer - QWERTY US
198640	BMP61-QY-US-PWID	BMP61 Label Printer - QWERTY US with Brady Workstation PWID Suite
146226	BMP61-W	BMP61 Label Printer - QWERTY US with wifi
198639	BMP61-QY-US-W-PWID	BMP61 Label Printer - QWERTY US with wifi and Brady Workstation PWID Suite
148637	BMP61-QWERTZ-EU	BMP61 Label Printer - QWERTZ
198642	BMP61-QZ-EU-PWID	BMP61 Label Printer - QWERTZ EU with Brady Workstation PWID Suite
198641	BMP61-QZ-EU-W-PWID	BMP61 Label Printer - QWERTZ EU with wifi and Brady Workstation PWID Suite
146224	BMP61-QWERTZ-EU-W	BMP61 Label Printer - QWERTZ with wifi

BMP61 ACCESSORIES

Article No.	Order Ref.	Description
710612	M50-71-AC-BC-EU	AC Adaptor, Europe 220V
710613	M50-71-AC-BC-UK	AC Adaptor, UK 240V
114883	M-AC-143110	AC Adaptor, USA 120V
146220	BMP-HC-1	Hard Case for BMP61
146221	BMP-MAGNET-1	Magnet for BMP61
018556	PCK-5	Printer cleaning kit
133255	BMP41-BATT	Rechargeable Nickel Metalhydride battery for the BMP41 and BMP61 printers
146233	BMP-STRAP-1	Strap for M611 and BMP61
103788	M50-USB CABLE	USB Cable

The Basic Suite is included with every printer, all you need to do is download it. Workstation.BradyID.com/Free



For more information about the Brady Workstation Software Suites, see page 55.

BMP71 LABEL PRINTER

The BMP71 mobile label printer can print on more than 30 different types of label material including several which are specifically suitable for a laboratory environment - all designed with Brady's industrial strength durability.

- The powerful BMP71 prints faster than any other printer in its class (38 mm/sec). Don't wait longer than necessary for your labels.
- The BMP71 has a full keyboard, available in 4 versions, QWERTY, AZERTY, QWERTZ and CYRILLIC. Use both your hands to type your text instead on one finger and save you time!
- The enlarged colour screen of the BMP71 enables you to see the whole label at once, helping you to compose the label in the most efficient way, eliminating trial and error.
- The BMP71 printer is your essential tool that handles all your label printing needs



i **View online**
 Visit www.bradyeurope.com/BMP71 for more information on the BMP71 Label Printer.

One smart printer to print it all.

BMP71 LABEL PRINTER

Article No.	Order Ref.	Description
710601	BMP71-AZERTY-EU	BMP71 Label Printer - AZERTY
710604	BMP71-CYRILLIC-EU	BMP71 Label Printer - CYRILLIC
710599	BMP71-QWERTY-EU	BMP71 Label Printer - QWERTY EU
710600	BMP71-QWERTY-UK	BMP71 Label Printer - QWERTY UK
710603	BMP71-QWERTZ-EU	BMP71 Label Printer - QWERTZ

This printer kit ships in a hard case with Rechargeable NiMH Battery, AC Adaptor, USB Communications Cable, TLS2200® / HandiMark™ Material Roll Adaptor, Quick Start Guide, Product CD (w/ Printer Driver, Tutorials, Full User's Guide), Cleaning Kit, M71C-2000-595-WT, M71-31-423 and M71-R6000.

The Basic Suite is included with every printer, all you need to do is download it. Workstation.BradyID.com/Free

i For more information about the Brady Workstation Software Suites, see page 55.



BMP71 LABORATORY KITS

Article No.	Order Ref.	Description
306861	BMP71-AZ-EU-LABS	BMP71 Label Printer - AZERTY with Brady Workstation LAB Suite
306865	BMP71-CYR-LABS	BMP71 Label Printer - CYRILLIC with Brady Workstation LAB Suite
306862	BMP71-QY-EU-LABS	BMP71 Label Printer - QWERTY EU with Brady Workstation LAB Suite
306864	BMP71-QY-UK-LABS	BMP71 Label Printer - QWERTY UK with Brady Workstation LAB Suite
306863	BMP71-QZ-EU-LABS	BMP71 Label Printer - QWERTZ with Brady Workstation LAB Suite

This printer kit ships in a hard case with Rechargeable NiMH Battery, AC Adaptor, USB Communications Cable, TLS2200® / HandiMark™ Material Roll Adaptor, Quick Start Guide, Product CD (w/ Printer Driver, Tutorials, Full User's Guide), Cleaning Kit, a Brady Workstation Laboratory Identification Suite, M71C-2000-595-WT, M71-31-423 and M71-R6000.



BMP71 ACCESSORIES

Article No.	Order Ref.	Description
710612	M50-71-AC-BC-EU	AC Adaptor, Europe 220V
710613	M50-71-AC-BC-UK	AC Adaptor, UK 240V
114883	M-AC-143110	AC Adaptor, USA 120V
114886	M71-CLEAN	Cleaning Kit
114881	M71-HC	Hard sided Carry Case
147998	M71-ADAPT-BK	Media Adaptor for BMP71 Printer
710614	M71-QC-EU	Quick Charger, Europe 220V
710615	M71-QC-UK	Quick Charger, UK 240V
114884	M71-QC-US	Quick Charger, US 120V
114885	M71-BATT	Rechargeable Nickel Metalhydride battery for the BMP71 printer
114882	BMP-SC-3	Soft Carry Case





BBP12 LABEL PRINTER

The BBP12 Label Printer is an entry level benchtop label printer for cable, component, product and laboratory sample identification that offers great value for money. The compact BBP12 offers a high print speed of 100 mm/second and can handle a wide range of highly durable and specialised Brady identification labels.

Simple, Efficient Design

- Compact in size, fits on every desk
- Default Ethernet Connectivity, allowing you to work in a network
- Connect any universal keyboard via USB 2.0 to work in stand-alone mode
- Full colour LCD Display and intuitive software interface are simple to use, so no extensive training is required
- Simple calibration menu with easy 1-2-3 step printing
- Best price/quality in the market for low volume printing
- Comes with a free unwinder accessory to print larger label rolls

Performance

- Prints a wide range of identification labels from 6 mm up to 112 mm wide
- Standard 300 dpi print quality allowing accurate image & barcode positioning on small labels
- With its powerful 32 bit processor and its extended memory it can print up to 100 mm / sec
- The printer supports the industry-standard Zebra® and Eltron® programming languages
- Print time and date on to your labels via the “Real time clock feature”



While the BBP12 label printer primarily uses 25.40 mm core materials for low to medium volume printing, an unroller is available should high volume printing be needed.

i **View online**
Visit www.bradyeurope.com/BBP12 for more information on the BBP12 Label Printer.



BBP12 LABEL PRINTER

Article No.	Order Ref.	Description
306867	BBP12-EU-U-C-LABS	BBP12 Label printer 300 dpi - EU with Cutter, Unwinder and Brady Workstation LAB Suite
195966	BBP12-EU+U+CUTTER	BBP12 Label printer 300 dpi - EU with Cutter and Unwinder
195566	BBP12-EU+UNWINDER	BBP12 Label printer 300 dpi - EU with Unwinder
306866	BBP12-EU-U-LABS	BBP12 Label printer 300 dpi - EU with Unwinder and Brady Workstation LAB Suite
306869	BBP12-UK-U-C-LABS	BBP12 Label printer 300 dpi - UK with Cutter, Unwinder and Brady Workstation LAB Suite
195967	BBP12-UK+U+CUTTER	BBP12 Label printer 300 dpi - UK with Cutter and Unwinder
195567	BBP12-UK+UNWINDER	BBP12 Label printer 300 dpi - UK with Unwinder
306868	BBP12-UK-U-LABS	BBP12 Label printer 300 dpi - UK with Unwinder and Brady Workstation LAB Suite
306871	BBP12-US-U-C-LABS	BBP12 Label printer 300 dpi - US with Cutter, Unwinder and Brady Workstation LAB Suite
195968	BBP12-US+U+CUTTER	BBP12 Label printer 300 dpi - US with Cutter and Unwinder
195568	BBP12-US+UNWINDER	BBP12 Label printer 300 dpi - US with Unwinder
306870	BBP12-US-U-LABS	BBP12 Label printer 300 dpi - US with Unwinder and Brady Workstation LAB Suite

The Basic Suite is included with every printer, all you need to do is download it.
Workstation.BradyID.com/Free

i For more information about the Brady Workstation Software Suites, see page 55.

BBP12 PRINTER KITS

Article No.	Order Ref.	Description
198596	BBP12-LAB KIT-EU	BBP12 Label printer 300 dpi - Laboratory Kit - EU
198597	BBP12-LAB KIT-UK	BBP12 Label printer 300 dpi - Laboratory Kit - UK
198598	BBP12-LAB KIT-US	BBP12 Label printer 300 dpi - Laboratory Kit - US

This BBP12 label printer comes in a cardboard box. It ships with an unwinder, USB Cable, power cord, product CD, Quick Start Guide, Brady Workstation Product and Wire ID Suite, THT-131-461-3, THT-156-492-3, THT-163-499-3, R7950 35mmx70m /O, R6400 65mmx70m / O, R4900 65mmx70m /O

ACCESSORY

Article No.	Order Ref.	Description
361064	BBP12/BBP11-P&P	Peel and Present

BradyPrinter i3300

INDUSTRIAL LABEL PRINTER

The BradyPrinter i3300 Industrial Label Printer is a completely hassle free, easy to use PC-based printer. It can print a full range of safety and facility labels and signs as well as die cut labels for wire identification, product identification and laboratory identification.

Print a huge range of labels & signs

With the BradyPrinter i3300, you can print a huge range of reliable labels and signs at your location in monocolour. More than 50 different Brady label materials are compatible with the BradyPrinter i3300. Labels & signs that can be printed with the BradyPrinter i3300 include:

- wire & cable identification labels
- product and laboratory identification labels
- safety and facility signs

These can be used both in- and outdoor, and include specialty solutions like ToughWash labels and ToughStripe floor marking.

Designed to last

The BradyPrinter i3300 prints on Brady's industrial grade labels that have been designed to last in challenging conditions. All Brady labels have been tested in line with international ASTM test methods and a technical data sheet is available for every material.

Extremely easy to use

The BradyPrinter i3300 is extremely easy to use and features auto-calibration and automatic label material setup. This will enable you to immediately start printing the signs and labels you need. Switching to another label material is easy and extremely fast thanks to the printer's 'drop-in' label materials and matching ink ribbons that can be switched out in less than 20 seconds. When used with Brady Workstation apps, a wide variety of sign & label design options becomes available.



View online

Learn more about the BradyPrinter i3300 on:
www.bradyeurope.com/i3300



PRINTER

Article No.	Order Ref.	Description
149553	I3300-C-EU	i3300 Industrial Label Printer- EU
241130	I3300-C-EU-LAB	i3300 Industrial Label Printer- EU with Brady Workstation LAB Suite
149555	I3300-C-UK	i3300 Industrial Label Printer- UK
241132	I3300-C-UK-LAB	i3300 Industrial Label Printer- UK with Brady Workstation LAB Suite
149551	I3300-300-C-US	i3300 Industrial Label Printer- US
241128	I3300-C-US-LABS	i3300 Industrial Label Printer- US with Brady Workstation LAB Suite
149554	I3300-C-EU-WF	i3300 Industrial Label Printer with Wifi- EU
241131	I3300-C-EU-W-L	i3300 Industrial Label Printer with Wifi- EU with Brady Workstation LAB Suite
149556	I3300-C-UK-WF	i3300 Industrial Label Printer with Wifi- UK
241133	I3300-C-UK-W-L	i3300 Industrial Label Printer with Wifi- UK with Brady Workstation LAB Suite
149552	I3300-300-C-US-WF	i3300 Industrial Label Printer with Wifi - US
241129	I3300-C-US-W-LABS	i3300 Industrial Label Printer with Wifi- US with Brady Workstation LAB Suite

This i3300 printer comes in a cardboard box. It ships with a power cord, a Brady Workstation LAB Suite, a USB cable, a product CD holding the manual, a cleaning kit and a printed quick start guide

The Basic Suite is included with every printer, all you need to do is download it.
Workstation.BradyID.com/Free



For more information about the Brady Workstation Software Suites, see page 55.

ACCESSORIES

Article No.	Order Ref.	Description
036612	Squeegee	Squeegee
120994	B30-TROLLEY	Trolley for BBP3x, S3xxx, i3300
133251	PCK-6	Printer Cleaning Kit, Thermal Transfer Printers
142114	B31-WIPER	Media Wiper 5 Pack
142116	B31-CCT	Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3000, S3100 and i3300 printer
999834	Supplies Carrying Case	Supplies Carrying Case



BradyPrinter i5100 INDUSTRIAL LABEL PRINTER

The perfect mix of performance and smarts

The BradyPrinter i5100 Industrial Label Printer is smart and easy to use, offers excellent performance and prints over 1200 standard identification labels plus user specific, tailored custom labels.

Smart & connected

- Communicates automatically with our label design apps, label consumables and ink ribbons for a smooth and fast printer setup.
- Intuitive, full colour touch screen includes a label and print status monitor which also informs you when the installed ink ribbon does not optimally match the inserted label supplies.
- Brady labels can easily be loaded thanks to a self-centering roll holder and automatic calibration and label setup.
- The printer features a range of standard ports for common industrial connectivity scenarios.


Excellent print performance

- With 300 and 600 dpi printing, the BradyPrinter i5100 offers crisp, high quality printing on reliable, industrial grade labels from 5 up to 110 mm.
- Driven by a powerful 32 bit and 800 Mhz internal printer processor, the i5100 prints at a speed of up to 300 mm/sec at 300 dpi.
- The printer's interchangeable platen rollers help to keep its performance at maximum, even after intensive use.

Reliable, industrial grade labels

- The BradyPrinter i5100 can print on 70 label materials, more than 1200 stock label parts and tailored custom label materials and parts.
- Laboratory labels: cryo tube labels, slide labels, removable glassware labels, well plate labels, tissue cassette labels a.o.

i **View online**
Consult the videos of the i5100 BradyPrinter on: www.bradyeurope.com/i5100



PRINTERS

Article No.	Order Ref.	Description
300 dpi		
149458	I5100-300-UKEU	BradyPrinter i5100 300 dpi - UK/EU
149459	I5100-300-C-UKEU	BradyPrinter i5100 300 dpi - UK/EU with Cutter
198766	I5100-300-US	BradyPrinter i5100 300 dpi - US
198767	I5100-300-C-US	BradyPrinter i5100 300 dpi - US with Cutter
306872	I5100-300-EU-LABS	BradyPrinter i5100 300 dpi - UK/EU with Brady Workstation LAB Suite
306873	I5100-300-US-LABS	BradyPrinter i5100 300 dpi - US with Brady Workstation LAB Suite
306874	I5100-300C-EU-LABS	BradyPrinter i5100 300 dpi - UK/EU with Cutter and Brady Workstation LAB Suite
306875	I5100-300C-US-LABS	BradyPrinter i5100 300 dpi - US with Cutter and Brady Workstation LAB Suite
600 dpi		
149461	I5100-600-UKEU	BradyPrinter i5100 600 dpi - UK/EU
149462	I5100-600-C-UKEU	BradyPrinter i5100 600 dpi - UK/EU with Cutter
198768	I5100-600-US	BradyPrinter i5100 600 dpi - US
198769	I5100-600-C-US	BradyPrinter i5100 600 dpi - US with Cutter
306876	I5100-600-EU-LABS	BradyPrinter i5100 600 dpi - UK/EU with Brady Workstation LAB Suite
306877	I5100-600-US-LABS	BradyPrinter i5100 600 dpi - US with Brady Workstation LAB Suite
306878	I5100-600C-EU-LABS	BradyPrinter i5100 600 dpi - UK/EU with Cutter and Brady Workstation LAB Suite
306879	I5100-600C-US-LABS	BradyPrinter i5100 600 dpi - US with Cutter and Brady Workstation LAB Suite

ACCESSORIES

Article No.	Order Ref.	Description
133251	PCK-6	Printer Cleaning Kit - Thermal Transfer Printers
149080	BT-USB-ADAPT	Bluetooth USB Adapter
149131	WLAN-EXANT	USB Wlan Stick with External Antenna
149470	I5100-IP-HOLDER	RFID enabled Media Roll Holder
149471	I5100-PR-120mm	i5100 120mm Platen Roller
149472	I5100-PR-25mm	i5100 25mm Platen Roller
149473	I5100-PR-50mm	i5100 50mm Platen Roller
149562	I5100-IP-RIBBTUP	Ribbon Takeup Spindle
149598	I5100-PR-80mm	i5100 80mm Platen Roller
197823	SD-CARD-8GB	SD Memory card 8GB
711019	RS232 C 9/9-pin 3m	Cable RS232 C, 9/9-pin, 3m

BradyPrinter i7100

INDUSTRIAL LABEL PRINTER

When accuracy meets precision

The BradyPrinter i7100 Industrial Label Printer offers durable and highly accurate label printing for business critical high volume identification challenges in Aerospace, Defence, Mass Transit, Electronics, Automotive and Logistics industries. Quickly print a wide range of high quality identification materials for a variety of applications including cable, printed circuit board and asset & component identification.

Reliable & fast precision printing

The BradyPrinter i7100 offers highly accurate label printing for business critical high volume identification challenges.

The printer features:

- a powerful internal processor designed to handle up to 7000 labels per day
- up to 300 mm/sec print speed
- 600 dpi ultra-sharp printing
- centre alignment of prints for high printing accuracy
- interchangeable platen rollers for optimised printhead life time
- a wide range of high quality identification materials

Easy to use

The BradyPrinter i7100 has an intuitive colour touch screen interface with distinctive icons to easily access the printer's menus. The printer's foldable cover allows for a small system footprint and enables users to quickly change consumables to start a new job or continue printing.



View online

Visit www.bradyeurope.com/i7100 for more information on the BradyPrinter i7100.

BRADYPRIINTER I7100

Article No.	Order Ref.	Description
300 dpi		
149046	I7100-300-EU	BradyPrinter i7100 300 dpi - EU
306880	I7100-300-EU-LABS	BradyPrinter i7100 300 dpi - EU with Brady Workstation LAB Suite
149049	I7100-300-P-EU	BradyPrinter i7100 300 dpi - EU with Peel function
306883	I7100-300P-EU-LABS	BradyPrinter i7100 300 dpi - EU with Peel function and Brady Workstation LAB Suite
149067	I7100-300-UK	BradyPrinter i7100 300 dpi - UK
306881	I7100-300-UK-LABS	BradyPrinter i7100 300 dpi - UK with Brady Workstation LAB Suite
149068	I7100-300-P-UK	BradyPrinter i7100 300 dpi - UK with Peel function
306884	I7100-300P-UK-LABS	BradyPrinter i7100 300 dpi - UK with Peel function and Brady Workstation LAB Suite
197690	I7100-300-US	BradyPrinter i7100 300 dpi - US
306882	I7100-300-US-LABS	BradyPrinter i7100 300 dpi - US with Brady Workstation LAB Suite
197689	I7100-300-P-US	BradyPrinter i7100 300 dpi - US with Peel function
306885	I7100-300P-US-LABS	BradyPrinter i7100 300 dpi - US with Peel function and Brady Workstation LAB Suite
600 dpi		
149047	I7100-600-EU	BradyPrinter i7100 600 dpi - EU
306886	I7100-600-EU-LABS	BradyPrinter i7100 600 dpi - EU with Brady Workstation LAB Suite
149052	I7100-600-P-EU	BradyPrinter i7100 600 dpi - EU with Peel function
306889	I7100-600P-EU-LABS	BradyPrinter i7100 600 dpi - EU with Peel function and Brady Workstation LAB Suite
149066	I7100-600-UK	BradyPrinter i7100 600 dpi - UK
306887	I7100-600-UK-LABS	BradyPrinter i7100 600 dpi - UK with Brady Workstation LAB Suite
149065	I7100-600-P-UK	BradyPrinter i7100 600 dpi - UK with Peel function
306890	I7100-600P-UK-LABS	BradyPrinter i7100 600 dpi - UK with Peel function and Brady Workstation LAB Suite
197692	I7100-600-US	BradyPrinter i7100 600 dpi - US
306888	I7100-600-US-LABS	BradyPrinter i7100 600 dpi - US with Brady Workstation LAB Suite
197691	I7100-600-P-US	BradyPrinter i7100 600 dpi - US with Peel function
306891	I7100-600P-US-LABS	BradyPrinter i7100 600 dpi - US with Peel function with Brady Workstation LAB Suite

The Basic Suite is included with every printer, all you need to do is download it.

Workstation.BradyID.com/Free



For more information about the Brady Workstation Software Suites, see page 55.



BradyPrinter i7100 Industrial Label Printer

Printer Specifications	
Description	BradyPrinter i7100 Industrial Label Printer
Includes	This i7100 printer comes in a cardboard box. It ships with a power cord, 2 empty ribbon cores, a USB cable, a product CD holding the driver, the user manual in languages, the configuration/settings manual in English, a printed user manual in English and a Brady Workstation Basic Suite or a Brady Workstation PWID Suite
Applications	General & Industrial Identification; Circuit Board & Component Identification; Wire & Cable Marking; Laboratory Identification
Print Speed (mm/sec)	up to 300
Internal Memory	256MB RAM, 50MB IFFS Flash, SD card, slot up to 512GB
Software Compatibility	Brady Workstation, LabelMark, Windows based driver for 3rd party software use, CodeSoft
Recommended Usage per Day	7000
Colour Capability	Monocolour
Language Support	Arabic (Egypt), Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Lithuanian, Macedonian, Norwegian (Bokmål), Persian (Farsi), Polish, Portuguese, Romanian, Russian, Serbian, Slovenian, Spanish, Swedish, Turkish
Weight (kg)	10
Size W x H x D (mm)	252 x 288 x 460
Max. Label Width (mm)	110
Min. Label Width (mm)	4
Max. Liner Width (mm)	114
Min. Liner Width (mm)	9
Max. Print Width (mm)	105.7
Warranty	2 years




BRADYPRINTER i7100 VIAL LABEL APPLICATOR

Article No.	Order Reference	Description
151156	i7100-VLA	i7100 Vial Label Applicator

BRADYPRINTER i7100 ACCESSORIES

Article No.	Order Reference	Description
133251	PCK-6	Printer Cleaning Kit, Thermal Transfer Printers
149043	i7100-PR-120MM	120mm Platen Roller with synthetic rubber coating
149044	i7100-PRS-120MM	120mm Platen Roller with silicone rubber coating
149048	i7100-PR-25MM	25mm Platen Roller with synthetic rubber coating
149051	i7100-RAR-120MM	120mm Rewind Assist Roller with synthetic rubber coating
149054	i7100-PR-80MM	80mm Platen Roller with synthetic rubber coating
149055	i7100-PR-50MM	50mm Platen Roller with synthetic rubber coating
149069	i7100-CUTTER+TRAY	i7100 Rotary Cutter with Tray
149070	i7100-ANTI-S-BRUSH	Antistatic Brush
149071	i7100-IO-LABEL-BOX	Label Selection I/O Box
149072	i7100-PS800	Present Sensor PS1000MP
149073	i7100-IO-CONNECTOR	I/O Interface Connector SUB-D 25pins
149074	i7100-RG400-PLATE	Rewind Guide Plate RG400
149075	i7100-PS900	Present Sensor PS900
149077	i7100-IO-INTERFACE	I/O Interface
149078	i7100-PERF-CUTTER	i7100 Rotary Perforation Cutter
149080	i7100-BT-USB-ADAPT	Bluetooth USB Adapter
149131	i7100-WLAN-EXANT	USB Wlan Stick with External Antenna
149132	i7100-ADAPTER-100	i7100 Adapter for 100mm Core
149135	i7100-PPLTEXT-410	i7100 Extended Peel off plate DP410
149207	i7100-TEAR-OFF	i7100 Tear off Plate
149208	i7100-HEX-KEY-TOOL	i7100 Spare Hex Key Tool
151149	i7100-i5100-EXDISP	External display for i7100, i5100 & A8500
151150	EXDISP-USB-1.8M	USB cable for external display, 1,8m
151151	EXDISP-USB-3M	USB cable for external display, 3m
151152	EXDISP-USB-5M	USB cable for external display, 5m
151156	i7100-VLA	i7100 Vial Label Applicator
197823	i7100 SD CARD 8GB	SD Memory card 8GB
302741	MC11 EUR	MC-11 Powered Label Rewinder for Europe
302744	LD100RS EUR	LD-100-RS Automatic Label Dispenser for Europe
302979	MC11 UK	MC-11 Powered Label Rewinder for United Kingdom
302980	LD100RS UK	LD-100-RS Automatic Label Dispenser for United Kingdom

INTERFACES ON THE BACK OF THE DEVICE



BRADY WORKSTATION

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. With Brady Workstation label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.

For more information about the Brady Workstation Software Suites, see page 55.



BradyPrinter M611 MOBILE LABEL PRINTER

Keep track of your sample data

Your sample is only as valuable as the data behind it. Maintain data integrity with high performance identification — stay connected to your data with the BradyPrinter M611 Mobile Label Printer and Brady Workstation Mobile or Desktop Software.

Through data automation, you can seamlessly get your data on your label in a format you need. It's all in the powerful Brady Workstation Express Labels Mobile App that connects your data to label templates so you keep your data integrity without any extra work. When it's time to start creating labels, simply pull from your data file and get to work.

Through data automation, you can seamlessly get your data on your label in a format you need. It's all in the powerful Brady Workstation Express Labels Mobile App that connects your data to label templates so you keep your data integrity without any extra work. When it's time to start creating labels, simply pull from your data file and get to work.

- High-performance printing with a small footprint when bench space is limited
- Long-lasting identification with label materials designed to survive your harsh lab conditions
- Easy to use templates for common lab labels



View online

Consult the videos of the BradyPrinter M611 on:
www.bradyeurope.com/M611

PRINTERS

Article No.	Order Ref.	Description
149569	M611-AM-BT-W	M611 Label Printer - US
149570	M611-EU-BT-W	M611 Label Printer - EU
199973	M611-UK-BT-W	M611 Label Printer - UK

* Printer ships with AC adapter/battery charger, USB 2.0 cable, utility strap, PTL-97-488 label material, M61-R4310 ribbon and USB flash drive with product information.

KITS

Article No.	Order Ref.	Description
306858	M611-EU-LABS	M611 Label Printer - EU with Brady Workstation LAB Suite
306859	M611-UK-LABS	M611 Label Printer - UK with Brady Workstation LAB Suite
306860	M611-US-LABS	M611 Label Printer - US with Brady Workstation LAB Suite

SOFTWARE OPTIONS



Brady Workstation Laboratory Identification Suite

Ensure labels for all your lab samples and equipment are crisp, clear and contain all necessary information. Easily design and create labels for your cryovials, centrifuge tubes, bottles, conicals, slides and other samples in your laboratory on this desktop software.

Article No.	Order Reference	Description
150498	BWS-LABS-EM	Brady Workstation Laboratory Suite as electronic media



Brady Workstation Express Labels Mobile App

The Brady Workstation Express Labels Mobile App makes mobile printing convenient and simple. This intuitively designed software integrates touchscreen technology for fast and easy label creation, including label resizing using touch and a native keyboard for more natural typing. To make label creation even more convenient, the app features auto-save capabilities, tools to help you easily enter data onto your label, and easy-to-use editing tools to keep labelling projects moving smoothly.





BradyJet J2000

COLOUR LABEL PRINTER

The more samples laboratories need to process, the more time consuming it becomes to retrieve one specific sample. Brady Corporation proposes sample colour coding to solve this and offers the BradyJet J2000 Colour Label Printer to do it, to stay productive and to avoid spending too much time on sample hunting.

Sort samples by colour

The BradyJet J2000 Colour Label Printer can print any colour on reliable laboratory sample labels. By setting up a colour code, laboratory specialists will be able to recognise sample categories at a glance. With over 16 million colour variations, users may switch colour every day, or use a different colour per application, storage or urgency type depending on the needs of their laboratory. Next to colour, the BradyJet J2000 also offers 4800 dpi photo quality print to add highly legible data or barcodes a decent scanner could never misread.

Print reliable labels

The BradyJet J2000 prints on Brady's reliable laboratory sample labels that come in matching sizes and shapes for most sample containers including tubes, vials, cryo containers, dishes, plates and general glassware. These labels are designed to stay attached and to remain legible when printed with a Brady printer, even if they are stored in liquid nitrogen and in freezers, or when used in hot water baths or autoclaves. Brady's laboratory sample labels can also resist common laboratory chemicals like acetone, ethanol, toluene, xylene and IPA.

Easy to use

With 26.4 by 38.9 cm dimensions, the BradyJet J2000 has a small footprint and is very practical and easy to use. Spring loaded Brady label rolls can be switched in less than 20 seconds and with automatic label set up, the printer is ready to print in no time. And with up to 63.5 mm per second print speed, even larger colour coded sample labels can quickly be printed on demand.

i View online

For more information or a live demo, visit www.bradyeurope.com/J2000



PRINTERS

Article No.	Order Ref.	Description
150159	J2000-EU	BradyJet J2000 Colour Label Printer - EU
199966	J2000-EU-LABS	BradyJet J2000 Colour Label Printer - EU with Brady Workstation LAB Suite
150157	J2000-UK	BradyJet J2000 Colour Label Printer - UK
199967	J2000-UK-LABS	BradyJet J2000 Colour Label Printer - UK with Brady Workstation LAB Suite
150162	J2000	BradyJet J2000 Colour Label Printer - US
199971	J2000-US-LABS	BradyJet J2000 Colour Label Printer - US with Brady Workstation LAB Suite



The Basic Suite is included with every printer, all you need to do is download it. Workstation.BradyID.com/Free



Easily identify any sample with the most wanted laboratory sample label design apps in our Brady Workstation Lab suite.

ACCESSORIES

Article No.	Order Ref.	Description
150160	J20-CUTTER	Replacement Cutter Blade for J2000
150163	J20-PAD	Replacement Ink Pads for J2000

INKS

Article No.	Order Ref.	Description
150154	J20-CMY	CMY pigment based ink cartridge for J2000 Printer

BRADY WORKSTATION SOFTWARE SUITES

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. Label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.

Select the apps you need

Simply select the apps you need, download the 30-day trial and purchase when satisfied. Here are just a few of the sample containers included in Brady Workstation:

- Cryovials
- Slides
- Tissue Cassettes
- Well Plates
- Centrifuge tubes



BRADY WORKSTATION BASIC DESIGN SOFTWARE SUITE

Get everyone in your facility up and running quickly on as many computers as you like with this free label creation software! You'll have basic design, formatting, graphics and simple barcode libraries to create labels like a pro!

The Basic Suite is included with every printer, all you need to do is download it. Workstation.BradyID.com/Free



Try it today! Discover Brady Workstation at www.bradyeurope.com/workstation or download at workstation.bradyid.com.



BRADY WORKSTATION LABORATORY IDENTIFICATION SUITE

Ensure labels for all your lab samples and equipment are crisp, clear and contain all necessary information. Easily design and create labels for your cryovials, centrifuge tubes, bottles, conicals, slides and other samples in your laboratory on this desktop software. Workstation.BradyID.com/Lab



BRADY WORKSTATION SAFETY AND FACILITY IDENTIFICATION SOFTWARE SUITE

Keep your facility safe and compliant by creating custom signs, label and pipemarkers, adding visual safety guidance. Workstation.BradyID.com/SafetyAndFacility



BRADY WORKSTATION DATA AUTOMATION

Use the Brady Workstation Data Automation app to set up automated sample label printing using information from a LIMS. Data Automation uses Brady Workstation label templates and .csv – exports from an ERP system such as LIMS. It enables the setup of several print channels that send preselected information to a predetermined label template which can be printed on a printer of choice, loaded with the correct consumables. Once set up, Data Automation can automatically print a sample label when a LIMS receives information on a newly arrived sample.

CODESOFT™ LABEL CREATION SOFTWARE

CodeSoft is a very powerful, feature-rich design software. It has the most text editing and bar code features, plus it is the best choice for advanced database importation and integration with 3rd party software programs - like LIMS.

- Over 100 Bar code symbologies including linear and 2D
- Robust data sourcing capabilities
- View labels and data in the same screen
- Label Comparison tool for previewing labels at design or production stages
- OLE automation supports object integration from any 3rd party Windows® application
- Enhanced Shape Tool makes using graphics and shapes on your labels a snap
- CodeSoft Pro - is for users printing text, images and bar codes on one to three printers
- CodeSoft Enterprise - is for user printing from databases and existing systems
- CodeSoft Network - is for users who want to manage licenses from a server






Brady offers a range of easy-to-use, high density scanners with superior imaging technology (Adaptus) that enable :







- fast and efficient scanning of any barcode, 2D-code or QR-code on a range of surfaces
- optimal handling thanks to a light weight and small size
- durable and reliable, stays intact in drop tests when falling from up to 1.8 m.

BRADY WORKSTATION

In order to achieve full track & trace control, you can use Brady Workstation apps to quickly design labels, import data from ERP or LIMS-systems, add QR-codes, barcodes or other 2D-codes, serialise and hit print. When printed with the specialised inks of a Brady printer, our label materials can identify items throughout complete production cycles and in storage much more effectively and much longer than any non-specialised solution.



LINEAR VS. 2-DIMENSIONAL BAR CODES

7 mil Examples	10 mil Examples	Symbol Size (mm) Row x Column	Bar Code Data Capacity		Built-in Error Correction
			Numeric	Alphanumeric	
 3.43 mm / 2D / Data Matrix Bar Code	 4.57 mm / 2D / Data Matrix Bar Code	18 x 18	36	25	YES (ECC200)
 4.95 mm / 2D / Data Matrix Bar Code	 6.60 mm / 2D / Data Matrix Bar Code	26 x 26	88	64	YES (ECC200)
 25.40 mm / Linear / Code 128 Bar Code	 31.75 mm / Linear / Code 128 Bar Code	31.75	10	10	NO



HONEYWELL VOYAGER 1470G 2D

Optimised for fast scanning of linear bar codes, including poorly printed and damaged codes, the Voyager 1470g2D enables enterprises to minimise manual data entry, leading to increased productivity and reduction in errors.

- 1D barcodes
- Laser technology
- Read barcodes up to 40 cm away
- Ergonomic design
- IP40 rated



Article No.	Description
306804	Honeywell Voyager 1470G 2D handheld scanner

HONEYWELL ENHANCED XENON 1950H HD

The Xenon 1950H HD scanner delivers superior barcode scanning and digital image capture. The scanner incorporates a revolutionary decoding architecture and a custom sensor, enabling extended depth of field, faster reading and improved scanning performance on poor-quality barcodes. From highdensity linear to 2D barcodes found directly on the screen of a mobile device, the 1950H HD scanner decodes virtually all barcodes with ease.

Article No.	Description
306801	Honeywell Enhanced Xenon 1950H HD handheld healthcare scanner



HONEYWELL ENHANCED XENON 1952H HD

The wireless area-imaging scanner Xenon 1952H HD delivers superior bar code scanning and digital image capture. Xenon 1952H HD incorporates a revolutionary decoding architecture and a custom sensor, enabling extended depth of field, faster reading, and improved scanning performance on poor quality bar codes. From high density linear to 2D bar codes found directly on the screen of a mobile device, Xenon 1952H HD decodes virtually all bar codes with ease. Xenon 1952H HD incorporates a Bluetooth Class 2, v2.1 radio, enabling unrestricted movement up to 10m from the base, and a battery that provides up to 14 hours of battery life. For added convenience, a paging system helps locate misplaced scanners.

Article No.	Description
306803	Honeywell Enhanced Xenon 1952H HD bluetooth scanner



The Code Reader™ scanners are still available. Contact your local Brady Distributor or Brady Customer Service for ordering information.

Brady Laboratory Printers Online



Surfing www.bradyeurope.com is a simple, efficient and timesaving way to learn more about BRADY products and applications, industry developments, events, promotions, etc.



Visit www.bradyeurope.com to find technical data sheets, update your Brady printers and software or quickly register Brady products!

For more information on featured printers visit: www.youtube.com/BradyEurope



BMP™21-LAB
LABEL PRINTER



BMP51
LABEL PRINTER



BMP61
LABEL PRINTER



BMP71
LABEL PRINTER



BradyJet J2000
COLOUR LABEL PRINTER



BradyPrinter i3300
INDUSTRIAL LABEL PRINTER



BradyPrinter i5100
INDUSTRIAL LABEL PRINTER



BradyPrinter i7100
INDUSTRIAL LABEL PRINTER



BradyPrinter M611
MOBILE LABEL PRINTER

See Your Printer Of Choice In Action

Experience live how the printer works in the hands-on printer demo at your premises, or watch how it operates via a live feed.

Discuss with our specialist how the printer will support you in your specific context to choose the system that best suits your needs.

www.bradyeurope.com




REGISTER YOUR PRODUCT

After registering your product you will have access to:

- Technical support
- Notification of updates
- Special offers and product announcements

www.bradyeurope.com/registration





Miscellaneous Products

- 60 Hazardous Substance Identification
- 62 Sorbent Products
- 66 Pipemarkers
- 66 Safety Signs on Rolls



ALL CHEMICALS LABELLED?

CLP is a mandatory European Union regulation which requires, amongst other obligations, the clear identification of products containing dangerous chemicals.

The EU's CLP regulation is based on the United Nation's Globally Harmonised System for chemical substances and, from June 2015 onwards, compliance to CLP is required for dangerous chemicals and mixtures in all EU member states. Every substance listed as dangerous, and every mix containing one of these dangerous substances, also needs to carry a CLP label as of June 2015.



WHAT IS CLP?

Classification, Labelling and Packaging (CLP) of substances and mixtures is the EU Regulation 1272/2008 which is an EU-wide system for classifying and labelling chemicals.

The system adopts the United Nations' Globally Harmonised System, or GHS.

- The GHS/CLP symbols were introduced in the EU on the basis of the CLP/GHS regulation (Classification, Labelling and Packaging) in January 2009.
- **GHS/CLP replaces the HSID labelling:** The orange coloured hazardous materials pictograms used until now are being replaced with new diamond-shaped pictograms on a white background with a red border. The current R+S Statements are replaced by H+P Statements (+ EUH Statements). In the EU, it has been required since 01.12.2010 to label **chemical substances** in accordance with the regulation. As from 01.06.2015 this requirement also applies to **chemical mixtures**. In the CLP/GHS the signal words "Danger and "Warning must be used, in accordance with the substance.

WHY DOES GHS MATTER?

Chemical import/export means big business

Globally, the production and use of chemicals is a more than 1.5 trillion € per year enterprise (340€ billion in the U.S. alone). Chemical labelling has appeared differently based on different regional requirements. With such an impact on the world economy, it's critical that the import and export of chemicals be made as safe and efficient as possible.

The GHS standard globally helps keep workers safe and informed of chemical hazards.

PRE-PRINTED LABELS WITH CLP/GHS SYMBOLS

Brady has a wide range of pre-printed labels to identify your chemical containers.

- High quality labels that can withstand the toughest environments
- Ultra-durable materials mean you only need to label products once in their lifetime
- Extremely weather, abrasion and chemical resistant
- Labels can withstand temperatures of -40 °C to +120 °C



Width x Height	Layout	GHS01 PIC 1801	GHS02 PIC 1802	GHS03 PIC 1803	GHS04 PIC 1804	GHS05 PIC 1808	GHS06 PIC 1809	GHS07 PIC 1805	GHS08 PIC 1807	GHS09 PIC 1806
		Explosive	Flammable	Oxidizing	Compressed Gas	Corrosive	Acute Toxicity	Health Hazard	Respiratory Hazard	Hazardous to Aquatic Environment
50 mm x 50 mm	Continuous Roll	811681	811686	811691	811696	811716	811721	811701	811711	811706
50 mm x 50 mm	Individual Markers on a Roll	814032	814033	814034	814035	814039	814040	814036	814038	814037
100 mm x 100 mm	Continuous Roll	814023	814024	814025	814026	814030	814031	814027	814029	814028
100 mm x 100 mm	Individual Markers on a Roll	811679	811684	811689	811694	811714	811719	811699	811709	811704

PRE-PRINTED GHS/CLP CHEMICAL LABELS


PRINT 2 COLOUR GHS LABELS IN ONE FAST PRINT PASS!

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass
- 3 sizes of labels, each with 6 different diamond layouts that match templates in Brady Workstation. Visit www.bradyeurope.com or contact your Brady distributor for more information




Pre-printed GHS/CLP Labels for BBP12 Label Printer


Diagram	Order Reference	Layout	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Web Width E (mm)	Labels per Row	Labels per Package	Ribbon Series
B-7610: Paper									
▲	THTCLP-S-L1-7610-0.4-SC	L1	55.00	85.00	91.02	59.00	1	400	R7950
▲	THTCLP-S-L2-7610-0.4-SC	L2	55.00	85.00	91.02	59.00	1	400	R7950
▲	THTCLP-S-L3A-7610-0.4-SC	L3A	55.00	85.00	91.02	59.00	1	400	R7950
▲	THTCLP-S-L3B-7610-0.4-SC	L3B	55.00	85.00	91.02	59.00	1	400	R7950
▲	THTCLP-S-L4A-7610-0.4-SC	L4A	55.00	85.00	91.02	59.00	1	400	R7950
▲	THTCLP-S-L4B-7610-0.4-SC	L4B	55.00	85.00	91.02	59.00	1	400	R7950
▲	THTCLP-M-L1-7610-0.3-SC	L1	75.00	110.00	115.36	79.00	1	300	R7950
▲	THTCLP-M-L2-7610-0.3-SC	L2	75.00	110.00	115.36	79.00	1	300	R7950
▲	THTCLP-M-L3A-7610-0.3-SC	L3A	75.00	110.00	115.36	79.00	1	300	R7950
▲	THTCLP-M-L3B-7610-0.3-SC	L3B	75.00	110.00	115.36	79.00	1	300	R7950
▲	THTCLP-M-L4A-7610-0.3-SC	L4A	75.00	110.00	115.36	79.00	1	300	R7950
▲	THTCLP-M-L4B-7610-0.3-SC	L4B	75.00	110.00	115.36	79.00	1	300	R7950
▲	THTCLP-L-L1-7610-0.2-SC	L1	105.00	155.00	160.12	109.00	1	200	R7950
▲	THTCLP-L-L2-7610-0.2-SC	L2	105.00	155.00	160.12	109.00	1	200	R7950
▲	THTCLP-L-L3A-7610-0.2-SC	L3A	105.00	155.00	160.12	109.00	1	200	R7950
▲	THTCLP-L-L3B-7610-0.2-SC	L3B	105.00	155.00	160.12	109.00	1	200	R7950
▲	THTCLP-L-L4A-7610-0.2-SC	L4A	105.00	155.00	160.12	109.00	1	200	R7950
▲	THTCLP-L-L4B-7610-0.2-SC	L4B	105.00	155.00	160.12	109.00	1	200	R7950
B-7594: Polypropylene									
▲	THTCLP-S-L1-7594-0.4-SC	L1	55.00	85.00	91.02	59.00	1	400	R6000HF
▲	THTCLP-S-L2-7594-0.4-SC	L2	55.00	85.00	91.02	59.00	1	400	R6000HF
▲	THTCLP-S-L3A-7594-0.4-SC	L3A	55.00	85.00	91.02	59.00	1	400	R6000HF
▲	THTCLP-S-L3B-7594-0.4-SC	L3B	55.00	85.00	91.02	59.00	1	400	R6000HF
▲	THTCLP-S-L4A-7594-0.4-SC	L4A	55.00	85.00	91.02	59.00	1	400	R6000HF
▲	THTCLP-S-L4B-7594-0.4-SC	L4B	55.00	85.00	91.02	59.00	1	400	R6000HF
▲	THTCLP-M-L1-7594-0.3-SC	L1	75.00	110.00	115.36	79.00	1	300	R6000HF
▲	THTCLP-M-L2-7594-0.3-SC	L2	75.00	110.00	115.36	79.00	1	300	R6000HF
▲	THTCLP-M-L3A-7594-0.3-SC	L3A	75.00	110.00	115.36	79.00	1	300	R6000HF
▲	THTCLP-M-L3B-7594-0.3-SC	L3B	75.00	110.00	115.36	79.00	1	300	R6000HF
▲	THTCLP-M-L4A-7594-0.3-SC	L4A	75.00	110.00	115.36	79.00	1	300	R6000HF
▲	THTCLP-M-L4B-7594-0.3-SC	L4B	75.00	110.00	115.36	79.00	1	300	R6000HF
▲	THTCLP-L-L1-7594-0.2-SC	L1	105.00	155.00	160.12	109.00	1	200	R6000HF
▲	THTCLP-L-L2-7594-0.2-SC	L2	105.00	155.00	160.12	109.00	1	200	R6000HF
▲	THTCLP-L-L3A-7594-0.2-SC	L3A	105.00	155.00	160.12	109.00	1	200	R6000HF
▲	THTCLP-L-L3B-7594-0.2-SC	L3B	105.00	155.00	160.12	109.00	1	200	R6000HF
▲	THTCLP-L-L4A-7594-0.2-SC	L4A	105.00	155.00	160.12	109.00	1	200	R6000HF
▲	THTCLP-L-L4B-7594-0.2-SC	L4B	105.00	155.00	160.12	109.00	1	200	R6000HF



L1




L2




L3A




L3B



L4A



L4B



L4C

Pre-printed GHS/CLP Labels for i3300 Label Printer

Diagram	Order Reference	Layout	Label Width A (mm)	Label Height B (mm)	Labels per Row	Labels per Package	Ribbon Series
B-7569: Vinyl							
▲	B30-260-7569-CLP1	L1	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP2	L2	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP3A	L3A	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP3B	L3B	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP4A	L4A	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP4B	L4B	55.00	85.00	1	340	B30-R10000
▲	B30-261-7569-CLP1	L1	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP2	L2	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP3A	L3A	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP3B	L3B	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP4A	L4A	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP4B	L4B	75.00	110.00	1	270	B30-R10000
▲	B30-18-7569-CLP4C	L4C	76.20	25.40	1	1000	B30-R10000
▲	B30-262-7569-CLP1	L1	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP2	L2	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP3A	L3A	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP3B	L3B	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP4A	L4A	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP4B	L4B	105.00	155.00	1	200	B30-R10000

LAB PACK



- Ideal for medium sized spills.
- Water and chemical resistant drum protects sorbents.
- Easy access to products thanks to screw top lid.
- Drum can be used as shipping container for used sorbents.

Kit contains: 12 pads (40 cm x 50 cm), 3 socks (7.6 diam cm x 366 cm), 2 pillows (43 cm x 48 cm), 1 pair of gloves, 1 pair of goggles and 3 disposal bags

Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
SKO-20	813869	LAB PACK, Oil Only	1 Kit	59
SKA-20	813870	LAB PACK, Maintenance	1 Kit	59
SKH-20	813871	LAB PACK, Chemical	1 Kit	57
SKR-20	813959	Re-Form Lab Pack - Maintenance	1 Kit	65

SPC SPILL BOX - PADS IN A CONVENIENT DISPENSER BOX ALLOWING YOU TO CREATE MULTIPLE SPILL STATIONS AROUND YOUR SITE!



- Reusable plastic box can be refilled once all the sorbents have been used.
- The Spill Box is light enough to be hanged to laboratory and storage area walls or to be attached to a forklift.
- The bright yellow colour stands out for quick identification and use.
- Various application areas: in liquid storage areas, behind the seat of a truck, lab environments, in workstations that deal with liquids.

Order Reference	Article No.	Description	Total Qty/Pack
SA-SBA	813909	SPILL BOX, Maintenance, filled box with 15 pads	15 Pad(s) / Kit
SA-SBH	813910	SPILL BOX, Chemical, filled box with 10 pads	10 Pad(s) / Box




SPILL RESPONSE PLUS

Spill Response Plus is a smaller size pad and roll designed to be highly absorbent, durable, low lint and to reduce waste.

- Dimpled design provides better looking, strong and durable product
- Roll is perforated so you only use what you need
- Includes universal (grey) and chemical (green) applications
- **Perfect to be used with Spill Safety Stations**

Order Reference	Article No.	Description	Colour	Total Qty/ Pack	Absorption Capacity (Ltrs)
MRO365-P	834176	ROLL, 19 cm x 15 m, Heavyweight, perforated & bonded, 60 pads per roll	Grey	1 Roll(s) / Bag	15
UN295-P	834177	ROLL, Medium weight, double perforated & bonded 19 cm x 15 m, 60 pads per roll	Green	1 Roll(s) / Bag	12




SKH-MINI

A FULLY DISPOSABLE SPILL KIT TO CLEAN UP SMALL CHEMICAL SPILLS EASILY AND WITHOUT RISK OF INJURIES.

- The autoclavable disposal bag is heat resistant up to 145°C to guarantee safe disposal of laboratory waste.
- Suited for spills of up to 1.7 litres, absorbing chemicals, water & oil based fluids.
- The specially designed disposable brush is intended to sweep up any broken glass or debris allowing a safe clean up without risk of injuries.
- Compact design: the SKH-MINI can easily be placed in any areas where it is most needed.
- Protective gloves are powder free, have roughened fingertips, increased tear resistance and a good chemical resistance for more safety.

Contents: 2 pads (40 cm x 50 cm), 1 pair of disposable chemical protective gloves, 1 autoclavable disposal bag, 1 disposable brush, and multilingual instruction guide



Order Reference	Article No.	Description	Quantity	Absorption Capacity (Ltrs)
SKH-MINI	813868	Disposable spill kit, chemical	4 Kits/Box	7.00

*4 x 1.7 litres

HAZWIK PILLOWS - FOR ABSORBING SPILLS & LEAKING LIQUIDS IN TIGHT SPACES.



Protection of fragile liquids during transport.

- Absorb chemicals, acids & bases.
- Good for large spills once contained.
- Ideal for use in packaging for extra protection during transport.
- 2 different sizes to fit any application.



Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
HAZ1818	813853	Pillow, 43 cm x 48 cm	16 Piece(s) / Box	105
HAZ1818-2	813854	Pillow, 43 cm x 48 cm	8 Piece(s) / Box	53
HAZ99	813855	Pillow, 23 cm x 23 cm	32 Piece(s) / Box	58

UN Booms

THE BEST WAY TO ABSORB AND CONTAIN LARGE SPILLS OF CHEMICALS AND HAZARDOUS LIQUIDS.

- Absorb chemicals, acids & bases as well as oils and water-based liquids.
- Metal clips & rings allow for easy linking of booms.
- Inner rope secured with four clips provides strength.
- Strong outer sleeve for durability.
- Inner sleeve keeps the adsorbent material intact within the boom.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
UN810	813848	Boom, Ø 20 cm x 3 m	4 Piece(s) / Bag	261
UN510	813849	Boom, Ø 13 cm x 3 m	4 Piece(s) / Bag	119



HAZWIK Socs

CONFINE & PREVENT HAZARDOUS SPILLS FROM SPREADING.

- Absorb chemicals, acids & bases.
- Different lengths available to always have the right size for your application.
- Flexible design is easily moulded around machines and spills.

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
HAZ412	813850	Soc, Ø 7.6 cm x 122 cm	12 Piece(s) / Box	43
HAZ806	813851	Soc, Ø 7.6 cm x 244 cm	6 Piece(s) / Box	43
HAZ124	813852	Soc, Ø 7.6 cm x 366 cm	4 Piece(s) / Box	43



UN PADS & ROLLS

FOR USE WHEN CHEMICALS AND HAZARDOUS LIQUIDS ARE INVOLVED!

- Chemically inert: product does not degrade or cause a dangerous chemical reaction with the adsorbed liquid.
- One-sided spunbond gives extra strength as well as lower lint.
- Perforated for flexibility – tear at the perforations for smaller sized pads to use only what you need.

Pads

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
UN100-E	813842	PADS, 40 cm x 50 cm, Medium weight, perforated & bonded	100 Pad(s) / Box	87
UN1212-E	813843	PAD, Medium weight, bonded 30 cm x 30 cm, 50 pads/Bag, 4 Bags/disp.box	200 Pad(s) / Dispenser Box	77

Rolls

Order Reference	Article No.	Description	Total Qty/Pack	Absorption Capacity (Ltrs)
UN15-2DP-E	813844	ROLL, Medium weight, double perforated & bonded 38 cm x 46 m	2 Roll(s) / Box	149
UN15-DP-E	813845	ROLL, Medium weight, double perforated & bonded 38 cm x 46 m	1 Roll(s) / Dispenser box	75
UN15-DPS-E	813846	ROLL, Medium weight, double perforated & bonded 38 cm x 23 m	1 Roll(s) / Dispenser box	37
UN30-DP-E	813847	ROLL, Medium weight, double perforated & bonded 76 cm x 46 m	1 Roll(s) / Box	149
UN295-P	834177	ROLL, Medium weight, double perforated & bonded 19 cm x 15 m, 60 pads per roll	1 Roll(s) / Bag	12



SPC - Sorbent Products

Your partner in helping your business guard against the leaks, drips and spills that create safety and environmental hazards in the workplace with quality sorbent products.

Contact your Brady Distributor to receive a copy of the SPC catalogue



PIPEMARKERS

- This pipemarker dimension (12 x 150 mm) has been specially developed by Brady for the identification of small pipes.
- Ideal for marking Piped Medical Gases, these markers are made from thin, flexible polyester (B-7541)
- For Pipes with a diameter from 6 to 20mm
- Sold by the card, with 5 markers per card
- Many legends available - please visit www.bradyeurope.com for full listing

Label Width A (mm)	Label Height B (mm)	Letter height (mm)	Total Qty/Pack
150.00	12.00	6.5	5 Marker(s) / Card



SAFETY SIGNS ON ROLLS

- Material: Laminated Polyester
- Number of signs per roll: 250
- Available Sizes: Triangular with sides of 25, 50 or 100 mm
- Labels are supplied die-cut to a triangular shape



Width (mm)	W016	W023	W003	W009
25 mm	828682	829718	826758	827646
50 mm	828684	829720	826760	827648
100 mm	828686	829722	826762	827650



Contact your Brady Distributor to receive a copy of Brady's Pipe Marking and Safety Signs brochures.

Surfing www.bradyeurope.com is a simple, efficient and timesaving way to learn more about BRADY products and applications, industry developments, events, promotions, etc. anytime, anywhere.

For looking up technical data sheets, downloading upgrades to your BRADY printers and software or fast registration of your BRADY products, there's just one address:
www.bradyeurope.com



www.bradyeurope.com

Africa

Randburg, South Africa
 Tel.: +27 11 704 3295
 Email: africa@bradycorp.com

Benelux

Zele, Belgium
 Tel.: +32 (0) 52 45 78 11
 Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia
 Tel.: +421 2 3300 4800
 Email: central_europe@bradycorp.com

Denmark

Odense
 Tel.: +45 66 14 44 00
 Email: denmark@bradycorp.com

France

Roncq
 Tel.: +33 (0) 3 20 76 94 48
 Email: france@bradycorp.com

Germany, Austria & Switzerland

Egelsbach, Germany
 Tel.: +49 (0) 6103 7598 660
 Email: germany@bradycorp.com

Hungary

Budaörs
 Tel.: +36 23 500 275
 Email: central_europe@bradycorp.com

Italy

Gorgonzola
 Tel.: +39 02 26 00 00 22
 Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE
 Tel.: +971 4881 2524
 Email: me@bradycorp.com

Norway

Kjeller
 Tel.: +47 70 13 40 00
 Email: norway@bradycorp.com

Russia

Moscow
 Tel.: +7 495 269 47 87
 Email: central_europe@bradycorp.com

Spain & Portugal

Madrid, Spain
 Tel.: +34 900 902 993
 Email: spain@bradycorp.com,
 portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden
 Tel.: +46 (0) 8 590 057 30
 Email: sweden@bradyeurope.com

Turkey

Istanbul
 Tel.: +90 212 264 02 20 / 264 02 21
 Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK
 Tel.: +44 (0) 1295 228 288
 Email: uk@bradycorp.com

Our mission is to identify and protect people, products and premises



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on www.bradyeurope.com.

 Search for: EUR-M-513-EN



Your distributor

16/12/2020